

Clinica Chimica Acta

Cumulative

Author and Subject

Index

Vols. 214–223 (1993)



**International Journal of Clinical
Chemistry and Medical Biochemistry**

Elsevier

CLINICA CHIMICA ACTA

International Journal of Clinical Chemistry and Medical Biochemistry

Aims and Scope

Clinica Chimica Acta publishes original Research Communications in the field of clinical chemistry and medical biochemistry, defined as 'the application of chemistry, biochemistry, immunochemistry and molecular biology to the study of human disease in cells, tissues or body fluids'. The objective of the journal is to publish novel information leading to a better understanding of biological mechanisms of human diseases, their diagnosis and treatment. Reports of an applied clinical character are also welcome. Papers concerned with normal metabolic processes or with constituents of normal cells or body fluids, such as reports of experimental or clinical studies in animals, are considered if they are clearly and directly relevant to human disease.

In addition to original Research Communications the journal publishes: (1) Short Communications — concise reports of limited scope which offer conclusive results or document methodological advances; (2) Letters to the Editor, commenting on papers published in *Clinica Chimica Acta* — these should be less than 400 words and may include 1 illustration or 1 table; (3) invited Critical Reviews of recent central developments in medical biochemistry and laboratory medicine; (4) Newsletters of Scientific Societies; (5) Meeting announcements.

Typescripts submitted to *Clinica Chimica Acta* should not have been published previously and should not be under consideration for publication elsewhere. Authors are invited to consult any member of the Editorial Board, if in doubt about any aspect of scope, format or content of a proposed paper.

Editorial Board

H. Adlercreutz (Helsinki)
D.A. Arvan (Rochester, NY)
 Consulting Editor
C. Bachmann (Lausanne)
C. Bohouon (Villejuif)
A. Bold (Jeddah)
P.J. Brombacher (Heerlen)
G. Ceriotti (Padua)
A. Chester (Lund)
J.P. Colombo (Berne)
R.B. Conn (Philadelphia, PA)
A. De Leenheer (Ghent)
R.J. Desnick (New York, NY)
R. Dorner (St. Louis, MO)
B.T. Doumas (Milwaukee, WI)
C. Dreux (Paris)
L. Dzialoszynski (Poznan)
H.G. van Eijk (Rotterdam)
D.M. Goldberg (Toronto)

P.D. Griffiths (Dundee)
 Consulting Editor
H.D. Gruemer (Richmond, VA)
A.R. Henderson (London, Ont.)
R.E. Hill (Hamilton, Ont.)
J.T. Hindmarsh (Ottawa)
J. Kint (Ghent)
G.M. Kostner (Graz)
K. Miyai (Osaka)
M. Müller (Vienna)
J. Pegg (Newark, DE)
I.W. Percy-Robb (Glasgow)
 Consulting Editor
T.J. Peters (Newark, DE)
J. Polonovski (Paris)
P.M. Rainey (New Haven, CT)
R. Rej (Albany, NY)
P. Riches (Boston)

Ph. Roussel (Lille)
F. Salvatore (Naples)
N.E. Saris (Helsinki)
S. Scharpé (Wilrijk)
M.K. Schwartz (New York, NY)
J.H.T. Seakins (London)
J. Shepherd (Glasgow)
H.R. Sloan (Columbus, OH)
R.C. Strange (Stoke-on-Trent)
I.-K. Tan (Singapore)
J.J.H. Thijssen (Utrecht)
C.H. de Verdier (Uppsala)
S.K. Wadman (Utrecht)
C. Walker (Hamilton, Ont.)
S. Walker (Edinburgh)
A. Westwood (Edinburgh)
J.S. Woodhead (Cardiff)
J. Zaidman (Tel Aviv)

Submission of papers

One original and two copies of all manuscripts should be sent to one of the following Editors-in-Chief:

For the Americas, Japan and Asia: Professor M. WERNER, 2819 McGill Terrace, N.W., Washington, DC 20008, USA.

For Europe, Australia and all other territories: Professor D.W. MOSS, Department of Clinical Pathological, Royal Postgraduate Medical School, Hammersmith Hospital, London, W12 0NN, U.K.

Receipt of manuscripts by the Editors-in-Chief will be acknowledged.

In the case of *rejection of a paper*, manuscripts will not be returned to authors. Authors should therefore stipulate whether half-tone illustrations should be returned.

Publication information

Clinica Chimica Acta (ISSN 0009-8981). For 1994 volumes 224–233 are scheduled for publication. Subscription prices are available upon request from the Publisher. Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by surface mail except to the following countries where Air delivery via SAL mail is ensured: Argentina, Australia, Brazil, Canada, Hong Kong, India, Israel, Japan, Malaysia, Mexico, New Zealand, Pakistan, PR China, Singapore, South Africa, South Korea, Taiwan, Thailand, USA. For all other countries airmail rates are available upon request. Claims for missing issues should be made within six months of our publication (mailing) date. Please address all your requests regarding orders and subscription queries to: Elsevier Science B.V., Journal Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands, tel. (+31-20)5803642, fax (+31-20)5803598.

In the USA and Canada: For further information on this and other Elsevier journals please contact: Elsevier Science Inc., Journal Information Center, 655 Avenue of the Americas, New York, NY 10010, USA. Tel. (212) 633 3750; fax (212) 633 3764; telex 420-643 AEP UI.

Back volumes: Please contact the Publisher.

All questions arising after acceptance of the manuscript, especially those relating to proofs, should be directed to Elsevier Science Ireland Ltd., Bay 15, Shannon Industrial Estate, Shannon, Co. Clare, Ireland, tel. (61)471944; fax (61)472144.

Advertising information: Advertising orders and enquiries may be sent to: Elsevier Science B.V., Advertising Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands, tel. (+31-20)5153220, fax (+31-20)6833041. In the UK: TG Scott & Son Ltd., attn Tim Blake/Vanessa Bird, Portland House, 21 Narborough Rd., Cosby, Leicestershire, LE9 5TA, UK, tel. (0533)753333, fax (0533)750522. In the USA and Canada: Weston Media Associates, attn Daniel Lipner, P.O. Box 1110, Greens Farms, CT 06436-1110, USA, tel. (203)2612500, fax (203)2610101.

(Notes to Authors on inside back cover)

Cumulative

Author index

Vols. 214–223 (1993)

A

Abe, A., Noma, A. and Itakura, H.
Lipoprotein(a) phenotyping using a computerized micro scale and phenotype frequencies in a healthy Japanese population (219) 149
Abu-Avid, S., see Niv, Y. (215) 9
Adachi, M., see Nakajima, K. (223) 53
Adachi, T., Nakamura, M., Yamada, H., Kitano, M., Futenma, A., Kato, K. and Hirano, K.
Pedigree of serum extracellular-superoxide dismutase level (223) 185
Adam, A., see Sorensen, S.H. (221) 115
Adamiec, R., Szewczyk, Z., Szmidziński, R. and Szopa, J.
Is an increase deoxyribonucleases activity in uraemic lymphocytes caused by their augmented synthesis in these cells? (221) 15
Admiraal, P.J.J., see Bhaggoe, U.M. (223) 179
Ahrén, B., see Bergenfelz, A. (219) 67
Aiach, M., see Brennan, S.O. (214) 123
Aida, S., see Itoh, K. (217) 221
Åkesson, B., see Huang, W. (219) 139
Akiyama, T., see Katayama, M. (217) 115
Akyol, Ö, see Durak, I. (214) 103
Alberola, V., see Bolufer, P. (215) 51
Alberty, R. and Albertová, D.
Biological variability of twenty-five serum analytes during normal pregnancy (214) 245
Albertová, D., see Alberty, R. (214) 245
Alitalo, K., see Koskinen, P.J. (217) 57
Allain, P., see Mauras, Y. (218) 201
Allanic, H., see Gallou, G. (214) 227
Allen, J.T., see Keevill, N.J. (221) 135
Allman, R.F.C., see Fielding, B.A. (216) 167
Alverson, J., see Forsyth, G.W. (216) 11
Amit, Y. and Boneh, A.
Bilirubin inhibits protein kinase C activity and protein kinase C-mediated phosphorylation of

endogenous substrates in human skin fibroblasts (223) 102
Andoh, Y., see Nakashima, K. (215) 111
Angervo, M., see Koistinen, R. (215) 189
Arie, D., see Vered, A. (218) 139
Ariyoshi, Y., see Washizu, K. (219) 15
Armbruster, F.P., see Rabitzsch, G. (214) 109
Armstrong, E.M., see Coulter, F. (214) 119
Armstrong, K.M.D., see Coulter, F. (214) 119
Arnaud, J., see Malvy, J.-M.D. (218) 117
Arranz, B., see Huguet, J. (220) 123
Artur, Y., see Lecomte, E. (218) 39
Asada, H., Shibata, K., Uchida, K., Takeyama, Y., Saitoh, Y. and Ohyanagi, H.
A radioimmunoassay for pancreatic elastase 1: use of α_1 -antitrypsin-elastase 1 conjugate as both standard and tracer to eliminate the influence of anti-elastase 1 autoantibodies (218) 17
Asai, K., Hirano, T., Matsukawa, K., Kusada, J., Takeuchi, M., Otsuka, T., Matsui, N. and Kato, T.
High concentrations of immunoreactive gliostatin/platelet-derived endothelial cell growth factor in synovial fluid and serum of rheumatoid arthritis (218) 1
Asquith, P., see Moran, A. (217) 153
Augusto, P., see Vered, A. (218) 139
Auricchio, S., see Wacker, H. (220) 115
Avolio, A., see Gozzo, M.L. (214) 175
Axelsson, R., see Bergquist, J. (217) 129
Ayrault-Jarrier, M., see Calvo, C. (217) 193
Azumi, Y., Ichikawa, T., Ishihara, K. and Hotta, K.
The validity of the ethanol precipitation method for the measurement of mucin content in human gastric juices and its possible relationship to gastroduodenal diseases (221) 219

B

Baiocchi, M.R., see Baldo-Enzi, G. (218) 83
 Bairati, C., see Gio, G. (221) 47
 Bairati, C., see Goi, G. (214) 61
 Baldo-Enzi, G., Baiocchi, M.R. and Crepaldi, G.
 Comparison of lipoprotein(a) assay methods
 in serum and in a plasminogen-free fraction
 (218) 83
 Balducci, L., see Iacobini, M. (221) 197
 Ball, D., see Rodgers, A.L. (220) 125
 Ballo, M.S., see Werner, M. (217) 39
 Barbaresi, G., see Gozzo, M.L. (214) 175
 Bari, M., see Micheli, V. (220) 1
 Bartlett, K., see Eaton, S. (220) 219
 Bartoli, E., see Pirisi, M. (219) 47
 Bartram, C.R.
 Detection of minimal residual leukemia by the
 polymerase chain reaction: potential implica-
 tions for therapy (217) 75
 Batt, R.M., see Sorensen, S.H. (221) 115
 Battello, C., see Fonda, M. (223) 121
 Baum, H.H.E., Schwab, I., Boiksteggers, P.,
 Steinbeck, G. and Neumeier, D.
 Differences in the time course of creatine
 kinase-MB activity and mass concentration
 after acute myocardial infarction (219) 183
 Beccari, T., see Tassi, C. (221) 203
 Belfrage, P., see Frayn, K.N. (216) 183
 Bellotti, V., see Geroldi, D. (221) 159
 Bergenfelz, A., Nordén, N.E. and Ahrén, B.
 Postoperative studies on parathyroid hormone
 secretion in patients operated on for primary
 hyperparathyroidism (219) 67
 Bergquist, J., Bergquist, S., Axelsson, R. and
 Ekman, R.
 Demonstration of immunoglobulin G with
 affinity for dopamine in cerebrospinal fluid
 from psychotic patients (217) 129
 Bergquist, S., see Bergquist, J. (217) 129
 Bergvin, L., Johansson, B. and Börjesson, U.
 Distribution of laboratory test results to pri-
 mary health care centres with the EDIFACT
 standard (222) 141
 Bergvin, L., see Johansson, B. (222) 123
 Bernard, A., Dumont, X., Roels, H., Lauwers, R.,
 Dieryck, I., De Ley, M., Stroobant, V. and
 de Hoffmann, E.
 The molecular mass and concentrations of
 protein 1 or Clara cell protein in biological
 fluids: a reappraisal (223) 189
 Berre, S., see Mauras, Y. (218) 201
 Bhaggoe, U.M., Boomsma, F., Admiraal, P.J.J.,
 in 't Veld, A.J.M. and Schalekamp, M.A.D.H.
 Stability of human plasma atrial natriuretic
 peptide during storage at -80°C (223) 179
 Bickel, H., see Trefz, F.K. (217) 15
 Biou, D.R., see Venembre, P.C. (221) 59
 Birbaumer, N., see Pickert, A. (217) 143
 Bissbort, S.H., see Ungerer, J.P.J. (223) 149
 Bizzaro, N., Finco, B. and Milani, L.
 Fab treatment in acute digitalis intoxication:
 reliability of serum digoxin determination with
 the Stratus system (217) 225
 Blau, N., see Ponzone, A. (216) 63
 Blom, J.L., see Hasman, A. (222) 49
 Boersma, A., see Defasque, P. (223) 173
 Boiksteggers, P., see Baum, H.H.E. (219) 183
 Bolufer, P., Lluch, A., Molina, R., Alberola, V.,
 Vazquez, C., Padilla, J., Garcia-Conde, J.,
 Llopis, F. and Guillem, V.
 Epidermal growth factor in human breast
 cancer, endometrial carcinoma and lung
 cancer. Its relationship to epidermal growth
 factor receptor, estradiol receptor and tumor
 TNM (215) 51
 Bom, V.J.J., Brügemann, J., van der Schaaf, W.,
 van Wijk, R.T. and van der Meer, J.
 Rapid enzyme immunoassay of anti-
 streptokinase antibodies in human plasma
 (218) 121
 Boneh, A., see Amit, Y. (223) 102
 Bonetti, G., see Geroldi, D. (221) 159
 Boomsma, F., see Bhaggoe, U.M. (223) 179
 Boran, G., see Nykänen, P. (222) 37
 Boran, G., see Sinnott, M.M. (222) 71
 Boran, G.P., Given, P.G., Grimson, J.B. and
 O'Moore, R.R. Supporting interoperability
 between medical knowledge-based systems: ex-
 perience from pilot implementations (222) 23
 Bordugo, A., see Goi, G. (214) 61
 Börjesson, U., see Bergvin, L. (222) 141
 Bourrouillou, G., see Vergnes, H.A. (218) 105
 Boyer, S., see Piraud, M. (221) 171
 Boyle, P.J., see Romero, K.M. (216) 125
 Brender, J., Magdal, U., Wiegell, B., Schiøler, T.
 and McNair, P.
 Problem-oriented management of laboratory
 work through dynamic test scheduling (222) 57
 Brennan, S.O., Sheat, J.M. and Aiach, M.
 Circulating proalbumin associated with a sec-
 ond case of antitrypsin Pittsburgh (214) 123
 Brisson-Lougarre, A., see Vergnes, H.A. (218)
 105
 Brosnan, P., see Nolan, J. (222) 117
 Brosnan, P., see Sinnott, M.M. (222) 71

Browning, T., see Favaloro, E.J. (220) 81
Brügemann, J., see Bom, V.J.J. (218) 121
Burgard, P., see Trefz, F.K. (217) 15
Burlina, A.B., see Goi, G. (214) 61
Burns, S.P. and Iles, R.A.
An investigation of argininosuccinic acid anhydrides in argininosuccinic acid lyase deficiency by ^1H NMR spectroscopy (221) 1

Buscaglia, P., see Geroldi, D. (221) 159
Butcher, B.A., see Romero, K.M. (216) 125
Buttery, J.E. and Stuart, S.
Studies on zinc and angiotensin-converting enzyme (217) 213

C

Callahan, R., Cropp, C., Merlo, G.R., Diella, F., Venesio, T., Lidereau, R., Cappa, A.P.M. and Lisicia, D.S.
Genetic and molecular heterogeneity of breast cancer cells (217) 63

Calvo, C., Ulloa, N., Campos, M., Verdugo, C. and Ayrault-Jarrier, M.
The preferential site of non-enzymatic glycation of human apolipoprotein A-I in vivo (217) 193

Campos, E., see Nakajima, K. (223) 53

Campos, M., see Calvo, C. (217) 193

Campoy, F.J., see Tornel, P.L. (214) 219

Campus, G.V., see Deiana, L. (223) 143

Canbolat, O., see Durak, I. (214) 103

Cappa, A.P.M., see Callahan, R. (217) 63

Caprioli, A., see Geroldi, D. (221) 159

Capristo, E., see Mingrone, G. (214) 21

Carr, B., see Sinnott, M.M. (222) 71

Carru, C., see Deiana, L. (223) 143

Cartwright, R.Y., see Wells, I.G. (222) 13

Castagneto, M., see Gozzo, M.L. (214) 175

Castagneto, M., see Mingrone, G. (214) 21

Cattin, L., see Fonda, M. (223) 121

Chambers, W., Thompson, S., Skillen, A.W., Chancerelle, Y., see Lecomte, E. (218) 39

Chang, F-Y., Shih, C-Y. and Lee S-D.
Abnormal serum lipid levels in subjects with gastric xanthoma (217) 233

Chang, G., see Wang, H. (218) 97

Cheeseman, P. see Trivedi, P. (215) 29

Chen, S., see Wang, H. (218) 97

Cheng, A., see Oh, C. (218) 59

Cherchi, G.M., see Deiana, L. (223) 143

Chichibu, K., see Kiriyama, R. (220) 201

Chikuma, M., see Sato, T. (220) 145

Christensen, E.
A fibroblast glutaryl-CoA dehydrogenase assay using detritiation of ^3H -labelled glutaryl-CoA: application in the genotyping of the glutaryl-CoA dehydrogenase locus (220) 71

Clark, D.J.
Simple mixing technique for the preparation of blood samples of known oxygen saturation (219) 189

Clarke, K., see Nykänen, P. (222) 37

Cloarec, L., see Gallou, G. (214) 227

Cloarec, L., see Ruelland, A. (221) 127

Coates, P., see Turner, G. (220) 19

Colacicco, L., see Gozzo, M.L. (214) 175

Colau, J.C., see Pré, J. (215) 221

Coll, R., see Villalba, A. (214) 243

Colombies, P., see Vergnes, H.A. (218) 105

Condo, S.G., see Giuliani, A. (220) 211

Contreras, J.A., see Iglesias, A. (221) 73

Conway, G.S., see Holownia, P. (214) 31

Coppola, B.C., see Perlino, E. (223) 83

Corrigan, F.M., see Coulter, F. (214) 119

Cortella, A., see Manzato, E. (219) 57

Cortés, J.D., see Huguet, J. (220) 123

Cosseiddu, D., see Petrarulo, M. (218) 193

Cosson, C., ee Myara, I. (217) 229

Cosson, C., see Myara, I. (219) 195

Costanzi, E., see Tassi, C. (221) 203

Cottin, S.L., see Ponge, T.D. (220) 101

Coudray, C., Richard, M.J., Faure, H. and Favier, A.
Blood and liver lipid peroxide status after chronic ethanol administration in rats (219) 35

Coulter, F., Armstrong, K.M.D., Armstrong, E.M., Davies, A., Merry, E., Skinner, E.R. and Corrigan, F.M.
The role of lipids in the increased mortality following bereavement (214) 119

Craig, W.Y., see Ledue, T.B. (223) 73

Crepaldi, G., see Baldo-Enzi, G. (218) 83

Crepaldi, G., see Manzato, E. (219) 57

Crook, M.A., Tutt, P., Simpson, H. and Pickup, J.C.
Serum sialic acid and acute phase proteins in type 1 and type 2 diabetes mellitus (219) 131

Cropp, C., see Callahan, R. (217) 63

Cullina, M.J. and Greally, J.F.
A novel lectin-based enzyme-linked immunosorbent assay for the measurement of IgA1 in serum and secretory IgA1 in secretions (216) 23

Czernicki, J., see Kopff, M. (214) 97

D

Da Col, P.G., see Fonda, M. (223) 121
 Dallaire, L., see Elsliger, M.-A. (216) 91
 Dams, R., see Vanhoe, H. (219) 79
 Dargan, E., see Thompson, S. (220) 107
 Das, S.C. and Isichei, U.P.
 A comparative study of thyroid function in African neonates: a reference thyroid profile (220) 233
 David, M., Horvath, Gy., Schimke, I., Nagy, I. and Mueller, M.M.
 Comparative drug influence on peroxide mediated increase of cytosolic calcium in human endothelial cells (223) 1
 Davies, A., see Coulter, F. (214) 119
 De Cuyper, I., Wolthers, B.G., van Doormaal, J.J. and Wijnandts, P.N.
 Determination of changes in serum lathosterol during treatment with simvastatin to evaluate the role of lathosterol as a parameter for whole body cholesterol synthesis (219) 123
 De Gaetano, A., see Mingrone, G. (214) 21
 de Hoffmann, E., see Bernard, A. (223) 189
 De Jersey, J., see Smith, J.L. (215) 233
 De Ley, M., see Bernard, A. (223) 189
 de Terlizzi, M., see Perlino, E. (223) 83
 de Verdier, C.-H., see Groth, T. (222) 129
 de Vries, E.G.E., see Kema, I.P. (221) 143
 Deenmamode, J.M.J.M., Sherwood, R.A., Sherman, D.I.N. and Peters, T.J.
 Total pancreatic and salivary serum isoamylase activities in alcohol misusers in relapse and remission and in alcoholic liver disease (223) 169
 Defasque, P., Pigny, P., Racadot, A., Farriaux, J.-P. and Boersma, A.
 Prenatal screening for Down's syndrome and human chorionic gonadotropin isoforms (223) 173
 Deiana, L., Pes, G.M., Carru, C., Campus, G.V., Tidore, M.G.B. and Cherchi, G.M.
 Extremely high HDL levels in a patient with multiple symmetric lipomatosis (223) 143
 Del Principe, D., see Iacobini, M. (221) 197
 Denier, C.J., see Vergnes, H.A. (218) 105
 Desager, J.P., see Heller, F.R. (219) 167
 Desager, J.P., see Horsmans, Y. (218) 223
 Desoye, G., see Schmon, B. (221) 33
 Devine, P.L., see McGuckin, M.A. (214) 139
 Devine, P.L. and Ward, B.G.
 Circulating tumour-associated mucin concentrations, determined by the CASA assay, in healthy women (214) 139
 Dhondt, J.L., Millot, F., Hayte, J.-M., Mazingue, F. and Farriaux, J.-P.
 2,4-Diamino-7-hydroxypteridines in biological fluids of patients on high-dose methotrexate (220) 189
 Diella, F., see Callahan, R. (217) 63
 Dierynck, I., see Bernard, A. (223) 189
 Digilio, G., see Iacobini, M. (221) 197
 Dittrich, K., see Wildermuth, S. (220) 61
 Dnistrian, A.M., Schwartz, M.K., Greenberg, E.J., Smith, C.A. and Schwartz, D.C.
 Effect of tamoxifen on serum cholesterol and lipoproteins during chemohormonal therapy (223) 43
 Dobashi, T., see Oh, C. (218) 59
 Dohi, K., see Sasaki, Y. (220) 119
 Dörk, T., see Tümmeler, B. (217) 23
 Duden, R., see Topp, H. (218) 73
 Dumic, M., see Stavljenic-Rukavina, A. (216) 191
 Dumont, X., see Bernard, A. (223) 189
 Durak, I., Yurtarslanl, Z., Canbolat, O. and Akyol, Ö.
 A methodological approach to superoxide dismutase (SOD) activity assay based on inhibition of nitroblue tetrazolium (NBT) reduction (214) 103
 Durand, G.M., see Venembre, P.C. (221) 59
 Duthel, S. and Revol, A.
 Glycan microheterogeneity of α_1 -antitrypsin in serum and meconium from normal and cystic fibrosis patients by crossed immunoelectrophoresis with different lectins (Con A, LCA, WGA) (215) 173

E

Eaton, S., Record, C.O. and Bartlett, K.
Investigation of β -oxidation in human liver
biopsies (220) 219

Economou, E.V., Livaniou, E., Evangelatos,
G.P. and Ithakissios, D.S.
A ^{125}I -radioimmunoassay for diethylstilbestrol
in serum of patients with prostatic cancer
treated with stilphostrol (216) 81

Eder, K., Reichlmayr-Lais, A.M. and Kirchgeßner, M.
Studies on the extraction of phospholipids
from erythrocyte membranes in the rat (219) 93

Eggstein, M., see Pickert, A. (217) 143

Eguchi, H., see Koyama, N. (215) 73

Eguchi, J., see Taide, M. (217) 199

Eguchi, T., see Fujitaka, M. (215) 227

Eguchi, T., see Mizoguchi, N. (216) 145

Ekman, R., see Bergquist, J. (217) 129

Elorza, M.A., see Villalba, A. (214) 243

Elsliger, M.-A., Dallaire, L. and Potier, M.
Fetal intestinal and renal origins of trehalase
activity in human amniotic acid (216) 91

Engström, I., Waldenström, A., Nilsson-Ehle, P.
and Ronquist, G.
Dissipation of the calcium gradient in human
erythrocytes results in increased heat produc-
tion (219) 113

Entrala, A., see Iglesias, A. (221) 73

Ericson, Å., see Ronquist, G. (223) 93

Eugenio, M., see Vered, A. (218) 139

Evangelatos, G.P., see Economou, E.V. (216) 81

F

Faber, J., Waetjen, I. and Siersbaek-Nielsen, K.
Free thyroxine measured in undiluted serum by dialysis and ultrafiltration: effects of non-thyroidal illness, and an acute load of salicylate or heparin (223) 159

Fabiani, R. and Ronquist, G.
Characteristics of membrane-bound 5'-nucleotidase on human prostasomes (216) 175

Fabris, C., see Pirisi, M. (219) 47

Facio, A., see Gil, F. (221) 23

Falcioni, G., see Grelloni, F. (217) 187

Falletti, E., see Pirisi, M. (219) 47

Farnan, L.P., see Wells, I.G. (222) 13

Farriaux, J.-P., see Dhondt, J.L. (220) 189

Farriaux, J.-P., see Defasque, P. (223) 173

Faure, H., see Coudray, C. (219) 35

Favaloro, E.J., Browning, T. and Nandurkar, H.
The hepatobiliary disease marker serum alanine aminopeptidase predominantly comprises an isoform of the haematological myeloid differentiation antigen and leukaemia marker CD-13/gp150 (220) 81

Favennec, L., see Meillet, D. (214) 235

Favier, A., see Coudray, C. (219) 35

Favier, A., see Malvy, J.-M.D. (218) 117

Feely, J., see Sinnott, M.M. (222) 71

Fernandez, Y., see Muntané, J. (214) 185

Ferreira-Centeno, A., see Garrett, C.T. (217) 85

Ferroni, L., see Giuliani, A. (220) 211

Fielding, B.A., Humphreys, S.M., Allman, R.F.C. and Frayn, K.N.
Mono-, di- and tri-acylglycerol concentrations in human plasma: effects of heparin injection and of a high-fat meal (216) 167

Finco, B., see Bizzaro, N. (217) 225

Fisicaro, M., see Fonda, M. (223) 121

Fislage, R., see Tümmler, B. (217) 23

Fonda, M., Da Col, P.G., La Verde, R., Battello, C., Fisicaro, M., Tonizzo, M. and Cattin, L.
Lipoprotein(a) serum concentration in familial combined hyperlipidemia (223) 121

Forni, F., see Gozzo, M.L. (214) 175

Forsyth, G.W., Romero, K.M., Alverson, J., VanderJagt, D.J. and Glew, R.H.
Variable expression of leukocyte cytosolic broad-specificity β -glycosidase activity (216) 11

Fortunato, G., see Raymond, F.D. (215) 139

Fratino, P., see Geroldi, D. (221) 159

Frayn, K.N., Langin, D., Holm, C. and Belfrage, P.
Hormone-sensitive lipase: quantitation of enzyme activity and mRNA level in small biopsies of human adipose tissue (216) 183

Frayn, K.N., see Fielding, B.A. (216) 167

Freeman, D.J., see Gaffney, D. (218) 131

Friedl, H., see Schmon, B. (221) 33

Fry, D.E., see Romero, K.M. (216) 125

Fuentes-Arderiu, X., see Huguet, J. (220) 123

Fuentes-Arderiu, X. and Rivera-Coll, A. Impact of circadian rhythms on the interpretation of stat measurements (214) 113

Fujimoto, N., Mouri, N., Iwata, K., Ohuchi, E., Okada, Y. and Hayakawa, T.
A one-step sandwich enzyme immunoassay for human matrix metalloproteinase 2 (72-kDa gelatinase/type IV collagenase) using monoclonal antibodies (221) 91

Fujimoto, N., see Zhang, J. (219) 1

Fujimoto, N., Zhang, J., Iwata, K., Shinya, T., Okada, Y. and Hayakawa, T.
A one-step sandwich enzyme immunoassay for tissue inhibitor of metalloproteinases-2 using monoclonal antibodies (220) 31

Fujitaka, M., Eguchi, T., Sakura, N. and Ueda, K.
Measurement of histidase activity in human fingernail by reversed-phase HPLC (215) 227

Fukamachi, I., see Kobayashi, J. (216) 113

Fukao, H., see Nonaka, T. (223) 129

Fukunaga, T., see Löf, K. (217) 175

Fumic, K., see Stavljenic-Rukavina, A. (216) 191

Futenma, A., see Adachi, T. (223) 185

G

Gabbianelli, R., see Grelloni, F. (217) 187
 Gaffney, D., Freeman, D.J., Shepherd, J. and Packard, C.J.
 The ins/del polymorphism in the signal sequence of apolipoprotein B has no effect on lipid parameters (218) 131
 Gaffney, D., see Series, J.J. (215) 89
 Gallagher, J.V., see Werner, M. (217) 39
 Gallou, G., Ruelland, A., Legras, B., Maugendre, D., Allanic, H. and Cloarec, L. Plasma malondialdehyde in type 1 and type 2 diabetic patients (214) 227
 Gallou, G., see Ruelland, A. (221) 127
 Galteau, M.-M., see Lecomte, E. (218) 39
 Garcia-Conde, J., see Bolufer, P. (215) 51
 Garrett, C.T., Ferreira-Centeno, A. and Nasim, S.
 Molecular diagnostics: issues of utilization, regulation and organization (217) 85
 Gazzaniga, A., see Wacker, H. (220) 115
 Gazzaruso, C., see Geroldi, D. (221) 159
 Geroldi, D., Bellotti, V., Buscaglia, P., Bonetti, G., Gazzaruso, C., Caprioli, A. and Fratino, P.
 Characterization of apo(a) polymorphism by a modified immunoblotting technique in an Italian population sample (221) 159
 Giardina, B., see Giuliani, A. (220) 211
 Gibson, K.M., Stellaard, F., Hoffmann, G.F., Rating, D., Hrebicek, M. and Jakobs, C.
 Bile acid metabolism in three patients with mevalonic aciduria due to mevalonate kinase deficiency (217) 217
 Gil, A., see Gil, F. (221) 23
 Gil, F., Pérez, M.L., Facio, A., Villanueva, E., Tojo, R. and Gil, A.
 Microwave oven digestion procedure for atomic absorption spectrometry analysis of bone and teeth (221) 23
 Gips, C.H., see Lijnema, T.H. (214) 129
 Giuliani, A., Marini, S., Ferroni, L., Condo, S.G., Ramacci, M.T. and Giardina, B.
 Anion exchange protein (band 3) in human erythrocytes characterized by different abnormalities (220) 211
 Given, P.G., see Boran, G.P. (222) 23
 Glew, R.H., see Forsyth, G.W. (216) 11
 Glew, R.H., see Romero, K.M. (216) 125
 Gobert, J.G., see Meillet, D. (214) 235
 Goebel-Schreiner, B., see Trefz, F.K. (217) 15
 Goi, G., Bairati, C., Roggi, C., Maccarini, L., Tettamanti, G., Meloni, C. and Lombardo, A.
 The lysosomal *n*-acetyl- β -D-glycosaminidase (NAG) isoenzymes in plasma: study of distribution in a general population by a simple routine chromatofocusing procedure (221) 47
 Goi, G., Burlina, A.B., Bairati, C., Bordugo, A., Zanardo, V., Zucchello, F., Tettamanti, G. and Lombardo, A.
 Enzymes of lysosomal origin in plasma of twin neonates (214) 61
 Gonano, F., see Pirisi, M. (219) 47
 Gonzales, J., see Wendel, U. (219) 105
 Gozzo, M.L., Avolio, A., Forni, F., Agnes, S., Colacicco, L., Barbaresi, G. and Castagneto, M.
 Enzymatic determinations in acute rejection after liver transplantation: preliminary report on necrosis index (214) 175
 Greally, J.F., see Cullina, M.J. (216) 23
 Greco, A.V., see Mingrone, G. (214) 21
 Greco, A.V. and Mingrone, G. Serum bile acid concentrations in mild liver cirrhosis (221) 183
 Green, A., see Preece, M.A. (218) 113
 Greenberg, E.J., see Dnistrian, A.M. (223) 43
 Greffe, J., see Mathieu, P. (220) 229
 Grelloni, F., Gabbianelli, R., Santroni, A.M. and Falcioni, G.
 Inactivation of glutathione peroxidase following entrapment of purified α or β chains in human erythrocytes (217) 187
 Griffiths, I.D., see Thompson, S. (220) 107
 Grimson, J., see Sinnott, M.M. (222) 71
 Grimson, J.B., see Boran, G.P. (222) 23
 Grimson, J.B.
 Integrating knowledge-based systems and databases (222) 101
 Groß, E., see März, W. (214) 153
 Groß, W., see März, W. (214) 153
 Groth, T. and de Verdier, C.-H.
 Analytical quality goals and assessment to ensure transferability of laboratory results (222) 129
 Grozdea, J.G., see Vergnes, H.A. (218) 105
 Guardamagna, O., see Ponzone, A. (216) 63
 Guillem, V., see Bolufer, P. (215) 51
 Güldütuna, S., You, T., Kurts, W. and Leuschner, U.
 High-performance liquid chromatographic determination of free and conjugated bile acids in serum, liver biopsies, bile, gastric juice and feces by fluorescence labeling (214) 195
 Gyurkovits, K., see László, A. (214) 105

H

Hagmüller, K., see Schmon, B. (221) 33
 Hakala, T., see Koistinen, R. (215) 189
HAMA Study Group Survey of methods for measuring human anti-mouse antibodies (215) 153
 Hammargren, W.M., see Nakano, K. (218) 169
 Harada, S., see Nakamura, J. (215) 1
 Harper, W., see Rodgers, A.L. (220) 125
 Haruki, E., see Yoshida, K. (215) 123
 Harvengt, C., see Heller, F.R. (219) 167
 Harvengt, C., see Horsmans, Y. (218) 223
 Hasegawa, M., see Hirooka, Y. (216) 1
 Hashimoto, H., see Kobayashi, J. (216) 113
 Hasman, A., Pop, P., Winkens, R.A.G. and Blom, J.L. To test or not to test, that is the question (222) 49
 Hattori, N., see Ohta, H. (214) 83
 Havel, R.J., see Nakajima, K. (223) 53
 Hayakawa, K., see Oizumi, J. (215) 63
 Hayakawa, T., see Fujimoto, N. (220) 31
 Hayakawa, T., see Fujimoto, N. (221) 91
 Hayakawa, T., see Zhang, J. (219) 1
 Hayte, J-M., see Dhondt, J.L. (220) 189
 Heizmann, C.W., see Ponzone, A. (216) 63
 Heller, F.R., Vandenplas, C., Desager, J.P. and Harvengt, C.
 The vitamin A fat-loading test in young normolipidemic subjects (219) 167
 Hennekes, M.W.T., see Teerlink, T. (218) 159
 Hennig, B., see Toborek, M. (215) 201
 Herbeth, B., see Lecomte, E. (218) 39
 Herrera, E., see Iglesias, A. (221) 73
 Hindmarsh, J.T.
 Variable phenotypic expression of genotypic abnormalities in the porphyrias (217) 29
 Hino, F., see Katayama, M. (217) 115
 Hiraiwa, H., see Washizu, K. (219) 15
 Hirano, K., see Adachi, T. (223) 185
 Hirano, T., see Asai, K. (218) 1
 Hirasawa, Y., see Okada, M. (220) 135
 Hirooka, Y., Kayama, M., Ohga, S., Kimura, M., Hasegawa, M., Shin, K., Nogimori, T., Ishizuki, Y. and Mitsuma, T.
 Deregulated production of interleukin-4 (IL4) in autoimmune thyroid disease assayed with a new radioimmunoassay (216) 1
 Hitsumoto, Y., see Saheki, S. (217) 105
 Hoefler, G., see Malle, E. (217) 205
 Hoffmann, G.F., see Gibson, K.M. (217) 217
 Hofmann, H., see Schmon, B. (221) 33
 Hofmann, U., see Rabitzsch, G. (214) 109
 Holm, C., see Frayn, K.N. (216) 183
 Holownia, P., Conway, G.S., Shrivastava, U., Round, J. and Honour, J.W. A clinical evaluation of a direct radioimmunoassay of testosterone (214) 31
 Holton, J.B., see Keevill, N.J. (221) 135
 Honour, J.W., see Holownia, P. (214) 31
 Hoppenbrouwers, C.J.M., see Kema, I.P. (221) 143
 Horsmans, Y., Desager, J.P. and Harvengt, C.
 Effects of gemfibrozil on the activities of plasma lipolytic enzymes in normolipidemic subjects (218) 223
 Horvath, Gy., see David, M. (223) 1
 Hotta, K., see Azumi, Y. (221) 219
 Houdijk, A., see Teerlink, T. (218) 159
 Hrebicek, M., see Gibson, K.M. (217) 217
 Huang, W. and Åkesson, B.
 Radioimmunoassay of glutathione peroxidase in human serum (219) 139
 Huguet, J., Cortés, J.D., Arranz, B. and Fuentes-Arderiu, X.
 Measurement of seminal plasma α -amylase that is not inhibited by monoclonal antibodies against the salivary isoenzyme (220) 123
 Huizinga, J.R., see Lijnema, T.H. (214) 129
 Hultberg, B., Isaksson, A., Nordström, M. and Kjellström, T.
 Release of β -hexosaminidase isoenzymes in cultured human fibroblasts (216) 73
 Hummel, W., see Wendel, U. (219) 105
 Humphreys, S.M., see Fielding, B.A. (216) 167
 Humphries, S.E.
 The application of molecular biology techniques to the diagnosis of hyperlipidaemia and other risk factors for cardiovascular disease (216) S5

I

Iacobini, M., Torre, A., Palumbo, G., Del Principe, D., Digilio, G. and Balducci, L. Study of chronic granulomatous disease by a nitroblue tetrazolium densitometric kenetic test: a new research method (221) 197

Ichikawa, T., see Azumi, Y. (221) 219

Igawa, T., see Taide, M. (217) 199

Iglesias, A., Contreras, J.A., Martínez-Pardo, M., Entrala, A., Herrera, E. and Lasunción, M.A. Cholesteryl ester transfer activity in lipoprotein lipase deficiency and other primary hypertriglyceridemias (221) 73

Iles, R.A., see Burns, S.P. (221) 1

Imperial, S., see López, J.M. (220) 91

in 't Veld, A.J.M., see Bhagoe, U.M. (223) 179

Irino, T., see Matsushita, M. (216) 103

Irjala, K., see Nolan, J. (222) 117

Isaksson, A., see Hultberg, B. (216) 73

Ishida, N., see Itoh, K. (217) 221

Ishihara, K., see Azumi, Y. (221) 219

Ishikawa, H., see Sasaki, Y. (220) 119

Ishiwata, S., see Itoh, K. (217) 221

Ishizuki, Y., see Hirooka, Y. (216) 1

Isichei, U.P., see Das, S.C. (220) 233

Itakura, H., see Abe, A. (219) 149

Itakura, Y., see Koyama, N. (215) 73

Ithakissios, D.S., see Economou, E.V. (216) 81

Itoh, K., Aida, S., Ishiwata, S., Sasaki, S., Ishida, N. and Mizugaki, M. Urinary excretion patterns of modified nucleosides, pseudouridine and 1-methyl-adenosine, in healthy individuals (217) 221

Iwata, K., see Fujimoto, N. (220) 31

Iwata, K., see Fujimoto, N. (221) 91

Iwata, K., see Zhang, J. (219) 1

Izumi, T., see Sato, T. (220) 145

J

Jager, J., see Lijnema, T.H. (214) 129
Jakobs, C., see Gibson, K.M. (217) 217
Jeandel, C., see Lecomte, E. (218) 39
Jenkins, L.L., see Rohn, R.D. (215) 21
Jille-Vlcková, T., see Poorthuis, B.J.H.M. (216)
 53
Joannou, G.E., see Kelly, G.E. (223) 9

Johansson, B., see Bergvin, L. (222) 141
Johansson, B. and Bergvin, L.
 Arden Syntax as a standard for knowledge
 bases in the clinical chemistry laboratory (222)
 123
Jones, A., see Moran, A. (217) 153
Joy, G.J., see McGuckin, M.A. (214) 139

K

Kado, M., see Sato, T. (220) 145
 Kaiser, R. and Lücking, C.H.
 Intrathecal synthesis of IgM and IgA in neurological diseases: comparison of two formulae with the isoelectric focusing (216) 39
 Kamihagi, K., see Katayama, M. (217) 115
 Kamiya, K., see Koyama, N. (215) 73
 Kanagasabapathy, A.S., see Swaminathan, S. (215) 119
 Kanda, S., see Taide, M. (217) 199
 Kaneko, K., see Koyama, N. (215) 73
 Kanetake, H., see Taide, M. (217) 199
 Kapel, N., see Meillet, D. (214) 235
 Kärkkäinen, T., see Rutanen, E.-M. (214) 73
 Kataoka, H., Nabeshima, N., Nagao, K. and Makita, M. Selective and sensitive determination of urinary total proline and hydroxyproline by gas chromatography with flame photometric detection (214) 13
 Katayama, M., Kamihagi, K., Nakagawa, K., Akiyama, T., Sano, Y., Ouchi, R., Nagata, S., Hino, F. and Kato, I.
 Increased fragmentation of urinary fibronectin in cancer patients detected by immuno-enzymometric assay using domain-specific monoclonal antibodies (217) 115
 Kato, I., see Katayama, M. (217) 115
 Kato, K., see Adachi, T. (223) 185
 Kato, K., see Washizu, K. (219) 15
 Kato, T., see Asai, K. (218) 1
 Katz, M., see Nakano, K. (218) 169
 Kawakami, H., see Ohta, H. (214) 83
 Kawasaki, H., see Murawaki, Y. (218) 47
 Kayama, M., see Hirooka, Y. (216) 1
 Kayashima, S., see Ohno, H. (215) 213
 Kearns, B., see Oh, C. (218) 59
 Keevill, N.J., Holton, J.B. and Allen, J.T. The investigation of UDPGlucose and UDPGalactose concentration in red blood cells of patients with classical galactosaemia (221) 135
 Keir, G., Tasdemir, N. and Thompson, E.J.
 Cerebrospinal fluid ferritin in brain necrosis: evidence for local synthesis (216) 153
 Kelley, R.I.
 Quantification of 3-methylglutaconic acid in urine, plasma, and amniotic fluid by isotope-dilution gas chromatography/mass spectrometry (220) 157
 Kelly, C.A., see Thompson, S. (220) 107
 Kelly, G.E., Nelson, C., Waring, M.A., Joannou, G.E. and Reeder, A.Y.
 Metabolites of dietary (soya) isoflavones in human urine (223) 9
 Kema, I.P., Schellings, A.M.J., Hoppenbrouwers, C.J.M., Rutgers, H.M., de Vries, E.G.E. and Muskiet, F.A.J.
 High performance liquid chromatographic profiling of tryptophan and related indoles in body fluids and tissues of carcinoid patients (221) 143
 Kenny, D. and Solberg, H.E.
 RefVal for Windows — migrating to the Windows environment with the help of Visual Basic (222) 19
 Kenny, D.
 Guidelines for hospital laboratory computer systems (222) 147
 Kierat, L., see Ponzone, A. (216) 63
 Kikawa, Y., Takano, T., Nakai, A., Shigematsu, Y. and Sudo, M.
 Detection of heterozygotes for fructose-1,6-diphosphatase deficiency by measuring fructose-1,6-diphosphatase activity in monocytes cultured with calcitriol (215) 81
 Kikuchi, H., see Nonaka, T. (223) 129
 Kim, J., see Nagao, M. (220) 165
 Kim, J., see Oh, C. (218) 59
 Kimura, M., see Hirooka, Y. (216) 1
 Kimura, S., see Washizu, K. (219) 15
 Kirchgeßner, M., see Eder, K. (219) 93
 Kiriyama, R., Chichibu, K., Matsuno, T. and Ohsawa, N.
 Sensitive chemiluminescent immunoassay for human granulocyte colony-stimulating factor (G-CSF) in clinical applications (220) 201
 Kishi, K., see Yasuda, T. (218) 5
 Kitajima, A., see Sato, T. (220) 145
 Kitano, M., see Adachi, T. (223) 185
 Kjellström, T., see Hultberg, B. (216) 73
 Klaebe, A.G., see Vergnes, H.A. (218) 105
 Klem, J., see Kopff, M. (214) 97
 Kälin, N., see Tümmler, B. (217) 23
 Knubovets, T.L., see Lundina, T.A. (214) 165
 Kobayashi, J., Hashimoto, H., Fukamachi, I., Tashiro, J., Shirai, K., Saito, Y. and Yoshida, S.
 Lipoprotein lipase mass and activity in severe hypertriglyceridemia (216) 113
 Koistinen, R., Angervo, M., Leinonen, P., Hakala, T. and Seppälä, M.
 Phosphorylation of insulin-like growth factor-binding protein-1 increases in human amniotic fluid and decidua from early to late pregnancy (215) 189
 Koivula, T., see Löf, K. (217) 175
 Kojima, N., see Sakata, S. (219) 23

Komaki, T., see Sakata, S. (219) 23
Komoda, T., see Matsushita, M. (216) 103
Konecki, D., see Trefz, F.K. (217) 15
Kong, X., see Wang, H. (218) 97
König, T., see Trefz, F.K. (217) 15
Kopff, M., Zakrzewska, I., Czernicki, J., Klem, J. and Strzelczyk, M. Red blood cell adenosine deaminase activity in multiple sclerosis (214) 97
Koskinen, P.J., Mäkelä, T.P., Västrik, I. and Alitalo, K. *myc* Amplification: regulation of Myc function (217) 57
Kovárová, H., see Stulík, J. (218) 148
Koyama, N., Ogawa, Y., Kamiya, K., Eguchi, H., Tanaka, T., Takasaki, J., Ohama, Y., Itakura, Y. and Kaneko, K. Increased platelet activating factor in the tracheal aspirates from neonates with patent ductus arteriosus (215) 73
Krajina, A., see Stavljenic-Rukavina, A. (216) 191
Krause, E.-G., see Rabitzsch, G. (214) 109
Kroos, M.J., see Starreveld, J.S. (220) 47
Kubesch, P., see Tümmler, B. (217) 23
Kuhlmann, W.D., see Schröder, J.P. (222) 79
Kurts, W., see Güldütuna, S. (214) 195
Kusada, J., see Asai, K. (218) 1
Kuwabara, M., see Washizu, K. (219) 15

L

Lacroix, C., see Mathieu, P. (220) 229

Lamminen, S., Rantala, I. and Tuimala, R.
Preparation of microsome fractions of human myometrium. A comparison of three methods (214) 93

Langin, D., see Frayn, K.N. (216) 183

László, A., Németh, M. and Gyurkovits, K.
Activity of phospholipase A in serum from patients with cystic fibrosis (214) 105

Lasunción, M.A., see Iglesias, A. (221) 73

Lauwers, R., see Bernard, A. (223) 189

La Verde, R., see Fonda, M. (223) 121

Lawson, N., see Moran, A. (217) 153

Le Carrer, D.L., see Ponge, T.D. (220) 101

Lebranchu, Y., see Malvy, J.-M.D. (218) 117

Lecomte, E., Artur, Y., Chancerelle, Y., Herbeth, B., Galteau, M.-M., Jeandel, C. and Siest, G.
Malondialdehyde adducts to, and fragmentation of apolipoprotein B from human plasma (218) 39

Ledue, T.B., Neveux, L.M., Palomaki, G.E., Ritchie, R.F. and Craig, W.Y.
The relationship between serum levels of lipoprotein(a) and proteins associated with the acute phase response (223) 73

Lee, B.Y. and Thurmon, T.F.
Compact gas chromatography used with thin-layer chromatography for assessment of abnormalities of organic acids (218) 215

Lee, K.T., see Tsai, L.-Y. (215) 41

Lee, S.C., see Tsai, L.-Y. (215) 41

Lee S-D., see Chang, F-Y. (213) 233

Legras, B., see Gallou, G. (214) 227

Legras, B., see Ruelland, A. (221) 127

Leinonen, P., see Koistinen, R. (215) 189

Leis, H.J., see Malle, E. (217) 205

Lemonnier, A., see Myara, I. (219) 195

Leuschner, U., see Güldütuna, S. (214) 195

Levinson, S.S. and Wagner, S.G.

Immunonephelometric/turbidimetric apolipoprotein B assays for the clinical laboratory (223) 31

Lichter-Konecki, U., see Trefz, F.K. (217) 15

Lidereau, R., see Callahan, R. (217) 63

Lijnema, T.H., Huizenga, J.R., Jager, J., Mackor, A.J. and Gips, C.H.
Gravimetric determination of the water concentration in whole blood, plasma and erythrocytes and correlations with hematological and clinicocochemical parameters (214) 129

Lin, C.C., see Stinson, R.A. (221) 105

Linari, F., see Petrarulo, M. (218) 193

Lingenfelsler, T., see Pickert, A. (217) 143

Lisicia, D.S., see Callahan, R. (217) 63

Livaniou, E., see Economou, E.V. (216) 81

Llirbat, B., see Myara, I. (217) 229

Llopis, F., see Bolufer, P. (215) 51

Lluch, A., see Bolufer, P. (215) 51

Löf, K., Koivula, T., Seppä, K., Fukunaga, T. and Sillanaukee, P.

Lombardo, A., see Gio, G. (221) 47

Lombardo, A., see Goi, G. (214) 61

López, J.M., Imperial, S., Valderrama, R. and Navarro, S.
An improved Bradford protein assay for collagen proteins (220) 91

Loscar, M., see Ritter, M.M. (214) 45

Lucas, A., see Reverter, J.L. (223) 113

Lücking, C.H., see Kaiser, R. (216) 39

Lundina, T.A., Knubovets, T.L., Sedov, K.R., Markova, S.A. and Sibeldin, L.A.
Variability of kidney tubular interstitial distortions in glomerulonephritis as measured by ¹H-NMR urinalysis (214) 165

Luo, Z., see Wang, H. (218) 97
Semi-automatic method for determination of different isoforms of carbohydrate-deficient transferrin (217) 175

M

Maccarini, L., see Gio, G. (221) 47
 Mackor, A.J., see Lijnema, T.H. (214) 129
 Madden, L.J., see Smith, J.L. (215) 233
 Maenza, S., see Perlino, E. (223) 83
 Magdal, U., see Brender, J. (222) 57
 Maire, I., see Piraud, M. (221) 171
 Mäkelä, T.P., see Koskinen, P.J. (217) 57
 Makita, M., see Kataoka, H. (214) 13
 Malle, E., Leis, H.J., Steinmetz, A., Paschke, E. and Hoefler, G.
 Cyclooxygenase pathway in dermal fibroblasts from patients with metabolic disorders of peroxisomal origin (217) 205
 Malvy, J.-M.D., Lebranchu, Y., Richard, M.-J., Arnaud, J. and Favier, A.
 Oxidative metabolism and severe asthma in children (218) 117
 Manzato, E., Zambon, S., Zambon, A., Cortella, A., Satore, G. and Crepaldi, G.
 Levels and physicochemical properties of lipoprotein subclasses in moderate hypertriglyceridemia (219) 57
 Marangella, M., see Petrarulo, M. (218) 193
 Marini, S., see Giuliani, A. (220) 211
 Markey, J., see Sinnott, M.M. (222) 71
 Markova, S.A., see Lundina, T.A. (214) 165
 Marra, E., see Perlino, E. (223) 83
 Martínez-Pardo, M., see Iglesias, A. (221) 73
 Masada, M., see Sato, T. (220) 145
 Mathews, S.T. and Selvam, R.
 Changes in glutathione metabolic enzymes in erythrocytes of *Plasmodium vivax* infected patients (219) 159
 Mathieu, M., see Piraud, M. (221) 171
 Mathieu, P., Philip, T., Greffe, J., Montegue, A. and Lacroix, C.
 A simple coloured-paper thin-layer chromatography test as a backup procedure for vanillylmandelic acid and homovanillic acid evaluation in a neuroblastoma screening program (220) 229
 Matsui, I., see Sakata, S. (219) 23
 Matsui, N., see Asai, K. (218) 1
 Matsukawa, K., see Asai, K. (218) 1
 Matsumoto, H., see Nonaka, T. (223) 129
 Matsumoto, K., Takahashi, M., Takiyama, N., Misaki, H., Matsuo, N., Murano, S. and Yuki, H.
 Enzyme reactor for urinary acylcarnitines assay by reversed-phase high-performance liquid chromatography (216) 135
 Matsumoto, T., see Ohsaki, M. (215) 165
 Matsunaga, K., see Washizu, K. (219) 15
 Matsuno, T., see Kiriyma, R. (220) 201
 Matsuo, N., see Matsumoto, K. (216) 135
 Matsuo, O., see Nonaka, T. (223) 129
 Matsushita, M., Irino, T., Komoda, T. and Sakagishi, Y.
 Determination of proteins by a reverse biuret method combined with the copper-bathocuproine chelate reaction (216) 103
 Matsuura, S., see Shimizu, K. (214) 3
 Matsuzaki, Y., Yoshiga, S., Sugitani, T., Shoda, J., Tanaka, N. and Osuga, T.
 Enzyme immunoassay of serum type IV collagen in anti-HCV positive chronic liver diseases (221) 209
 Maugendre, D., see Gallou, G. (214) 227
 Maura, Y., Premel-Cabic, A., Berre, S. and Allain, P.
 Simultaneous determination of lead, bismuth and thallium in plasma and urine by inductively coupled plasma mass spectrometry (218) 201
 Mayatepek, E. and Pecher, G.
 Increased excretion of endogenous urinary leukotriene E₄ in extrahepatic cholestasis (218) 185
 Mazingue, F., see Dhondt, J.L. (220) 189
 McClure, T.D., see Nakano, K. (218) 169
 McGill, T., see Sinnott, M.M. (222) 71
 McGuckin, M.A., Ramm, L.E., Joy, G.J., McNair, P., see Brender, J. (222) 57
 McNair, P., see Nolan, J. (222) 117
 Meillet, D., Kapel, N., Favennec, L., Raichvarg, D., Savel, J. and Gobert, J.G.
 Correction factors for single radial immunodiffusion and electroimmunodiffusion assays of IgA in secretory fluids (214) 235
 Meloni, C., see Gio, G. (221) 47
 Merlo, G.R., see Callahan, R. (217) 63
 Merry, E., see Coulter, F. (214) 119
 Micheli, V., Simmonds, H.A., Bari, M. and Pompucci, G.
 HPLC determination of oxidized and reduced pyridine coenzymes in human erythrocytes (220) 1
 Milani, L., see Bizzaro, N. (217) 225
 Millot, F., see Dhondt, J.L. (220) 189
 Mingrone, G., De Gaetano, A., Greco, A.V., Capristo, E., Raguso, C., Tataranni, P.A. and Castagneto, M.
 A rapid GLC method for the direct analysis of plasma medium chain fatty acids (214) 21

Mingrone, G., see Greco, A.V. (221) 183
 Misaki, H., see Matsumoto, K. (216) 135
 Mitjavila, M.T., see Muntané, J. (214) 185
 Mitjavila, S., see Muntané, J. (214) 185
 Mitjavila, S. and Mitjavila, M.T.
 Antioxidant defenses and its modulation by iron in carrageenan-induced inflammation in rats (214) 185
 Mitsuma, T., see Hirooka, Y. (216) 1
 Miura, K., see Sakata, S. (219) 23
 Miyazaki, S., see Okada, M. (220) 135
 Miyoshi, I., see Taguchi, H. (220) 225
 Mizoguchi, N., Eguchi, T., Sakura, N. and Ueda, K.
 Erythrocyte galactokinase assay with high performance liquid chromatography (216) 145
 Mizugaki, M., see Itoh, K. (217) 221
 Mizukawa, H., see Yoshida, K. (215) 123
 Moatti, N., see Myara, I. (217) 229
 Moatti, N., see Myara, I. (219) 195
 Molina, R., see Bolufer, P. (215) 51
 Montegue, A., see Mathieu, P. (220) 229
 Moran, A., Lawson, N., Morrow, R., Jones, A. and Asquith, P.
 Value of faecal alpha-1-antitrypsin, haemoglobin and a chemical occult blood test in the detection of gastrointestinal disease (217) 153
 Mori, M., see Shimizu, H. (221) 191
 Mori, T., see Sasaki, Y. (220) 119
 Morishita, N., see Taguchi, H. (220) 225
 Morrow, R., see Moran, A. (217) 153
 Moss, D.W., see Raymond, F.D. (215) 139
 Mouri, N., see Fujimoto, N. (221) 91
 Mowat, A.P., see Trivedi, P. (215) 29
 März, W., Siekmeier, R., Groß, E. and Groß, W.
 Determination of lipoprotein(a): enzyme immunoassay and immunoradiometric assay compared (214) 153
 Mueller, M.M., see David, M. (223) 1
 Muntané, J., Puig-Parellada, P., Fernandez, Y., Murano, S., see Matsumoto, K. (216) 135
 Murase, M., see Saheki, S. (217) 105
 Murawaki, Y., Yamamoto, H., Kawasaki, H. and Shima, H.
 Serum tissue inhibitor of metalloproteinases in patients with chronic liver disease and with hepatocellular carcinoma (218) 47
 Musket, F.A.J., see Kema, I.P. (221) 143
 Myara, I., Cosson, C., Pourci, M.L., Moatti, N. and Lemonnier, A.
 Effect of ethanol on prolidase I and prolinase activity in the human hepatoma cell line Hep G₂ (219) 195
 Myara, I., Llirbat, B., Rossert, J., Cosson, C., Tenenhaus, D. and Moatti, N.
 A rare case of IgD gammopathy associated with free light-chain cryoglobulinemia and a gelling Bence Jones protein (217) 229

N

Nabeshima, N., see Kataoka, H. (214) 13
 Nadano, D., see Yasuda, T. (218) 5
 Nagai, S., see Sato, T. (220) 145
 Nagao, K., see Kataoka, H. (214) 13
 Nagao, M., Raymond, D., Kim, J. and Tanaka, K.
 Improved PCR/*NcoI* method for the molecular diagnosis of medium chain acyl-CoA dehydrogenase deficiency using dried blood samples: two-stage amplification using two different sets of primers improves accuracy and sensitivity (220) 165
 Nagata, N., see Ohno, H. (215) 213
 Nagata, S., see Katayama, M. (217) 115
 Nagy, I., see David, M. (223) 1
 Nakagawa, K., see Katayama, M. (217) 115
 Nakai, A., see Kikawa, Y. (215) 81
 Nakajima, K., Saito, T., Tamura, A., Suzuki, M., Nakano, T., Adachi, M., Tanaka, A., Tada, N., Nakamura, H., Campos, E. and Havel, R.J.
 Cholesterol in remnant-like lipoproteins in human serum using monoclonal anti apo B-100 and anti apo A-I immunoaffinity mixed gels (223) 53
 Nakamura, H., see Nakajima, K. (223) 53
 Nakamura, J., Harada, S. and Tanaka, N.
 Relationship between alcohol consumption and the activity of GTP-binding regulatory proteins in human erythrocyte membranes (215) 1
 Nakamura, J.
 Variation in the amount of stimulatory GTP-binding protein (Gs) in human erythrocyte membranes in relation to alcohol consumption (218) 229
 Nakamura, M., see Adachi, T. (223) 185
 Nakanaga, M., see Yasuda, T. (218) 5
 Nakano, K., Nakao, T., Schram, K.H., Hammargren, W.M., McClure, T.D., Katz, M. and Petersen, E.
 Urinary excretion of modified nucleosides as biological marker of RNA turnover in patients with cancer and AIDS (218) 169
 Nakano, T., see Nakajima, K. (223) 53
 Nakao, T., see Nakano, K. (218) 169
 Nakashima, K., Nishizaki, O. and Andoh, Y.
 Acceleration of hemoglobin glycation with aging (215) 111
 Nandurkar, H., see Favaloro, E.J. (220) 81
 Nasim, S., see Garrett, C.T. (217) 85
 Navarro, S., see López, J.M. (220) 91
 Nelson, C., see Kelly, G.E. (223) 9
 Németh, M., see László, A. (214) 105
 Neumann, G., see Niv, Y. (215) 9
 Neumann, T., see Tümmler, B. (217) 23
 Neumeier, D., see Baum, H.H.E. (219) 183
 Neveux, L.M., see Ledue, T.B. (223) 73
 Nguyen Cong, H., see Venembre, P.C. (221) 59
 Nilsson-Ehle, P., see Engström, I. (219) 113
 Nishiya, K., see Taguchi, H. (220) 225
 Nishizaki, O., see Nakashima, K. (215) 111
 Niv, Y., Abu-Avid, S. and Neumann, G.
 Further applications of blood gas analysis to gastric acidity determination (215) 9
 Nogimori, T., see Hirooka, Y. (216) 1
 Nolan, J., Schiøler, T., Brosnan, P., Irjala, K., Nuutila, P., McNair, P. and O'Moore, R.
 Clinical utility of an international thyroid database (222) 117
 Noll, F., see Rabitzsch, G. (214) 109
 Noma, A., see Abe, A. (219) 149
 Nonaka, T., Matsumoto, H., Shimada, W., Okada, K., Fukao, H., Ueshima, S., Kikuchi, H., Tanaka, S. and Matsuo, O.
 Effect of bone resorbing factors on u-PA and its specific receptor in osteosarcoma cell line (223) 129
 Nordén, N.E., see Bergenfelz, A. (219) 67
 Nordström, M., see Hultberg, B. (216) 73
 Nuutila, P., see Nolan, J. (222) 117
 Nykänen, P., Boran, G., Pincé, H., Clarke, K., Yearworth, M., Willems, J.L. and O'Moore, R.
 Interpretative reporting and alarming based on laboratory data (222) 37

O

Ogawa, T., see Sakata, S. (219) 23
 Ogawa, Y., see Koyama, N. (215) 73
 Oh, C., Kim, J., Kearns, B., Cheng, A. and Dobashi, T.
 A rate turbidimetric immunoassay for theophylline using biotin-avidin system (218) 59
 Ohama, Y., see Koyama, N. (215) 73
 Ohga, S., see Hirooka, Y. (216) 1
 Ohmoto, S., see Sato, T. (220) 145
 Ohno, H., Kayashima, S., Nagata, N., Yamashita, H., Ookawara, T. and Taniguchi, N.
 Changes in immunoreactive manganese-superoxide dismutase concentration in human serum after 93 h strenuous physical exercise (215) 213
 Ohsaki, M., Matsumoto, T., Sakura, N. and Ueda, K.
 Enzymatic diagnosis of steroid sulfatase deficiency by high performance liquid chromatography (215) 165
 Ohsawa, N., see Kiriyama, R. (220) 201
 Ohta, H., Sawabu, N., Kawakami, H., Watanabe, H., Ozaki, K., Toya, D. and Hattori, N.
 Characterization of γ -glutamyltranspeptidase from human hepatocellular carcinoma, compared with enzymes from normal liver and cirrhotic liver (214) 83
 Ohuchi, E., see Fujimoto, N. (221) 91
 Ohyanagi, H., see Asada, H. (218) 17
 Oizumi, J. and Hayakawa, K.
 Biocytin-specific 110-kDa biotinidase from human serum (215) 63
 Okada, K., see Nonaka, T. (223) 129
 Okada, M., Miyazaki, S. and Hirasawa, Y.
 Increase in plasma concentration of ubiquitin in dialysis patients: possible involvement in β_2 -microglobulin amyloidosis (220) 135
 Okada, Y., see Fujimoto, N. (220) 31
 Okada, Y., see Fujimoto, N. (221) 91
 Okada, Y., see Zhang, J. (219) 1
 O'Moore, R., see Nolan, J. (222) 117
 O'Moore, R., see Nykänen, P. (222) 37
 O'Moore, R., see Sinnott, M.M. (222) 71
 O'Moore, R.
 The OpenLabs Project (222) 1
 O'Moore, R.R., see Boran, G.P. (222) 23
 Onkenhout, W., see Poorthuis, B.J.H.M. (216) 53
 Ookawara, T., see Ohno, H. (215) 213
 Oosthuizen, H.M., see Ungerer, J.P.J. (223) 149
 Orlacchio, A., see Tassi, C. (221) 203
 O'Riordan, J.L.H., see Wildermuth, S. (220) 61
 Oster, O. Trace element concentrations (Cu, Zn, Fe) in sera from patients with dilated cardiomyopathy (214) 209
 Osuga, T., see Matsuzaki, Y. (221) 209
 Otsuka, T., see Asai, K. (218) 1
 Ouchi, R., see Katayama, M. (217) 115
 Overkamp, D., see Pickert, A. (217) 143
 Ozaki, K., see Ohta, H. (214) 83

P

Packard, C.J., see Gaffney, D. (218) 131
 Packard, C.J., see Series, J.J. (215) 89
 Padilla, J., see Bolufer, P. (215) 51
 Paillard, F., see Ruelland, A. (221) 127
 Palomaki, G.E., see Ledue, T.B. (223) 73
 Palumbo, G., see Iacobini, M. (221) 197
 Paschke, E., see Malle, E. (217) 205
 Patel, J.C., see Wilson, H.M. (220) 175
 Pecher, G., see Mayatepek, E. (218) 185
 Pedro-Botet, J., see Reverter, J.L. (223) 113
 Pekonen, F., see Rutanen, E.-M. (214) 73
 Pellegrino, S., see Petrarulo, M. (218) 193
 Pérez, M.L., see Gil, F. (221) 23
 Perie, J.J., see Vergnes, H.A. (218) 105
 Perlino, E., Marra, E., Maenza, S., de Terlizzi, M., Copola, B.C., Santostasi, T. and Quagliariello, E.
 Lactate dehydrogenase isoenzyme pattern in blood cells from histiocytosis X children (223) 83
 Pes, G.M., see Deiana, L. (223) 143
 Peters, J.R., see Turner, G. (220) 19
 Peters, T.J., see Deenmamode, J.M.J.M. (223) 169
 Petersen, E., see Nakano, K. (218) 169
 Petrarulo, M., Pellegrino, S., Marangella, M., Cosseddu, D. and Linari, F.
 High-performance liquid chromatographic microassay for L-glutamate:glyoxylate amino-
 ee-transferase activity in human liver. Application in primary hyperoxaluria type 1 (218) 193
 Philip, T., see Mathieu, P. (220) 229
 Pickert, A., Lingenfesler, T., Pickert, C., Birbaumer, N., Overkamp, D. and Eggstein, M.
 Comparison of a mechanized version of the 'König' reaction and a fluorescence polarization immunoassay for the determination of nicotine metabolites in urine (217) 143
 Pickert, C., see Pickert, A. (217) 143
 Pickup, J.C., see Crook, M.A. (219) 131
 Pigny, P., see Defasque, P. (223) 173
 Pincé, H., see Nykänen, P. (222) 37
 Piraud, M., Boyer, S., Mathieu, M. and Maire, I.
 Diagnosis of mucopolysaccharidoses in clinically selected population by urinary glycosaminoglycan analysis: a study of 2,000 urine samples (221) 171
 Pirisi, M., Fabris, C., Falletti, E., Soardo, G., Toniutto, P., Gonano, F. and Bartoli, E.
 Evidence for a multifactorial control of serum erythropoietin concentration in liver disease (219) 47

Pitt, J.J. and Poulos, A.

Excretion of 3,6-epoxydicarboxylic acids in peroxisomal disorders (223) 23
 Pizarro, E., see Reverter, J.L. (223) 113
 Pleban, P., see Rohn, R.D. (215) 21
 Pohl, B.
 Competence reasoning — handling ambiguous and imprecise data in the Pro. M.D. expert system shell (222) 85
 Pompucci, G., see Micheli, V. (220) 1
 Ponge, T.D., Le Carrer, D.L., Sagniez, M.M., Pontet, M. and Cottin, S.L.
 False rise in C-reactive protein in a patient with monoclonal IgM immunoglobulin (220) 101
 Pontet, M., see Ponge, T.D. (220) 101
 Ponzone, A., Guardamagna, O., Spada, M., Ponzone, R., Sartore, M., Kierat, L., Heizmann, C.W. and Blau, N.
 Hyperphenylalaninemia and pterin metabolism in serum and erythrocytes (216) 63
 Ponzone, R., see Ponzone, A. (216) 63
 Poorthuis, B.J.H.M., Jille-Vlcková, T. and Onkenhout, W.
 Determination of acylcarnitines in urine of patients with inborn errors of metabolism using high-performance liquid chromatography after derivatization with 4'-bromo phenacyl-bromide (216) 53
 Pop, P., see Hasman, A. (222) 49
 Porter, S., see Turner, G. (220) 19
 Potier, M., see Elsliger, M.-A. (216) 91
 Poulos, A., see Pitt, J.J. (223) 23
 Pourci, M.L., see Myara, I. (219) 195
 Pré, J., Colau, J.C. and Vassy, R.
 Cigarette-smoking, birthweight, thiocyanate and fluorescent lipid-peroxidation products in maternal and cord plasma (215) 221
 Preece, M.A., Sewell, I.J., Sewell, J.A., Taylor, J.A. and Green, A.
 Vigabatrin — interference with urinary amino acid analysis (218) 113
 Premel-Cabic, A., see Mauras, Y. (218) 201
 Proud, F.J., see Sorensen, S.H. (221) 115
 Puig-Parellada, P., see Muntané, J. (214) 185

Q

Quagliariello, E., see Perlino, E. (223) 83

R

Rabitzsch, G., Noll, F., Hofmann, U., Krause, E.-G. and Armbruster, F.P.
Basal concentration of the isoenzyme BB of the glycogen phosphorylase b in human blood (214) 109

Racadot, A., see Defasque, P. (223) 173

Radica, A., see Stavljenic-Rukavina, A. (216) 191

Raguso, C., see Mingrone, G. (214) 21

Raichvarg, D., see Meillet, D. (214) 235

Ramacci, M.T., see Giuliani, A. (220) 211

Ramm, L.E., see McGuckin, M.A. (214) 139

Rantala, I., see Lamminen, S. (214) 93

Rating, D., see Gibson, K.M. (217) 217

Raymond, D., see Nagao, M. (220) 165

Raymond, F.D., Fortunato, G. and Moss, D.W.
A method for the assay of phosphatidyl-inositol-specific phospholipase D activity in serum (215) 139

Record, C.O., see Chambers, W. (219) 177

Record, C.O., see Eaton, S. (220) 219

Record, C.O. and Turner, G.A.
Abnormally-fucosylated haptoglobin as a marker for alcoholic liver disease but not excessive alcohol consumption or non-alcoholic liver disease (219) 177

Reeder, A.Y., see Kelly, G.E. (223) 9

Reiber, H., Ruff, M. and Uhr, M.
Ascorbate concentration in human cerebrospinal fluid (CSF) and serum. Intrathecal accumulation and CSF flow rate (217) 163

Reichlmayr-Lais, A.M., see Eder, K. (219) 93

Reverter, J.L., Senti, M., Rubiés-Prat, J., Lucas, A., Salinas, I., Pizarro, E., Pedro-Botet, J. and Sanmartí, A.
Lipoprotein composition in the insulin-deficient non-acidotic phase of type I diabetic patients and early evolution after the start of insulin therapy (223) 113

Revol, A., see Duthel, S. (215) 173

Richard, M.J., see Coudray, C. (219) 35

Richard, M.-J., see Malvy, J.-M.D. (218) 117

Richter, C., see Wacker, H. (220) 115

Richter, W.O., see Ritter, M.M. (214) 45

Ritchie, R.F., see Ledue, T.B. (223) 73

Ritter, M.M., Loscar, M., Richter, W.O. and Rivera-Coll, A., see Fuentes-Arderiu, X. (214) 113

Roach, B.A. and Vladutiu, A.O.
Prostatic specific antigen and prostatic acid phosphatase measured by radioimmunoassay in vaginal washings from cases of suspected sexual assault (216) 199

Rodgers, A.L., Ball, D. and Harper, W.
Urinary macromolecules are promoters of calcium oxalate nucleation in human urine: turbidimetric studies (220) 125

Roels, H., see Bernard, A. (223) 189

Roggi, C., see Gio, G. (221) 47

Rohn, R.D., Pleban, P. and Jenkins, L.L.
Magnesium, zinc and copper in plasma and blood cellular components in children with IDDM (215) 21

Romero, K.M., Butcher, B.A., Boyle, P.J., Fry, D.E. and Glew, R.H.
Decreased renal excretion of β -hexosaminidase in adults with insulin-dependent diabetes mellitus and normal renal function (216) 125

Romero, K.M., see Forsyth, G.W. (216) 11

Ronquist, G., see Engström, I. (219) 113

Ronquist, G., see Fabiani, R. (216) 175

Ronquist, G., Wedenberg, K., Waldenström, A., Ericson, Å. and Ulmsten, U.
High adenosine content in human uterine smooth muscle compared with striated skeletal muscle (223) 93

Rossert, J., see Myara, I. (217) 229

Round, J., see Holownia, P. (214) 31

Rubiés-Prat, J., see Reverter, J.L. (223) 113

Ruelland, A., Gallou, G., Legras, B., Paillard, F. and Cloarec, L. LDL sialic acid content in patients with coronary artery disease (221) 127

Ruelland, A., see Gallou, G. (214) 227

Ruff, M., see Reiber, H. (217) 163

Russell, D., see Wilson, H.M. (220) 175

Rutanen, E.-M., Pekonen, F. and Kärkkäinen, T.
Measurement of insulin-like growth factor binding protein-1 in cervical/vaginal secretions: comparison with the ROM-check Membrane Immunoassay in the diagnosis of ruptured fetal membranes (214) 73

Rutgers, H.C., see Sorensen, S.H. (221) 115

Rutgers, H.M., see Kema, I.P. (221) 143

S

Sagniez, M.M., see Ponge, T.D. (220) 101

Saheki, S., Hitsumoto, Y., Murase, M., Takeuchi, N. and Uchida, K.
In vitro degradation of very low density lipoprotein from diabetic patients by lipoprotein lipase (217) 105

Saika, K., see Taguchi, H. (220) 225

Saito, T., see Nakajima, K. (223) 53

Saito, T., see Shimizu, H. (221) 191

Saito, Y., see Kobayashi, J. (216) 113

Saito, Y., see Taide, M. (217) 199

Saitoh, Y., see Asada, H. (218) 17

Sakagishi, Y., see Matsushita, M. (216) 103

Sakai, T., see Zhang, J. (219) 1

Sakata, S., Komaki, T., Ogawa, T., Takuno, H., Matsui, I., Sarui, H., Kojima, N., Takamatsu, J. and Miura, K.
Evaluation of thyroid function in patients with thyroid hormone autoantibodies (219) 23

Sakura, N., see Fujitaka, M. (215) 227

Sakura, N., see Mizoguchi, N. (216) 145

Sakura, N., see Ohsaki, M. (215) 165

Salinas, I., see Reverter, J.L. (223) 113

Salzer, B., see Stavljenic-Rukavina, A. (216) 191

Sammarti, A., see Reverter, J.L. (223) 113

Sano, Y., see Katayama, M. (217) 115

Santostasi, T., see Perlino, E. (223) 83

Santroni, A.M., see Grelloni, F. (217) 187

Sartore, M., see Ponzone, A. (216) 63

Sarui, H., see Sakata, S. (219) 23

Sasaki, M., see Taguchi, H. (220) 225

Sasaki, S., see Itoh, K. (217) 221

Sasaki, Y., Mori, T., Shiiki, H., Dohi, K. and Ishikawa, H.
Non-enzymatic glycosylation of mouse monoclonal antibody reduces its binding activity to antigen (220) 119

Sato, T., Kitajima, A., Ohmoto, S., Chikuma, M., Kado, M., Nagai, S., Izumi, T., Takeyama, M. and Masada, M.
Determination of human immunoglobulin A and secretory immunoglobulin A in bronchoalveolar lavage fluids by solid phase enzyme immunoassay (220) 145

Satomura, S., see Shimizu, K. (214) 3

Satore, G., see Manzato, E. (219) 57

Savel, J., see Meillet, D. (214) 235

Sawabu, N., see Ohta, H. (214) 83

Sawazaki, K., see Yasuda, T. (218) 5

Schalekamp, M.A.D.H., see Bhaggoe, U.M. (223) 179

Schellings, A.M.J., see Kema, I.P. (221) 143

Schifter, S.
A new highly sensitive radioimmunoassay for human calcitonin useful for physiological studies (215) 99

Schimke, I., see David, M. (223) 1

Schiøler, T., see Brender, J. (222) 57

Schiøler, T., see Nolan, J. (222) 117

Schmidt, E., see Trefz, F.K. (217) 15

Schmidt, H., see Trefz, F.K. (217) 15

Schmidt-Gayk, H., see Wildermuth, S. (220) 61

Schmon, B., Desoye, G., Friedl, H., Hofmann, H., Weiss, P.A.M. and Hagmüller, K. Insulin receptor binding to erythrocytes in the first half of pregnancy is increased in healthy pregnant women as compared with non-pregnant or gestational diabetic women (221) 33

Schram, K.H., see Nakano, K. (218) 169

Schröder, J.P., Kuhlmann, W.D. and Trendelenburg, C.
Knowledge-based approach to clinical decision-support system, with an application in tetanus serology (222) 79

Schwab, I., see Baum, H.H.E. (219) 183

Schwandt, P., see Ritter, M.M. (214) 45

Schwandt, P.
Lipoprotein(a) in diabetes mellitus (214) 45

Schwartz, D.C., see Dnistrian, A.M. (223) 43

Schwartz, M.K., see Dnistrian, A.M. (223) 43

Schöch, G., see Topp, H. (218) 73

Sedov, K.R., see Lundina, T.A. (214) 165

Selvakumar, R., see Swaminathan, S. (215) 119

Selvam, R., see Mathews, S.T. (219) 159

Semenza, G., see Wacker, H. (220) 115

Sentí, M., see Reverter, J.L. (223) 113

Seppä, K., see Löf, K. (217) 175

Seppälä, M., see Koistinen, R. (215) 189

Sergio, M., see Vered, A. (218) 139

Series, J.J., Gaffney, D., Packard, C.J. and Shepherd, J.
Frequency of the *Xba*I, *Eco*RI, *Pvu*II and *Msp*I polymorphisms of the apolipoprotein B gene in relation to hypercholesterolaemia in the general population (215) 89

Sertic, J., see Stavljenic-Rukavina, A. (216) 191

Seshadri, M.S., see Swaminathan, S. (215) 119

Sewell, I.J., see Preece, M.A. (218) 113

Sewell, J.A., see Preece, M.A. (218) 113

Sheat, J.M., see Brennan, S.O. (214) 123

Shepherd, J., see Gaffney, D. (218) 131

Shepherd, J., see Series, J.J. (215) 89

Sherman, D.I.N., see Deenmamode, J.M.J. (223) 169

Sherwood, R.A., see Deenmamode, J.M.J. (223) 169

Shibata, K., see Asada, H. (218) 17

Shigematsu, Y., see Kikawa, Y. (215) 81

Shih, C-Y., see Chang, F-Y. (213) 233

Shiiki, H., see Sasaki, Y. (220) 119

Shima, H., see Murawaki, Y. (218) 47

Shimada, W., see Nonaka, T. (223) 129

Shimizu, H., Mori, M. and Saito, T.
An increase of serum remnant-like particle in non-insulin-dependent diabetic patients with microalbuminuria (221) 191

Shimizu, K., Taniichi, T., Satomura, S., Matsusura, S., Taga, H. and Taketa, K.
Establishment of assay kits for the determination of microheterogeneities of alpha-fetoprotein using lectin-affinity electrophoresis (214) 3

Shimon, G., see Vered, A. (218) 139

Shin, K., see Hirooka, Y. (216) 1

Shinya, T., see Fujimoto, N. (220) 31

Shirai, K., see Kobayashi, J. (216) 113

Shoda, J., see Matsuzaki, Y. (221) 209

Shrivastava, U., see Holownia, P. (214) 31

Sibeldin, L.A., see Lundina, T.A. (214) 165

Siekmeier, R., see März, W. (214) 153

Siersbaek-Nielsen, K., see Faber, J. (223) 159

Siest, G., see Lecomte, E. (218) 39

Sillanaukee, P., see Löf, K. (217) 175

Simmonds, H.A., see Micheli, V. (220) 1

Simonelli, F., see Wacker, H. (220) 115

Simpson, H., see Crook, M.A. (219) 131

Sinnott, M.M., Carr, B., Markey, J., Brosnan, P., Boran, G., Grimson, J., McGill, T., Feely, J. and O'Moore, R.
Knowledge based lipid management system for general practitioners (222) 71

Skillen, A.W., see Chambers, W. (219) 177

Skinner, E.R., see Coulter, F. (214) 119

Skinner, E.R., see Wilson, H.M. (220) 175

Smith, C.A., see Dnistrian, A.M. (223) 43

Smith, I.C., see Taylor, R.P. (218) 207

Smith, J.L., Madden, L.J. and De Jersey, J.
Effects of ethanol on the assay of acyl-CoA:cholesterol acyltransferase (ACAT) (215) 233

Soardo, G., see Pirisi, M. (219) 47

Solberg, H.E., see Kenny, D. (222) 19

Solberg, H.E.
Object-oriented methods (222) 3

Soldati, L., see Wacker, H. (220) 115

Sorensen, K. and Viljanen, M.K.
Use of seronegative samples for the calibration and reporting of serological enzyme immunoassay results (214) 55

Sørensen, S.H., Proud, F.J., Adam, A., Rutgers, H.C. and Batt, R.M. A novel HPLC method for the simultaneous quantification of monosaccharides and disaccharides used in tests of intestinal function and permeability (221) 115

Spada, M., see Ponzone, A. (216) 63

Srikrishna, G., see Swaminathan, S. (215) 119

Standing, S.J., see Taylor, R.P. (218) 207

Starreveld, J.S., van Dijk, H.P., Kroos, M.J. and van Eijk, H.G.
Regulation of transferrin receptor expression and distribution in in vitro cultured human cytotrophoblasts (220) 47

Stavljenic-Rukavina, A., Sertic, J., Salzer, B., Dumic, M., Radica, A., Fumic, K. and Krajina, A.
Apolipoprotein E phenotypes and genotypes as determined by polymerase chain reaction using allele-specific oligonucleotide probes and the amplification refractory mutation system in children with insulin-dependent diabetes mellitus (216) 191

Steinbeck, G., see Baum, H.H.E. (219) 183

Steinkamp, G., see Tümmler, B. (217) 23

Steinmetz, A., see Malle, E. (217) 205

Stellaard, F., see Gibson, K.M. (217) 217

Stinson, R.A., Thacker, J.D. and Lin, C.C. Expression and nature of the alkaline phosphatase gene in cultured osteosarcoma cells (221) 105

Stroobant, V., see Bernard, A. (223) 189

Strzelczyk, M., see Kopff, M. (214) 97

Stuart, S., see Buttery, J.E. (217) 213

Stulík, J., Tichyá M. and Kovár*ová, H.
Two-dimensional gel electrophoresis of four serum samples from patients with IgD myeloma (218) 149

Sudo, M., see Kikawa, Y. (215) 81

Sugitani, T., see Matsuzaki, Y. (221) 209

Suzuki, M., see Nakajima, K. (223) 53

Swaminathan, S., Seshadri, M.S., Srikrishna, G., Selvakumar, R., and Kanagasabapathy, A.S.
Ethanediol stabilised quality control serum for measurement of zinc (215) 119

Szewczyk, Z., see Adamiec, R. (221) 15

Szmidzinski, R., see Adamiec, R. (221) 15

Szopa, J., see Adamiec, R. (221) 15

T

Tada, N., see Nakajima, K. (223) 53
 Taga, H., see Shimizu, K. (214) 3
 Taguchi, H., Nishiya, K., Yamanaka, S., Saika, K., Morishita, N., Sasaki, M. and Miyoshi, I. Enzyme-linked immunoglobulin which binds both lactate dehydrogenase and hydroxybutyric dehydrogenase (220) 225
 Taide, M., Kanda, S., Eguchi, J., Igawa, T., Kanetake, H. and Saito, Y. A study of growth factors in human renal cysts with or without renal cell carcinoma (217) 199
 Takahashi, M., see Matsumoto, K. (216) 135
 Takamatsu, J., see Sakata, S. (219) 23
 Takano, T., see Kikawa, Y. (215) 81
 Takasaki, J., see Koyama, N. (215) 73
 Takeshita, H., see Yasuda, T. (218) 5
 Taketa, K., see Shimizu, K. (214) 3
 Takeuchi, K., see Washizu, K. (219) 15
 Takeuchi, M., see Asai, K. (218) 1
 Takeuchi, N., see Saheki, S. (217) 105
 Takeyama, M., see Sato, T. (220) 145
 Takeyama, Y., see Asada, H. (218) 17
 Takiyama, N., see Matsumoto, K. (216) 135
 Takuno, H., see Sakata, S. (219) 23
 Tamura, A., see Nakajima, K. (223) 53
 Tanaka, A., see Nakajima, K. (223) 53
 Tanaka, K., see Nagao, M. (220) 165
 Tanaka, N., see Matsuzaki, Y. (221) 209
 Tanaka, N., see Nakamura, J. (215) 1
 Tanaka, S., see Nonaka, T. (223) 129
 Tanaka, T., see Koyama, N. (215) 73
 Tanaka-Kawai, H. and Yomoda, S. Molecular weight and substrate characteristics of human serum arylesterase following purification of immuno-affinity chromatography (215) 127
 Taniguchi, N., see Ohno, H. (215) 213
 Taniichi, T., see Shimizu, K. (214) 3
 Tasdemir, N., see Keir, G. (216) 153
 Tashiro, J., see Kobayashi, J. (216) 113
 Tassi, C., Beccari, T., Costanzi, E. and Orlacchio, A. β -N-Acetylhexosaminidase in spinal muscular atrophy fibroblasts (221) 203
 Tataranni, P.A., see Mingrone, G. (214) 21
 Taylor, J.A., see Preece, M.A. (218) 113
 Taylor, R.P., Smith, I.C. and Standing, S.J. Rapid automated enzymatic measurement of phenylalanine in plasma and blood spots (218) 207
 Teerlink, T., Hennekes, M.W.T., Van Leeuwen, P.A.M. and Houdijk, A. Rapid determination of glutamine in biological samples by high-performance liquid chromatography (218) 159
 Tenenhaus, D., see Myara, I. (217) 229
 Tettamanti, G., see Gio, G. (221) 47
 Tettamanti, G., see Goi, G. (214) 61
 Thacker, J.D., see Stinson, R.A. (221) 105
 Thompson, E.J., see Keir, G. (216) 153
 Thompson, S., Dargan, E., Griffiths, I.D., Kelly, C.A. and Turner, G.A. The glycosylation of haptoglobin in rheumatoid arthritis (220) 107
 Thompson, S., see Chambers, W. (219) 177
 Thurmon, T.F., see Lee, B.Y. (218) 215
 Tichý, M., see Stulík, J. (218) 149
 Tidore, M.G.B., see Deiana, L. (223) 143
 Toborek, M. and Hennig, B. Vitamin E attenuates induction of elastase-like activity by tumor necrosis factor- α , cholestan-3 β ,5 α ,6 β -triol and linoleic acid in cultured endothelial cells (215) 201
 Tojo, R., see Gil, F. (221) 23
 Toniutto, P., see Pirisi, M. (219) 47
 Tonizzo, M., see Fonda, M. (223) 121
 Topp, H., Duden, R. and Schöch, G. 5,6-Dihydrouridine: a marker ribonucleoside for determining whole body degradation rates of transfer RNA in man and rats (218) 73
 Tornel, P.L., Campoy, F.J. and Vidal, C.J. Cholinesterases in cerebrospinal fluid in patients with meningitis and hydrocephaly (214) 219
 Torre, A., see Iacobini, M. (221) 197
 Toya, D., see Ohta, H. (214) 83
 Trefz, F.K., Burgard, P., König, T., Goebel-Schreiner, B., Licher-Konecki, U., Konecki, D., Schmidt, E., Schmidt, H. and Bickel, H. Genotype-phenotype correlations in phenylketonuria (217) 15
 Trendelenburg, C., see Schröder, J.P. (222) 79
 Trivedi, P., Cheeseman, P. and Mowat, A.P. Serum hyaluronic acid in healthy infants and children and its value as a marker of progressive hepatobiliary disease starting in infancy (215) 29
 Tsai, L.-Y., Lee, K.T., Tsai, S.M., Lee, S.C. and Yu, H.S. Changes of lipid peroxide levels in blood and liver tissue of patients with obstructive jaundice (215) 41
 Tsai, S.M., see Tsai, L.-Y. (215) 41
 Tuimala, R., see Lamminen, S. (214) 93
 Tümmler, B., Dörk, T., Kubesch, P., Fislage, R.,

Kälin, N., Neumann, T., Wulbrand, U., Wulf, B., Steinkamp, G. and von der Hardt, H.
Cystic fibrosis: the impact of analytical technology for genotype-phenotype studies (217) 23
Turner, G., Coates, P., Porter, S., Peters, J.R. and Woodhead, J.S.

Urinary growth hormone measurements as a marker of renal tubular function in diabetes mellitus (220) 19
Turner, G.A., see Chambers, W. (219) 177
Turner, G.A., see Thompson, S. (220) 107
Tutt, P., see Crook, M.A. (219) 131

U

Uchida, K., see Asada, H. (218) 17
Uchida, K., see Saheki, S. (217) 105
Ueda, K., see Fujitaka, M. (215) 227
Ueda, K., see Mizoguchi, N. (216) 145
Ueda, K., see Ohsaki, M. (215) 165
Ueshima, S., see Nonaka, T. (223) 129
Uhr, M., see Reiber, H. (217) 163

Ulloa, N., see Calvo, C. (217) 193
Ulmsten, U., see Ronquist, G. (223) 93
Ungerer, J.P.J., Oosthuizen, H.M. and Bissbort, S.H.
An enzymatic assay of inorganic phosphate in serum using nucleoside phosphorylase and xanthine oxidase (223) 149

V

Valderrama, R., see López, J.M. (220) 91
 van der Meer, J., see Bom, V.J.J. (218) 121
 van der Schaaf, W., see Bom, V.J.J. (218) 121
 van Dijk, H.P., see Starreveld, J.S. (220) 47
 van Doormaal, J.J., see De Cuyper, I. (219) 123
 van Eijk, H.G., see Starreveld, J.S. (220) 47
 Van Leeuwen, P.A.M., see Teerlink, T. (218) 159
 van Wijk, R.T., see Bom, V.J.J. (218) 121
 Vanballenberghe, L., see Vanhoe, H. (219) 79
 Vandenplas, C., see Heller, F.R. (219) 167
 VanderJagt, D.J., see Forsyth, G.W. (216) 11
 Vanhoe, H., Versieck, J., Vanballenberghe, L. and Dams, R.
 Bismuth in human serum: reference interval and concentrations after intake of a therapeutic dose of colloidal bismuth subcitrate (219) 79
 Vassy, R., see Pré, J. (215) 221
 Västrik, I., see Koskinen, P.J. (217) 57
 Vazquez, C., see Bolufer, P. (215) 51
 Venembre, P.C., Nguyen Cong, H., Biou, D.R. and Durand, G.M. Changes in the glycoforms of rat alpha-1-acid glycoprotein during experimental poly-ee-arth-ee-ritis (221) 59
 Venesio, T., see Callahan, R. (217) 63
 Verdugo, C., see Calvo, C. (217) 193
 Vered, A., Eugenio, M., Arie, D., Augusto, P., Sergio, M. and Shimon, G.
 Fluorescence-based diagnosis of lipid storage diseases by analysis of the culture medium of skin fibroblasts (218) 139
 Vergnes, H.A., Denier, C.J., Brisson-Lougarre, A., Grozdea, J.G., Bourrouillou, G., Colombe, P., Klaebe, A.G. and Perie, J.J.
 Biochemical and immunological characteristics of neutrophil alkaline phosphatase in Down's syndrome (218) 105
 Versieck, J., see Vanhoe, H. (219) 79
 Vidal, C.J., see Tornel, P.L. (214) 219
 Viljanen, M.K., see Sorensen, K. (214) 55
 Villalba, A., Elorza, M.A. and Coll, R. Contamination of biological samples in metal determination (214) 243
 Villanueva, E., see Gil, F. (21) 23
 Vladutiu, A.O., see Roach, B.A. (216) 199
 von der Hardt, H., see Tümmler, B. (217) 23 Hill, R.E.
 The diagnosis of inborn errors in metabolism by examination of the genotype (217) 3

W

Wacker, H., Soldati, L., Simonelli, F., Richter, C., Gazzaniga, A., Auricchio, S. and Semenza, G.
 Senile cataractic lenses do not accumulate galactitol in either lactose tolerant or intolerant subjects (220) 115

Waetjen, I., see Faber, J. (223) 159

Wagner, S.G., see Levinson, S.S. (223) 31

Waldenström, A., see Engström, I. (219) 113

Waldenström, A., see Ronquist, G. (223) 93

Wang, H., Chen, S., Kong, X., Wang, X., Chang, G., Xu, S., Luo, Z. and Xie, Y.
 Quantitation of plasma oxidatively modified low density lipoprotein by sandwich enzyme linked immunosorbent assay (218) 97

Wang, X., see Wang, H. (218) 97

Ward, B.G., see McGuckin, M.A. (214) 139

Waring, M.A., see Kelly, G.E. (223) 9

Washizu, K., Kimura, S., Hiraiwa, H., Matsunaga, K., Kuwabara, M., Ariyoshi, Y., Kato, K. and Takeuchi, K.
 Development and application of an enzyme immunoassay for tenascin (219) 15

Watanabe, H., see Ohta, H. (214) 83

Wedenberg, K., see Ronquist, G. (223) 93

Weiss, P.A.M., see Schmon, B. (221) 33

Wells, I.G., Cartwright, R.Y. and Farnan, L.P.
 Practical experience with graphical user interfaces and object-oriented design in the clinical laboratory (222) 13

Wendel, U., Gonzales, J. and Hummel, W.
 Neonatal screening for maple syrup urine disease by an enzyme-mediated colorimetric method (219) 105

Werner, M., Ballo, M.S. and Gallagher, J.V.
 Comparative clinical evaluation of biochemical and genomic tumor markers (217) 39

Wiegell, B., see Brender, J. (222) 57

Wijnandts, P.N., see De Cuyper, I. (219) 123

Wildermuth, S., Dittrich, K., Schmidt-Gayk, H., Zahn, I. and O'Riordan, J.L.H.
 Scintillation proximity assay for calcitriol in serum without high performance liquid chromatography (220) 61

Willems, J.L., see Nykänen, P. (222) 37

Wilson, H.M., Patel, J.C., Russell, D. and Skinner, E.R.
 Alterations in the concentration of an apolipoprotein E-containing subfraction of plasma high density lipoprotein in coronary heart disease (220) 175

Winkens, R.A.G., see Hasman, A. (222) 49

Wolthers, B.G., see De Cuyper, I. (219) 123

Woodhead, J.S., see Turner, G. (220) 19

Wulbrand, U., see Tümmler, B. (217) 23

Wulf, B., see Tümmler, B. (217) 23

X

Xie, Y., see Wang, H. (218) 97

Xu, S., see Wang, H. (218) 97

Y

Yamada, H., see Adachi, T. (223) 185
 Yamamoto, H., see Murawaki, Y. (218) 47
 Yamanaka, S., see Taguchi, H. (220) 225
 Yamashita, H., see Ohno, H. (215) 213
 Yasuda, T., Sawazaki, K., Nadano, D.,
 Takeshita, H., Nakanaga, M. and Kishi, K.
 Human seminal deoxyribonuclease I (DNase
 I): purification, enzymological and immuno-
 logical characterization and origin (218) 5
 Yearworth, M., see Nykänen, P. (222) 37

Yomoda, S., see Tanaka-Kawai, H. (215) 127
 Yoshida, K., Mizukawa, H. and Haruki, E.
 Serum trehalase activity in patients with rheu-
 matoid arthritis (215) 123
 Yoshida, S., see Kobayashi, J. (216) 113
 Yoshiga, S., see Matsuzaki, Y. (221) 209
 You, T., see Güldütuna, S. (214) 195
 Yu, H.S., see Tsai, L.-Y. (215) 41
 Yuki, H., see Matsumoto, K. (216) 135
 Yurtarslanl, Z., see Durak, I. (214) 103

Z

Zacchello, F., see Goi, G. (214) 61
 Zahn, I., see Wildermuth, S. (220) 61
 Zakrzewska, I., see Kopff, M. (214) 97
 Zambon, A., see Manzato, E. (219) 57
 Zambon, S., see Manzato, E. (219) 57
 Zanardo, V., see Goi, G. (214) 61
 Zhang, J., Fujimoto, N., Iwata, K., Sakai, T.,
 Okada, Y. and Hayakawa, T.
 A one-step sandwich enzyme immunoassay for

human matrix metalloproteinase 1 (interstitial
 collagenase) using monoclonal antibodies
 (219) 1
 Zhang, J., see Fujimoto, N. (220) 31
 Zimmermann, C.W.
 Repertoires of natural autoantibodies against
 muscle tissue are independent of age or gender
 in normal human adults. A Western blot study
 (218) 29



Cumulative

Subject index

Vols. 214-223 (1993)

A

ACAT inhibitors

Alcohol; Acyl-CoA hydrolase; Ethyl oleate; Human liver; Oleoyl-CoA (Smith, J.L. (215) 233)

Acetylcholinesterase

Butyrylcholinesterase; Cerebrospinal fluid; Meningitis; Hydrocephaly; Ventriculitis (Tornel, P.L. (214) 219)

β -N-Acetylhexosaminidas

Isoenzyme; Spinal muscular atrophy; Fibroblasts (Tassi, C. (221) 203)

N-Acetyl- β -D-glucosaminidase

Isoenzymes; Plasma levels; Routine chromatofocusing procedure; Distribution in a general population (Goi, G. (221) 47)

Acid-base equilibrium

Gastric acidity determination; Gastric acid; Blood gas analysis (Niv, Y. (215) 9)

Acute intermittent porphyria

Porphyria; Porphyria variegata; Hereditary coproporphyria; Porphobilinogen deaminase; Heme synthesis; Alcohol; Drugs; Estrogen; Progesterone; Gene; Chromosome; mRNA; Mutation (Hindmarsh, J.T. (217) 29)

Acute myocardial infarction

CK-MB activity; CK-MB mass concentration; Ratio CK-MB mass vs. activity (Baum, H.H.E. (219) 183)

Acute phase proteins

Lipoprotein(a); Inflammation (Ledue, T.B. (223) 73)

Sialic acid; Type 1 diabetes; Type 2 diabetes (Crook, M.A. (219) 131)

C-reactive protein; Immunoglobulins; Macroglobulinemia; Latex reagent (Ponge, T.D. (220) 101)

Acute phase reactants

Serum trehalase; Rheumatoid arthritis (Yoshida, K. (215) 123)

Acute rejection

Enzymes; Liver transplantation; Necrosis Index (Gozzo, M.L. (214) 175)

Acylcarnitine hydrolase

Acylcarnitines; Enzyme reactor; HPLC (Matsumoto, K. (216) 135)

Acylcarnitines

Enzyme reactor; HPLC; Acylcarnitine hydrolase (Matsumoto, K. (216) 135)

Carnitine; High-performance liquid chromatography (Poorthuis, B.J.H. (216) 53)

Acyl-CoA hydrolase

Alcohol; ACAT inhibitors; Ethyl oleate; Human liver; Oleoyl-CoA (Smith, J.L. (215) 233)

Adenosine deaminase

Multiple sclerosis; Erythrocytes (Kopff, M. (214) 97)

Adenosine

Inosine; Hypoxanthine; Xanthine; Pregnancy; Uterine smooth muscle; Skeletal striated muscle (Ronquist, G. (223) 93)

Adipose tissue

Hormone-sensitive lipase; Northern blot; Ribonuclease protection assay (Frayn, K.N. (216) 183)

Affinity chromatography

Lectin; ELISA; IgA subclass; Secretory IgA (Cullina, M.J. (216) 23)

African neonates

Thyroid function (Das, S.C. (220) 233)

Age

Autoantibodies; Autoantigen; Muscle; Lauryl-sulphate, sodium salt-polyacrylamide-gel-electrophoresis; Western blot (Zimmermann, C.W. (218) 29)

Aging

Glycated hemoglobin; Fructosamine; Glucose tolerance; Erythrocyte age (Nakashima, K. (215) 111)

AIDS

Urinary modified nucleosides; Biological marker; Half-life of RNA; RNA turnover; Cancer (Nakano, K. (218) 169)

Alanine-aminopeptidase

Leucine-aminopeptidase; Aminopeptidase-N; Serum; Plasma; gp150; CD13 (Favaloro, E.J. (220) 81)

Alanine:glyoxylate aminotransferase

Glutamate:glyoxylate aminotransferase; Hyperoxaluria; Human liver; High-performance liquid chromatography (Petrarulo, M. (218) 193)

Alarms generation

Post-analytical functionalities; Clinical laboratory services; Primary care; Intensive care; Interpretative reporting (Nykänen, P. (222) 37)

Alcohol abuse

Asialotransferrin; Carbohydrate-deficient transferrin (CDT); Isoelectric focusing (IEF); Immunofixation; Transaminases (Löf, K. (217) 175)

Alcohol misuse

Alcoholic liver disease; Amylase; Iso-enzymes;

Cirrhosis; Salivary gland disease (Deenmamode, J.M.J. (223) 169)

Alcoholic fatty liver

Liver needle biopsy; β -Oxidation disorders (Eaton, S. (220) 219)

Alcoholic liver disease

Alcohol misuse; Amylase; Iso-enzymes; Cirrhosis; Salivary gland disease (Deenmamode, J.M.J. (223) 169)

Alcoholics

Stimulatory GTP-binding regulatory protein; Erythrocyte membranes; Alcohol (Nakamura, J. (215) 1)

Alcohol; Stimulatory GTP-binding protein; Gs; Erythrocyte (Nakamura, J. (218) 229)

Alcohol

ACAT inhibitors; Acyl-CoA hydrolase; Ethyl oleate; Human liver; Oleoyl-CoA (Smith, J.L. (215) 233)

Stimulatory GTP-binding regulatory protein; Erythrocyte membranes; Alcoholics (Nakamura, J. (215) 1)

Acute intermittent porphyria; Porphyria; Porphyria variegata; Hereditary coproporphyria; Porphobilinogen deaminase; Heme synthesis; Drugs; Estrogen; Progesterone; Gene; Chromosome; mRNA; Mutation (Hindmarsh, J.T. (217) 29)

Alcoholics; Stimulatory GTP-binding protein; Gs; Erythrocyte (Nakamura, J. (218) 229)

Alkaline phosphatase

Glycan phosphatidylinositol anchors; Glycan phosphatidylinositol-specific phospholipase D; Gradient gel electrophoresis; Partitioning (Raymond, F.D. (215) 139)

Osteosarcoma; Transcription levels; Isoenzyme (Stinson, R.A. (221) 105)

Allergic reactions

Tetanus; Tetanus immunity; Booster immunization; Knowledge-based systems (Schröder, J.P. (222) 79)

Alpha-1-acid glycoprotein

Inflammation; Oligosaccharide; Glycoform; Rats (Venembre, P.C. (221) 59)

Alpha-1-antitrypsin

Occult blood; Protein-losing enteropathies (Moran, A. (217) 153)

Amino acids

Vigabatrin; Beta alanine; Gamma amino butyric acid (Preece, M.A. (218) 113)

Aminopeptidase-N

Alanine-aminopeptidase; Leucine-aminopeptidase; Serum; Plasma; gp150; CD13 (Favaloro, E.J. (220) 81)

Amniotic fluid

Insulin-like growth factor-binding protein; Phosphorylation; Pregnancy; Decidua; (Koistinen, R. (215) 189)

Trehalase isozymes; Fetal pathologies; Prenatal diagnosis; Anal imperforation; Polycystic kidney disease (Elslinger, M.-A. (216) 91)

Insulin-like growth factor binding protein-1; Fetal fibronectin; Rupture of fetal membranes (Rutanen, E.-M. (214) 73)

Amplification refractory mutation system analysis

Apolipoprotein E; Genotype/phenotype; Polymerase chain reaction using allele-specific oligonucleotide; Diabetes mellitus (Stavljenic-Rukavina, A. (216) 191)

Amplification

myc oncogenes; Transcriptional regulation (Koskinen, P.J. (217) 57)

Amylase

Alcohol misuse; Alcoholic liver disease; Isoenzymes; Cirrhosis; Salivary gland disease (Deenmamode, J.M.J. (223) 169)

Amyloid enhancing factor

Ubiquitin; β_2 -Microglobulin amyloidosis; Dialysis patients; Plasma concentration (Okada, M. (220) 135)

Anaemia

Erythropoietin; Liver disease; Inflammation; (Pirisi, M. (219) 47)

Anal imperforation

Trehalase isozymes; Fetal pathologies; Prenatal diagnosis; Polycystic kidney disease; Amniotic fluid; (Elslinger, M.-A. (216) 91)

Analysis

Mucopolysaccharidoses; Urine; Glycosaminoglycans; Electrophoresis (Piraud, M. (221) 171)

Analytical quality goals

Clinical quality specifications; Quality specifications for clinical laboratories; Quality assurance; Measurement procedure; Transferability of clinical laboratory results (Groth, T. (222) 129)

Angiogenesis

Rheumatoid arthritis; Synovial fluids; Enzyme immunoassay; Gliostatin; Platelet-derived endothelial cell growth factor (Asai, K. (218) 1)

Angiopathy

Malondialdehyde; Lipid peroxidation; Type 1 diabetes mellitus; Type 2 diabetes mellitus (Gallou, G. (214) 227)

Anhydrides of argininosuccinate

Argininosuccinic aciduria; Metabolic disorders; Nuclear magnetic resonance; Urea cycle (Burns, S.P. (221) 1)

Antibodies

Streptokinase; Immunoassay; ELISA; Myocardial infarction (Bom, V.J.J. (218) 121)

Antioxidants

Rat; Inflammation; Carrageenan-induced granuloma; Lipid peroxidation; Iron; Oxygen radicals (Muntané, J. (214) 185)

Reactive oxygen; Cytosolic calcium; Endothelial cells (David, M. (223) 1)

Antitrypsin Pittsburgh

Circulating proalbumin; Hepatic convertase (Brennan, S.O. (214) 123)

Anti-HCV positive chronic liver diseases

Serum type IV collagen; Enzyme immunoassay; 7S and triple helix (Matsuzaki, Y. (221) 209)

 α_1 -Antitrypsin

Microheterogeneity; Serum; Meconium; Cystic fibrosis; Immunoaffinoelectrophoresis (Duthel, S. (215) 173)

Apo B gene

Restriction fragment length polymorphism; Hypercholesterolaemia (Series, J.J. (215) 89)

Apo B

LDL cholesterol; VLDL cholesterol; Non-HDL cholesterol; HDL cholesterol; Triglycerides (Levinson, S.S. (223) 31)

Apolipoprotein B

DNA polymorphism; Signal sequence (Gaffney, D. (218) 131)

Malondialdehyde adducts; Fragmentation; Human plasma; Artherosclerosis; Lipid peroxidation (Lecomte, E. (218) 39)

Apolipoprotein E

Genotype/phenotype; Polymerase chain reaction using allele-specific oligonucleotide; Amplification refractory mutation system analysis; Diabetes mellitus (Stavljenic-Rukavina, A. (216) 191)

Apolipoproteins

Lipoproteins; Insulin therapy; Triglycerides (Reverter, J.L. (223) 113)

Apolipoprotein(a) (apo(a))

Lipoprotein(a) (Lp(a)); Apo(a) isoforms; Apo(a) alleles; Apo(a) phenotypes (Abe, A. (219) 149)

Apoproteins

Triglycerides; Cholesterol; Lipoproteins; Atherosclerosis (Manzato, E. (219) 57)

Apo(a) alleles

Lipoprotein(a) (Lp(a)); Apolipoprotein(a) (apo(a)); Apo(a) isoforms; Apo(a) phenotypes (Abe, A. (219) 149)

Apo(a) isoforms

Lipoprotein(a); Immunoblotting (Geroldi, D. (221) 159)

Lipoprotein(a) (Lp(a)); Apolipoprotein(a) (apo(a)); Apo(a) alleles; Apo(a) phenotypes (Abe, A. (219) 149)

Apo(a) phenotypes

Lipoprotein(a) (Lp(a)); Apolipoprotein(a) (apo(a)); Apo(a) isoforms; Apo(a) alleles; (Abe, A. (219) 149)

Arachidonic acid metabolism

Peroxisomal disease fibroblasts; Eicosanoids; Gas chromatography/mass spectrometry (Malle, E. (217) 205)

Argininosuccinic aciduria

Anhydrides of argininosuccinate; Metabolic disorders; Nuclear magnetic resonance; Urea cycle (Burns, S.P. (221) 1)

Artherosclerosis

Apolipoprotein B; Malondialdehyde adducts; Fragmentation; Human plasma; Lipid peroxidation (Lecomte, E. (218) 39)

Ascorbate

Vitamin C; Uric acid; Cerebrospinal fluid (CSF); Serum; CSF low; Blood-CSF barrier function; Neurological diseases (Reiber, H. (217) 163)

Asialotransferrin

Alcohol abuse; Carbohydrate-deficient transferrin (CDT); Isoelectric focusing (IEF); Immunofixation; Transaminases (Löf, K. (217) 175)

Asthma

Oxidative metabolism; Lipid peroxidation; Zinc; Selenium (Malvy, J.-M.D. (218) 117)

Atherosclerosis

Lipoprotein(a); Enzyme immunoassay; Immunoradiometric assay; Plasminogen (März, W. (214) 153)

Low density lipoprotein (LDL); Modified lipoprotein; Sialic acid (Ruelland, A. (221) 127)

Triglycerides; Cholesterol; Lipoproteins; Apoproteins (Manzato, E. (219) 57)

Atomic absorption spectrometry

Bone; Teeth; Mineral elements; Digestion procedure (Gil, F. (221) 23)

ATP

Microcalorimetry; Human erythrocytes; Cationophore; Lactate; Mg²⁺ (Engström, I. (219) 113)

Atrial natriuretic peptide

Stability; Storage (Bhaggoe, U.M. (223) 179)

Autoanalysis

Phenylketonuria; Dietary monitoring; L-Phenylalanine; Phenylalanine dehydrogenase; Chemistry; Clinical (Taylor, R.P. (218) 207)

Autoantibodies

Autoantigen; Muscle; Age; Laurylsulphate,

sodium salt-polyacrylamide-gel-electrophoresis;
Western blot (Zimmermann, C.W. (218) 29)

Autoantibody

Pancreatic elastase 1; Radioimmunoassay
(Asada, H. (218) 17)

Autoantigen

Autoantibodies; Muscle; Age; Laurylsulphate,
sodium salt-polyacrylamide-gel-electrophoresis;
Western blot (Zimmermann, C.W. (218) 29)

Autoimmune thyroid disease

Interleukin-4; Radioimmunoassay; Human
peripheral blood mononuclear cells; Graves'
disease; Chronic thyroiditis (Hirooka, Y. (216) 1)

Automated analysis

Smoking; Cotinine determination; 'König' reac-
tion; Fluorescence polarization immunoassay
(Pickert, A. (217) 143)

B**Band 3 protein**

G6PD deficiency; PK deficiency; Hereditary spherocytosis (human erythrocytes) (Giuliani, A. (220) 211)

Bathocuproine

Protein assay; Reverse biuret method; Copper; Chelate reaction (Matsushita, M. (216) 103)

Bayes' theorem

Laboratory computer; Knowledge-based system; Expert system; Interval arithmetics; Set theory; Syntax analysis; Probability theory; Possibility theory (Pohl, B. (222) 85)

Beta alanine

Vigabatrin; Amino acids; Gamma amino butyric acid (Preece, M.A. (218) 113)

Bile acids

Fluorescence labeling; High performance liquid chromatography (Gütuna, S. (214) 195)

Serum; Liver cirrhosis (Greco, A.V. (221) 183)

Mevalonate kinase deficiency; Chenodeoxycholic acid; Cholic acid; Gas-chromatography-mass spectrometry; Stable-isotope; Cholesterol (Gibson, K.M. (217) 217)

Bilirubin toxicity

PKC inhibition; Protein phosphorylation; Fibroblasts (Amit, Y. (223) 102)

Biological marker

Urinary modified nucleosides; Half-life of RNA; RNA turnover; Cancer; AIDS (Nakano, K. (218) 169)

Biological variation

Chronobiology; Data management (Fuentes-Arderiu, X. (214) 113)

Biopterin

Hyperphenylalaninemia; Neopterin; Tetrahydrobiopterin deficiency (Ponzone, A. (216) 63)

Biotinidase (Biocytinase)

Human serum; HPLC assay; Kinetic study (Oizumi, J. (215) 63)

Biotin-avidin

Theophylline; Turbidimetric immunoassay (Oh, C. (218) 59)

Birthweight

Cigarette-smoking; Fluorescent lipid peroxidation products; Maternal plasma; Cord plasma (Pré, J. (215) 221)

Bismuth

Inductively coupled plasma mass spectrometry (ICPMS); lead; Thallium; Plasma; Urine (Mauras, Y. (218) 201)

Human serum; Colloidal bismuth subcitrate; Inductively coupled plasma-mass spectrometry (ICP-MS) (Vanhoe, H. (219) 79)

Blood cells

LDH isoenzymes; Histiocytosis X; Lymphocytes; Monocytes (Perlino, E. (223) 83)

Blood gas analysis

Gastric acidity determination; Gastric acid; Acid-base equilibrium (Niv, Y. (215) 9)

Blood neutrophils

Isoenzymes; Characterization; Down's syndrome; Early placental variant (Vergnes, H.A. (218) 105)

Blood oxygen saturation

Mixing technique (Clark, D.J. (219) 189)

Blood spots

Maple syrup urine disease; Neonatal screening; Leucine dehydrogenase; Enzymatic analysis; Branched-chain amino acids (Wendel, U. (219) 105)

Blood-CSF barrier function

Vitamin C; Ascorbate; Uric acid; Cerebrospinal fluid (CSF); Serum; CSF flow; Neurological diseases (Reiber, H. (217) 163)

Blood

Ethanol; Fucose; Haptoglobin; Lectin; Liver disease (Chambers, W. (219) 177)

Bone resorption

Urokinase-type plasminogen activator (u-PA); Urokinase-type plasminogen activator receptor (u-PAR); Plasminogen activator inhibitor-I (PAI-1); Osteosarcoma cell (Nonaka, T. (223) 129)

Bone

Teeth; Atomic absorption spectrometry; Mineral elements; Digestion procedure (Gil, F. (221) 23)

Booster immunization

Tetanus; Tetanus immunity; Allergic reactions; Knowledge-based systems (Schröder, J.P. (222) 79)

Bradford

Collagen; Protein methods; Sodium dodecyl sulfate (SDS) (López, J.M. (220) 91)

Branched-chain amino acids

Maple syrup urine disease; Neonatal screening; Leucine dehydrogenase; Enzymatic analysis; Blood spots (Wendel, U. (219) 105)

Breast cancer

Epidermal growth factor; Epidermal growth factor receptor; Lung cancer; Endometrial cancer (Bolufer, P. (215) 51)

Tamoxifen; Serum cholesterol; Serum lipoproteins; Cardiovascular risk (Dnistrian, A.M. (223) 43)

Mutations; P53 gene; NM23 gene (Callahan, R. (217) 63)

Bronchoalveolar lavage fluid

Secretory IgA; Serum IgA; Enzyme immunoassay methods; Interstitial lung disease (Sato, T. (220) 145)

Bronchopulmonary dysplasia

Platelet activating factor; Patent ductus arteriosus; Chronic lung disease; Tracheal aspirate; Low birth weight infant (Koyama, N. (215) 73)

Butyrylcholinesterase

Acetylcholinesterase; Cerebrospinal fluid; Meningitis; Hydrocephaly; Ventriculitis (Tornel, P.L. (214) 219)

C**c-erbB-2**

t(14; 18) chromosomal rearrangement; Follicular lymphoma; Mammary carcinoma; N-myc; Neuroblastoma; K-ras; Pulmonary adenocarcinoma; Colorectal carcinoma (Werner, M. (217) 39)

Calcitonin

Radioimmunoassay; Hormones; Peptides; Peptide hormones; Regulatory peptides (Schifter, S. (215) 99)

Calcitriol

Fructose-1,6-diphosphatase deficiency; Monocytes; Lymphocytes; Tissue culture (Kikawa, Y. (215) 81)

Extrelut-1-minicolumns; Sep-Pak silica cartridges; Scintillation proximity assay; Vitamin D metabolites (Wildermuth, S. (220) 61)

Calcium oxalate crystallization

Turbidity; Nephelometry; Nucleation; Kinetics; Nucleation promoters (Rodgers, A.L. (220) 125)

Cancer patients

Fibronectin; Fragments; Monoclonal antibodies; Urine (Katayama, M. (217) 115)

Cancer

Vanillylmandelic acid; Homovanillic acid; Neuroblastoma screening (Mathieu, P. (220) 229)

Urinary modified nucleosides; Biological marker; Half-life of RNA; RNA turnover; AIDS (Nakano, K. (218) 169)

Carbohydrate chain

α -Fetoprotein; Tumor marker; Lectin electrophoresis; Hepatocellular carcinoma; *Lens culinaris* agglutinin-A; Erythro-agglutinating phytohemagglutinin-E4 (Shimizu, K. (214) 3)

Carbohydrate-deficient transferrin (CDT)

Alcohol abuse; Asialotransferrin; Isoelectric focusing (IEF); Immunofixation; Transaminases (Löf, K. (217) 175)

Carcinoid

HPLC; Fluorometry; Serotonin; 5-Hydroxyindole-3-acetic acid; 5-Hydroxytryptophan; Tryptophan; Urine; Plasma; Platelets; Tissue; Diurnal variation; Diet (Kema, I.P. (221) 143)

Carcinoma marker

Tenascin; Enzyme immunoassay (Washizu, K. (219) 15)

Cardiac index

Cardiomyopathy; Copper; Zinc; Iron; Ejection fraction (Oster, O. (214) 209)

Cardiomyopathy

Copper; Zinc; Iron; Ejection fraction; Cardiac index (Oster, O. (214) 209)

Cardiovascular risk

Breast cancer; Tamoxifen; Serum cholesterol; Serum lipoproteins (Dnistrian, A.M. (223) 43)

Carnitine

Acylcarnitine; High-performance liquid chromatography (Poorthuis, B.J.H. (216) 53)

Carrageenan-induced granuloma

Rat; Inflammation; Antioxidants; Lipid peroxidation; Iron; Oxygen radicals (Muntané, J. (214) 185)

CASA

Mucin; Tumour-associated antigen; Normal range (McGuckin, M.A. (214) 139)

Ca-ionophore

Microcalorimetry; Human erythrocytes; ATP; Lactate; Mg²⁺ (Engström, I. (219) 113)

CD13

Alanine-aminopeptidase; Leucine-aminopeptidase; Aminopeptidase-N; Serum; Plasma; gp150 (Favaloro, E.J. (220) 81)

Cerebrospinal fluid (CSF)

Acetylcholinesterase; Butyrylcholinesterase; Meningitis; Hydrocephaly; Ventriculitis (Tornel, P.L. (214) 219)

Ferritin; Enzyme-linked immunosorbent assay; Clinical findings (Keir, G. (216) 153)

Vitamin C; Ascorbate; Uric acid; Serum; CSF flow; Blood-CSF barrier function; Neurological diseases (Reiber, H. (217) 163)

Immunoglobulin G; Dopamine; Psychotic patients (Bergquist, J. (217) 129)

Glutamine; *O*-Phthalaldehyde; Chromatography; Plasma (Teerlink, T. (218) 159)

Methotrexate; 2,4-Diamino-7-hydroxy-pteridines; Leukemia; Plasma (Dhondt, J.L. (220) 189)

Characterization

Blood neutrophils; Isoenzymes; Down's syndrome; Early placental variant (Vergnes, H.A. (218) 105)

Chelate reaction

Protein assay; Reverse biuret method; Copper; Bathocuproine (Matsushita, M. (216) 103)

Chemiluminescent immunoassay

Human granulocyte colony-stimulating factor; Glucose oxidase; Infectious diseases (Kiryama, R. (220) 201)

Chemistry

Phenylketonuria; Dietary monitoring; L-Phenylalanine; Phenylalanine dehydrogenase; Autoanalysis; Clinical (Taylor, R.P. (218) 207)

Chenodeoxycholic acid

Mevalonate kinase deficiency; Bile acid; Cholic acid; Gas-chromatography-mass spectrometry; Stable-isotope; Cholesterol (Gibson, K.M. (217) 217)

Children

Trace metals; Diabetes mellitus (Rohn, R.D. (215) 21)

Cholelithiasis

Lipid peroxidation; Obstructive jaundice (Tsai, L.-Y. (215) 41)

Cholestan-3 β ,5 α ,6 β -triol

Vitamin E; Tumor necrosis factor- α ; Linoleic acid; Elastase-like activity; Endothelial cells (Toborek, M. (215) 201)

Cholesterol

Mevalonate kinase deficiency; Bile acid; Chenodeoxycholic acid; Cholic acid; Gas-chromatography-mass spectrometry; Stable-isotope (Gibson, K.M. (217) 217)

Lipid; Stomach; Triglyceride; Xanthoma (Chang, F-Y. (217) 233)

Microalbumin; Triglyceride; Non-insulin-dependent diabetes mellitus (Shimizu, H. (221) 191)

Triglycerides; Lipoproteins; Apoproteins; Atherosclerosis (Manzato, E. (219) 57)

Cholesteryl ester transfer protein

Lipoprotein lipase deficiency; Hypercholesterolemia; Hypertriglyceridemia; HDL; VLDL (Iglesias, A. (221) 73)

Cholic acid

Mevalonate kinase deficiency; Bile acid; Chenodeoxycholic acid; Gas-chromatography-mass spectrometry; Stable-isotope; Cholesterol (Gibson, K.M. (217) 217)

Chromatofocusing

hCG; Isoforms; Down's syndrome (Defasque, P. (223) 173)

Chromatography

Glutamine; *O*-Phthalaldehyde; Plasma; Cerebrospinal fluid (Teerlink, T. (218) 159)

Chromosome

Acute intermittent porphyria; Porphyria; Porphyria variegata; Hereditary coproporphyria; Porphobilinogen deaminase; Heme synthesis; Alcohol; Drugs; Estrogen; Progesterone; Gene; mRNA; Mutation (Hindmarsh, J.T. (217) 29)

Chronic granulomatous disease

Tetrazolium salts; Respiratory burst; Free oxygen radicals; Densitometry; Polymorphonuclear leukocytes (Jacobini, M. (221) 197)

Chronic lung disease

Platelet activating factor; Patent ductus arteriosus; Bronchopulmonary dysplasia; Tracheal aspirate; Low birth weight infant (Koyama, N. (215) 73)

Chronic thyroiditis

Interleukin-4; Radioimmunoassay; Autoimmune thyroid disease; Human peripheral blood mononuclear cells; Graves' disease (Hirooka, Y. (216) 1)

Chronobiology

Biological variation; Data management (Fuentes-Arderiu, X. (214) 113)

Chylomicron remnant

Remnant-like particles (RLP); RLP-cholesterol; VLPL remnant; Familial dysbetalipoproteinemia; Coronary heart disease (Nakajima, K. (223) 53)

Cigarette-smoking

Birthweight; Fluorescent lipid peroxidation products; Maternal plasma; Cord plasma (Pré, J. (215) 221)

Circulating proalbumin

Antitrypsin Pittsburgh; Hepatic convertase (Brennan, S.O. (214) 123)

Cirrhosis

Alcohol misuse; Alcoholic liver disease; Amylase; Iso-enzymes; Salivary gland disease (Deenamode, J.M.J. (223) 169)

CK-MB activity

CK-MB mass concentration; Ratio CK-MB mass vs. activity; Acute myocardial infarction (Baum, H.H.E. (219) 183)

CK-MB mass concentration

CK-MB activity; Ratio CK-MB mass vs. activity; Acute myocardial infarction (Baum, H.H.E. (219) 183)

Client-server architecture

Laboratory information system; Graphical user interface; Object-oriented design; Ethernet network (Wells, I.G. (222) 13)

Clinical evaluation

Testosterone; SHBG; Coated tube radioimmunoassay; Polycystic ovary syndrome (Holownia, P. (214) 31)

Clinical findings

Ferritin; Cerebrospinal fluid; Enzyme-linked immunosorbent assay (Keir, G. (216) 153)

Clinical laboratory information systems

Decision support systems; Knowledge bases; Medical informatics computing methodologies; Interoperability; Cooperative architectures (Boran, G.P. (222) 23)

Decision support systems; Knowledge based system; Standards (Johansson, B. (222) 123)

Electronic data interchange; Computer communication networks; Primary health care (Bergvin, L. (222) 141)

Guidelines; Standards; Ireland (Kenny, D. (222) 147)

Clinical laboratory services

Post-analytical functionalities; Primary care; In-

tensive care; Interpretative reporting; Alarms generation (Nykänen, P. (222) 37)

Clinical laboratory

Computing; Object; Object-orientation (Solberg, H.E. (222) 3)

Clinical quality specifications

Analytical quality goals; Quality specifications for clinical laboratories; Quality assurance; Measurement procedure; Transferability of clinical laboratory results (Groth, T. (222) 129)

Clinical

Phenylketonuria; Dietary monitoring; L-Phenylalanine; Phenylalanine dehydrogenase; Autoanalysis; Chemistry (Taylor, R.P. (218) 207)

Coated tube radioimmunoassay

Testosterone; SHBG; Clinical evaluation; Polycystic ovary syndrome (Holownia, P. (214) 31)

Collagen

Bradford; Protein methods; Sodium dodecyl sulfate (SDS) (López, J.M. (220) 91)

Colloidal bismuth subcitrate

Bismuth; Human serum; Inductively coupled plasma-mass spectrometry (ICP-MS) (Vanhoe, H. (219) 79)

Colorectal carcinoma

t(14; 18) chromosomal rearrangement; Follicular lymphoma; c-erbB-2; Mammary carcinoma; N-myc; Neuroblastoma; K-ras; Pulmonary adenocarcinoma (Werner, M. (217) 39)

Computer communication networks

Electronic data interchange; Clinical laboratory information systems; Primary health care (Bergvin, L. (222) 141)

Computer programs

Data reduction; Serological assay; Lyme testing; Statistical evaluation of assays (Sorensen, K. (214) 55)

Computing

Clinical laboratory; Object; Object-orientation (Solberg, H.E. (222) 3)

Cooperative architectures

Decision support systems; Knowledge bases; Clinical laboratory information systems; Medical informatics computing methodologies; Interoperability (Boran, G.P. (222) 23)

Copper

Cardiomyopathy; Zinc; Iron; Ejection fraction; Cardiac index (Oster, O. (214) 209)

Protein assay; Reverse biuret method; Bathocuproine; Chelate reaction (Matsushita, M. (216) 103)

Cord plasma

Cigarette-smoking; Birthweight; Fluorescent lipid peroxidation products; Maternal plasma (Pré, J. (215) 221)

Coronary heart disease

High density lipoprotein; HDL_{2b}; Coronary protection (Wilson, H.M. (220) 175)

Lp(a) serum concentration; Familial combined hyperlipidemia (Fonda, M. (223) 121)

Remnant-like particles (RLP); RLP-cholesterol; VLPL remnant; Chylomicron remnant; Familial dysbetalipoproteinemia (Nakajima, K. (223) 53)

Coronary protection

High density lipoprotein; HDL_{2b}; Coronary heart disease (Wilson, H.M. (220) 175)

Cotinine determination

Smoking; 'König' reaction; Fluorescence polarization immunoassay; Automated analysis (Pickert, A. (217) 143)

C-reactive protein

Immunoglobulins; Acute-phase proteins; Macroglobulinemia; Latex reagent (Ponge, T.D. (220) 101)

CSF flow

Vitamin C; Ascorbate; Uric acid; Cerebrospinal fluid (CSF); Serum; Blood-CSF barrier function; Neurological diseases (Reiber, H. (217) 163)

Cultured fibroblasts

Glutaric aciduria type 1; Glutaryl-CoA dehydrogenase; Tritium release (Christensen, E. (220) 71)

CuZn-SOD

Mn-SOD; ELISA; Strenuous exercise; Serum (Ohno, H. (215) 213)

Cystic fibrosis transmembrane conductance regulator (CFTR)

Cystic fibrosis; Genetic disease; Genotype-phenotype association; Mutation analysis (Tümmeler, B. (217) 23)

Cystic fibrosis

Microheterogeneity; α_1 -Antitrypsin; Serum; Meconium; Immunoaffinoelectrophoresis (Duthel, S. (215) 173)

Cystic fibrosis transmembrane conductance regulator (CFTR); Genetic disease; Genotype-phenotype association; Mutation analysis (Tümmeler, B. (217) 23)

Cytosolic calcium

Reactive oxygen; Endothelial cells; Antioxidants (David, M. (223) 1)

Cytotrophoblast

Iron; Transferrin receptor; Placenta (Starreveld, J.S. (220) 47)

D

Daidzein

Isoflavonoids; Genistein; Equol (Kelly, G.E. (223) 9)

Data management

Chronobiology; Biological variation (Fuentes-Arderiu, X. (214) 113)

Data reduction

Serological assay; Lyme testing; Computer programs; Statistical evaluation of assays (Sorensen, K. (214) 55)

Database collection

Thyroid function assessment; Epidemiology; Decision support systems (Nolan, J. (222) 117)

Database management

Databases; Knowledge-based systems; Expert systems (Grimson, J.B. (222) 101)

Databases

Database management; Knowledge-based systems; Expert systems (Grimson, J.B. (222) 101)

n-Decanoic acid

Medium chain triglycerides; Medium chain fatty acids; Gas-liquid chromatography; *n*-Octanoic acid (Mingrone, G. (214) 21)

Decidua

Insulin-like growth factor-binding protein; Phosphorylation; Pregnancy; Amniotic fluid (Koistinen, R. (215) 189)

Decision support systems

Knowledge based system; Standards; Clinical laboratory information systems (Johansson, B. (222) 123)

Knowledge bases; Clinical laboratory information systems; Medical informatics computing methodologies; Interoperability; Cooperative architectures (Boran, G.P. (222) 23)

Thyroid function assessment; Database collection; Epidemiology (Nolan, J. (222) 117)

Densitometry

Chronic granulomatous disease; Tetrazolium salts; Respiratory burst; Free oxygen radicals; Polymorphonuclear leukocytes (Iacobini, M. (221) 197)

Deoxyribonuclease

Human semen; Purification; Multiplicity; Prostate (Yasuda, T. (218) 5)

Diabetes and pregnancy

Insulin binding; Insulin receptors; Erythrocytes; Pregnancy; Gestational diabetes (Schmon, B. (21) 33)

Diabetes mellitus (complications)

Lipoprotein(a) (Ritter, M.M. (214) 45)

Apolipoprotein E; Genotype/phenotype; Polymerase chain reaction using allele-specific oligonucleotide; Amplification refractory mutation system analysis (Stavljenic-Rukavina, A. (216) 191)

Trace metals; Children (Rohn, R.D. (215) 21)

Urinary growth hormone (Turner, G. (220) 19)

Very low density lipoprotein; Lipoprotein lipase; Metabolites (Saheki, S. (217) 105)

Diabetes

Non-enzymatic glycosylation; Glycation; Impairment of immunoreactivity (Sasaki, Y. (220) 119)

Glycated apolipoprotein A-I; Site of glycation (Calvo, C. (217) 193)

Diabetic nephropathy

β -Hexosaminidase; Insulin-dependent diabetes mellitus (Romero, K.M. (216) 125)

Diacylglycerol

Monoacylglycerol; Triacylglycerol; Heparin; Lipoprotein lipase; Plasma (Fielding, B.A. (216) 167)

Diagnosis

Inborn error; Genotype (Hill, R.E. (217) 3)

Dialysis patients

Ubiquitin; β_2 -Microglobulin amyloidosis; Amyloid enhancing factor; Plasma concentration (Okada, M. (220) 135)

2,4-Diamino-7-hydroxy-pteridines

Methotrexate; Leukemia; Plasma; Cerebrospinal fluid (Dhondt, J.L. (220) 189)

Dietary monitoring

Phenylketonuria; L-Phenylalanine; Phenylalanine dehydrogenase; Autoanalysis; Chemistry; Clinical (Taylor, R.P. (218) 207)

Diethylstilbestrol

Prostatic cancer; Radioimmunoassay; Radio-iodination; Steroids (Economou, E.V. (216) 81)

Diet

HPLC; Fluorometry; Serotonin; 5-Hydroxyindole-3-acetic acid; 5-Hydroxytryptophan; Tryptophan; Urine; Plasma; Platelets; Tissue; Carcinoid; Diurnal variation (Kema, I.P. (221) 143)

Differential centrifugation

Microsomes; Myometrium; P450IA1; Gel-filtration (Lamminen, S. (214) 93)

Digestion procedure

Bone; Teeth; Atomic absorption spectrometry; Mineral elements (Gil, F. (221) 23)

Digoxin

Fab fragments; Poisoning (Bizzaro, N. (217) 225)

5,6-Dihydrouridine

*N*⁶-Threoninocarbonyl adenosine; tRNA degradation; Man; Rat; Metabolic rate (Topp, H. (218) 73)

***N*-Dimethylthiophosphoryl methyl ester derivatives**

Proline; Hydroxyproline; Urine; Gas chromatography; Flame photometric detection (Kataoka, H. (214) 13)

Distribution in a general population

N-Acetyl- β -D-glucosaminidase; Isoenzymes;

Plasma levels; Routine chromatofocusing procedure (Goi, G. (221) 47)

Diurnal variation

HPLC; Fluorometry; Serotonin; 5-Hydroxyindole-3-acetic acid; 5-Hydroxytryptophan; Tryptophan; Urine; Plasma; Platelets; Tissue; Carcinoid; Diet (Kema, I.P. (221) 143)

DNA polymorphism

Apolipoprotein B; Signal sequence (Gaffney, D. (218) 131)

DNA probes

Polymerase chain reaction (PCR); Genetic testing; Molecular testing (Garrett, C.T. (217) 85)

Dopamine

Immunoglobulin G; Psychotic patients; Cerebrospinal fluid (Bergquist, J. (217) 129)

Down's syndrome

hCG; Isoforms; Chromatofocusing (Defasque, P. (223) 173)

Blood neutrophils; Isoenzymes; Characterization; Early placental variant (Vergnes, H.A. (218) 105)

Drugs

Acute intermittent porphyria; Porphyria; Porphyria variegata; Hereditary coproporphyria; Porphobilinogen deaminase; Heme synthesis; Alcohol; Estrogen; Progesterone; Gene; Chromosome; mRNA; Mutation (Hindmarsh, J.T. (217) 29)

Dynamic test scheduling

Ethics; Laboratory Information System; Production management; Quality assurance; Telecommunication (Brender, J. (222) 57)

E**Early placental variant**

Blood neutrophils; Isoenzymes; Characterization; Down's syndrome (Vergnes, H.A. (218) 105)

Eicosanoids

Peroxisomal disease fibroblasts; Arachidonic acid metabolism; Gas chromatography/mass spectrometry (Malle, E. (217) 205)

Ejection fraction

Cardiomyopathy; Copper; Zinc; Iron; Cardiac index (Oster, O. (214) 209)

Elastase-like activity

Vitamin E; Tumor necrosis factor- α ; Cholestan-3 β ,5 α ,6 β -triol; Linoleic acid; Endothelial cells (Toborek, M. (215) 201)

Electroimmunodiffusion

IgA; Secretions; Single radial immunodiffusion (Meillet, D. (214) 235)

Electronic data interchange

Test requests; Screening; Expert systems; OPENLABS (Hasman, A. (222) 49)

Computer communication networks; Clinical laboratory information systems; Primary health care (Bergvin, L. (222) 141)

Electrophoresis

Mucopolysaccharidoses; Analysis; Urine; Glycosaminoglycans (Piraud, M. (221) 171)

ELISA

Lectin; IgA subclass; Secretory IgA; Affinity chromatography (Cullina, M.J. (216) 23)

Mn-SOD; CuZn-SOD; Strenuous exercise; Serum (Ohno, H. (215) 213)

Lipoprotein(a); Quantitation; Oxidatively modified low density lipoprotein (Wang, H. (218) 97)

Streptokinase; Antibodies; Immunoassay; Myocardial infarction (Bom, V.J.J. (218) 121)

Endometrial cancer

Epidermal growth factor; Epidermal growth factor receptor; Breast cancer; Lung cancer (Bolufer, P. (215) 51)

Endothelial cells

Reactive oxygen; Cytosolic calcium; Antioxidants (David, M. (223) 1)

Vitamin E; Tumor necrosis factor- α ; Cholestan-3 β ,5 α ,6 β -triol; Linoleic acid; Elastase-like activity (Toborek, M. (215) 201)

Enzymatic analysis

Maple syrup urine disease; Neonatal screening; Leucine dehydrogenase; Branched-chain amino acids; Blood spots (Wendel, U. (219) 105)

Enzymatic assay

Inorganic phosphate (Ungerer, J.P.J. (223) 149)

Enzyme immunoassay methods

Bronchoalveolar lavage fluid; Secretory IgA; Serum IgA; Interstitial lung disease (Sato, T. (220) 145)

Enzyme immunoassay

Lipoprotein(a); Immunoradiometric assay; Plasminogen; Atherosclerosis (März, W. (214) 153)

Immunoradiometric assay; Plasminogen; Atherosclerosis (März, W. (214) 153)

Serum type IV collagen; 7S and triple helix; Anti-HCV positive chronic liver diseases (Matsuzaki, Y. (221) 209)

Leukotriene E₄; Leukotriene analysis; Extrahepatic cholestasis; Hepatobiliary elimination; High-pressure liquid chromatography (Mayatepek, E. (218) 185)

Rheumatoid arthritis; Synovial fluids; Angiogenesis; Gliostatin; Platelet-derived endothelial cell growth factor (Asai, K. (218) 1)

Tenascin; Carcinoma marker (Washizu, K. (219) 15)

Enzyme reactor

Acylcarnitines; HPLC; Acylcarnitine hydrolase (Matsumoto, K. (216) 135)

Enzymes

Liver transplantation; Acute rejection; Necrosis index (Gozzo, M.L. (214) 175)

Enzyme-linked immunoglobulin

Lactate dehydrogenase; Hydroxybutyric dehydrogenase (Taguchi, H. (220) 225)

Enzyme-linked immunosorbent assay

Extracellular-superoxide dismutase; Heparin affinity (Adachi, T. (223) 185)

Epidemiology

Thyroid function assessment; Database collection; Decision support systems (Nolan, J. (222) 117)

Epidermal growth factor receptor

Epidermal growth factor; Breast cancer; Lung cancer; Endometrial cancer (Bolufer, P. (215) 51)

Epidermal growth factor

Epidermal growth factor receptor; Breast cancer; Lung cancer; Endometrial cancer (Bolufer, P. (215) 51)

Renal cyst fluid; Insulin-like growth factor-I; Transforming growth factor- β ; Interleukin-6 (Taide, M. (217) 199)

Equilibrium dialysis

Thyroid hormone autoantibodies; Free T₄; Free T₃; Serum thyrothropin; Graves' disease; Hashimoto's thyroiditis (Sakata, S. (219) 23)

Equol

Isoflavonoids; Daidzein; Genistein (Kelly, G.E. (223) 9)

Erythrocyte age

Glycated hemoglobin; Fructosamine; Glucose tolerance; Aging (Nakashima, K. (215) 111)

Erythrocyte membranes

Stimulatory GTP-binding regulatory protein; Alcohol; Alcoholics (Nakamura, J. (215) 1)

Phospholipid classes; Rat; Extraction; Fatty acids; Solvent (Eder, K. (219) 93)

Erythrocyte water

Whole blood water; Plasma water; Hematological and clinicochemical parameters (Lijnema, T.H. (214) 129)

Erythrocytes

Galactosaemia; UDPGlucose; UDPGalactose (Keevill, N.J. (221) 135)

Insulin binding; Insulin receptors; Pregnancy; Gestational diabetes; Diabetes and pregnancy (Schmon, B. (221) 33)

Multiple sclerosis; Adenosine deaminase (Kopff, M. (214) 97)

Alcohol; Alcoholics; Stimulatory GTP-binding protein; Gs (Nakamura, J. (218) 229)

Erythropoietin

Liver disease; Inflammation; Anaemia; (Pirisi, M. (219) 47)

Erythro-agglutinating phytohemagglutinin-E4

α -Fetoprotein; Carbohydrate chain; Tumor marker; Lectin electrophoresis; Hepatocellular carcinoma; *Lens culinaris* agglutinin-A (Shimizu, K. (214) 3)

Estrogen

Acute intermittent porphyria; Porphyria; Porphyria variegata; Hereditary coproporphyria; Porphobilinogen deaminase; Heme synthesis; Alcohol; Drugs; Progesterone; Gene; Chromosome; mRNA; Mutation (Hindmarsh, J.T. (217) 29)

Estrone sulfate

Steroid sulfatase; Recessive X-linked ichthyosis; High performance liquid chromatography; Estrone (Ohsaki, M. (215) 165)

Estrone

Steroid sulfatase; Recessive X-linked ichthyosis; High performance liquid chromatography; Estrone sulfate (Minoru, M. (215) 165)

Ethanol precipitation method

Gastric juice; Mucin; Gastric ulcer (Azumi, Y. (221) 219)

Ethanol

Blood; Fucose; Haptoglobin; Lectin; Liver disease (Chambers, W. (219) 177)

Free radicals; Lipid peroxidation; Rats; (Coudray, C. (219) 35)

Ethernet network

Laboratory information system; Graphical user interface; Object-oriented design; Client-server architecture (Wells, I.G. (222) 13)

Ethics

Dynamic test scheduling; Laboratory Information System; Production management; Quality assurance; Telecommunication (Brender, J. (222) 57)

Ethyl oleate

Alcohol; ACAT inhibitors; Acyl-CoA hydrolase; Human liver; Oleoyl-CoA (Smith, J.L. (215) 233)

Expert system

Laboratory computer; Knowledge-based system; Bayes' theorem; Interval arithmetics; Set theory; Syntax analysis; Probability theory; Possibility theory (Pohl, B. (222) 85)

Databases; Database management; Knowledge-based systems (Grimson, J.B. (222) 101)

Test requests; Screening; Electronic data interchange; OPENLABS (Hasman, A. (222) 49)

Extracellular-superoxide dismutase

Heparin affinity; Enzyme-linked immunosorbent assay (Adachi, T. (223) 185)

Extraction

Phospholipid classes; Erythrocyte membranes; Rat; Fatty acids; Solvent (Eder, K. (219) 93)

Extrahepatic cholestasis

Leukotriene E₄; Leukotriene analysis; Hepatobiliary elimination; High-pressure liquid chromatography; Enzyme immunoassay (Mayatepek, E. (218) 185)

Extrelut-1-minicolumns

Sep-Pak silica cartridges; Scintillation proximity assay; Vitamin D metabolites; Calcitriol (Wilder-muth, S. (220) 61)

F

Fab fragments

Digoxin; Poisoning (Bizzaro, N. (217) 225)

Familial combined hyperlipidemia

Lp(a) serum concentration; Coronary heart disease (Fonda, M. (223) 121)

Familial dysbetalipoproteinemia

Remnant-like particles (RLP); RLP-cholesterol; VLPL remnant; Chylomicron remnant; Coronary heart disease (Nakajima, K. (223) 53)

Fatty acids

Phospholipid classes; Erythrocyte membranes; Rat; Extraction; Solvent (Eder, K. (219) 93)

Fat-loading test

Postprandial lipemia; Vitamin A; Gender; (Heller, F.R. (219) 167)

Ferritin

Cerebrospinal fluid; Enzyme-linked immunosorbent assay; Clinical findings (Keir, G. (216) 153)

Cerebrospinal fluid; Clinical findings (Keir, G. (216) 153)

Fetal fibronectin

Insulin-like growth factor binding protein-1; Amniotic fluid; Rupture of fetal membranes (Rutanen, E.-M. (214) 73)

Fetal pathologies

Trehalase isozymes; Prenatal diagnosis; Anal imperforation; Polycystic kidney disease; Amniotic fluid; (Elslinger, M.-A. (216) 91)

 α -Fetoprotein

Carbohydrate chain; Tumor marker; Lectin electrophoresis; Hepatocellular carcinoma; *Lens culinaris* agglutinin-A; Erythro-agglutinating phytohemagglutinin-E4 (Shimizu, K. (214) 3)

Fibroblasts

β -Hexosaminidase; Isoenzymes (Hultberg, B. (216) 73)

Bilirubin toxicity; PKC inhibition; Protein phosphorylation (Amit, Y. (223) 102)

Isoenzymes; (Hultberg, B. (216) 73)

β -N-Acetylhexosaminidase; Isoenzyme; Spinal muscular atrophy (Tassi, C. (221) 203)

Fibronectin

Fragments; Monoclonal antibodies; Urine; Cancer patients (Katayama, M. (217) 115)

Flame photometric detection

Proline; Hydroxyproline; Urine; Gas chromatography; N-Dimethylthiophosphoryl methyl ester derivatives (Kataoka, H. (214) 13)

Fluorescence labeling

Bile acids; High performance liquid chromatography (Güldütuna, S. (214) 195)

Fluorescence polarization immunoassay

Smoking; Cotinine determination; 'König' reaction; Automated analysis (Pickert, A. (217) 143)

Fluorescent glycolipids

Lipid storage diseases; Lipidoses; Skin fibroblasts (Vered, A. (218) 139)

Fluorescent lipid peroxidation products

Cigarette-smoking; Birthweight; Maternal plasma; Cord plasma (Pré, J. (215) 221)

Fluorometry

HPLC; Serotonin; 5-Hydroxylindole-3-acetic acid; 5-Hydroxytryptophan; Tryptophan; Urine; Plasma; Platelets; Tissue; Carcinoid; Diurnal variation; Diet (Kema, I.P. (221) 143)

Follicular lymphoma

t(14; 18) chromosomal rearrangement; c-erbB-2; Mammary carcinoma; N-myc; Neuroblastoma; K-ras; Pulmonary adenocarcinoma; Colorectal carcinoma (Werner, M. (217) 39)

Fragmentation

Apolipoprotein B; Malondialdehyde adducts; Human plasma; Artherosclerosis; Lipid peroxidation (Lecomte, E. (218) 39)

Fragments

Fibronectin; Monoclonal antibodies; Urine; Cancer patients (Katayama, M. (217) 115)

Free oxygen radicals

Chronic granulomatous disease; Tetrazolium salts; Respiratory burst; Densitometry; Polymorphonuclear leukocytes (Iacobini, M. (221) 197)

Free radicals

Ethanol; Lipid peroxidation; Rats; (Coudray, C. (219) 35)

Free thyroxine

Somatic illness; Salicylate; Heparin (Faber, J. (223) 159)

Free T₃

Thyroid hormone autoantibodies; Free T₄; Serum thyrothropin; Equilibrium dialysis; Graves' disease; Hashimoto's thyroiditis (Sakata, S. (219) 23)

Free T₄

Thyroid hormone autoantibodies; Free T₃; Serum thyrothropin; Equilibrium dialysis; Graves' disease; Hashimoto's thyroiditis (Sakata, S. (219) 23)

Fructosamine

Glycated hemoglobin; Glucose tolerance; Aging; Erythrocyte age (Nakashima, K. (215) 111)

Fructose-1,6-diphosphatase deficiency

Monocytes; Lymphocytes; Calcitriol; Tissue culture (Kikawa, Y. (215) 81)

Fucose

Galactose; Glycosylation; Haptoglobin; Rheumatoid arthritis (Thompson, S. (220) 107)

Blood; Ethanol; Haptoglobin; Lectin; Liver disease (Chambers, W. (219) 177)

Functionally defective LPL

Lipoprotein lipase; Immunoassay; Human post-heparin plasma LPL; ELISA (Kobayashi, J. (216) 113)

G

985-G

Medium-chain acyl-CoA dehydrogenase deficiency; Mutation; PCR; Two-stage; *NcoI* digestion (Nagao, M. (220) 165)

G6PD deficiency

Band 3 protein; PK deficiency; Hereditary spherocytosis (human erythrocytes) (Giuliani, A. (220) 211)

Galactitol

Human cataract; Lactose intolerance (Semenza, G. (220) 115)

Galactokinase deficiency

Galactokinase; High performance liquid chromatography (HPLC); Mass screening for galactosemia; (Mizoguchi, N. (216) 145)

Galactokinase

High performance liquid chromatography (HPLC); Mass screening for galactosemia; Galactokinase deficiency (Mizoguchi, N. (216) 145)

Glactosaemia

Erythrocytes; UDPGlucose; UDPGalactose (Keevill, N.J. (221) 135)

Galactose

Fucose; Glycosylation; Haptoglobin; Rheumatoid arthritis (Thompson, S. (220) 107)

Gamma amino butyric acid

Vigabatrin; Amino acids; Beta alanine (Preece, M.A. (218) 113)

Gas chromatography/mass spectrometry

Peroxisomal disease fibroblasts; Eicosanoids; Arachidonic acid metabolism (Malle, E. (217) 205)

Mevalonate kinase deficiency; Bile acid; Chenodeoxycholic acid; Cholic acid; Stable-isotope; Cholesterol (Gibson, K.M. (217) 217)

Gas chromatography

Proline; Hydroxyproline; Urine; Flame photometric detection; *N*-Dimethylthiophosphoryl methyl ester derivatives (Kataoka, H. (214) 13)

Thin-layer chromatography; Organic acids (Lee, B.Y. (218) 215)

Gastric acidity determination

Gastric acid; Acid-base equilibrium; Blood gas analysis (Niv, Y. (215) 9)

Gastric acid

Gastric acidity determination; Acid-base equilibrium; Blood gas analysis (Niv, Y. (215) 9)

Gastric juice

Mucin; Ethanol precipitation method; Gastric ulcer (Azumi, Y. (221) 219)

Gastric ulcer

Gastric juice; Mucin; Ethanol precipitation method (Azumi, Y. (221) 219)

Gas-liquid chromatography

Medium chain triglycerides; Medium chain fatty acids; *n*-Octanoic acid; *n*-Decanoic acid (Mingrone, G. (214) 21)

Gaucher disease

Glucocerebrosidase; Glucocerebrosidase mutations; Gaucher heterozygotes (Forsyth, G.W. (216) 11)

Gaucher heterozygotes

Glucocerebrosidase; Gaucher disease; Glucocerebrosidase mutations (Forsyth, G.W. (216) 11)

Gel-filtration

Microsomes; Myometrium; P450IA1; Differential centrifugation (Lamminen, S. (214) 93)

Gemfibrozil

Normolipidemic subjects; High density lipoprotein; Lipoprotein lipase; Hepatic lipase (Horsmans, Y. (218) 223)

Gender

Postprandial lipemia; Vitamin A; Fat-loading test; (Heller, F.R. (219) 167)

General Practitioners

Lipid knowledge based system; Lipid management system; Interpretative reports (Sinnott, M.M. (222) 71)

Genetic disease

Cystic fibrosis transmembrane conductance regulator (CFTR); Cystic fibrosis; Genotype-phenotype association; Mutation analysis (Tümmeler, B. (217) 23)

Genetic testing

DNA probes; Polymerase chain reaction (PCR); Molecular testing (Garrett, C.T. (217) 85)

Gene

Acute intermittent porphyria; Porphyria; Porphyria variegata; Hereditary coproporphyria; Porphobilinogen deaminase; Heme synthesis; Alcohol; Drugs; Estrogen; Progesterone; Chromosome; mRNA; Mutation (Hindmarsh, J.T. (217) 29)

Genistein

Isoflavonoids; Daidzein; Equol (Kelly, G.E. (223) 9)

Genotype-phenotype association

Cystic fibrosis transmembrane conductance regulator (CFTR); Cystic fibrosis; Genetic disease; Mutation analysis (Tümmeler, B. (217) 23)

Genotype/phenotype

Apolipoprotein E; Polymerase chain reaction using allele-specific oligonucleotide; Amplification refractory mutation system analysis; Diabetes mellitus (Stavljenic-Rukavina, A. (216) 191)

Genotype

Inborn error; Diagnosis (Hill, R.E. (217) 3)

Genotyping

Phenylketonuria; Intellectual outcome; Phenylalanine hydroxylase gene (Trefz, F.K. (217) 15)

Gestational diabetes

Insulin binding; Insulin receptors; Erythrocytes; Pregnancy; Diabetes and pregnancy (Schmon, B. (221) 33)

Gliostatin

Rheumatoid arthritis; Synovial fluids; Angiogenesis; Enzyme immunoassay; Platelet-derived endothelial cell growth factor (Asai, K. (218) 1)

Glomerulonephritis

¹H-NMR urinalysis; Tubular interstitial changes (Lundina, T.A. (214) 165)

Glucocerebrosidase mutations

Glucocerebrosidase; Gaucher disease; Gaucher heterozygotes (Forsyth, G.W. (216) 11)

Glucocerebrosidase

Gaucher disease; Glucocerebrosidase mutations; Gaucher heterozygotes (Forsyth, G.W. (216) 11)

Glucose oxidase

Human granulocyte colony-stimulating factor; Chemiluminescent immunoassay; Infectious diseases (Kiryama, R. (220) 201)

Glucose tolerance

Glycated hemoglobin; Fructosamine; Aging; Erythrocyte age (Nakashima, K. (215) 111)

Glucose-6-phosphate dehydrogenase

Malaria; *Plasmodium vivax*; Glutathione; Glutathione peroxidase; Glutathione reductase (Mathews, S.T. (219) 159)

Glutamate:glyoxylate aminotransferase

Alanine:glyoxylate aminotransferase; Hyperoxaluria; Human liver; High-performance liquid chromatography (Petrarulo, M. (218) 193)

Glutamine

O-Phthalaldehyde; Chromatography; Plasma; Cerebrospinal fluid (Teerlink, T. (218) 159)

Glutaric aciduria type 1

Glutaryl-CoA dehydrogenase; Tritium release; Cultured fibroblasts (Christensen, E. (220) 71)

 γ -Glutamyltranspeptidase

Hepatocellular carcinoma; Sugar chain (Ohta, H. (214) 83)

Glutaryl-CoA dehydrogenase

Glutaric aciduria type 1; Tritium release; Cultured fibroblasts (Christensen, E. (220) 71)

Glutathione peroxidase

Loaded erythrocytes; Human hemoglobin chains; Thalassemia (Grelloni, F. (217) 187)

Malaria; *Plasmodium vivax*; Glutathione; Glutathione reductase; Glucose-6-phosphate dehydrogenase (Mathews, S.T. (219) 159)

Radioimmunoassay; Selenium; (Huang, W. (219) 139)

Glutathione reductase

Malaria; *Plasmodium vivax*; Glutathione; Glutathione peroxidase; Glucose-6-phosphate dehydrogenase (Mathews, S.T. (219) 159)

Glutathione

Malaria; *Plasmodium vivax*; Glutathione peroxidase; Glutathione reductase; Glucose-6-phosphate dehydrogenase (Mathews, S.T. (219) 159)

Glycan phosphatidylinositol anchors

Alkaline phosphatase; Glycan phosphatidylinositol-specific phospholipase D; Gradient gel electrophoresis; Partitioning (Raymond, F.D. (215) 139)

Glycan phosphatidylinositol-specific phospholipase D

Alkaline phosphatase; Glycan phosphatidylinositol anchors; Gradient gel electrophoresis; Partitioning (Raymond, F.D. (215) 139)

Glycated apolipoprotein A-I

Site of glycation; Diabetes (Calvo, C. (217) 193)

Glycated hemoglobin

Fructosamine; Glucose tolerance; Aging; Erythrocyte age (Nakashima, K. (215) 111)

Glycation

Diabetes; Non-enzymatic glycosylation; Impairment of immunoreactivity (Sasaki, Y. (220) 119)

Glycoform

Alpha-1-acid glycoprotein; Inflammation; Oligosaccharide; Rats (Venembre, P.C. (221) 59)

Glycogen isophosphorylase BB

Human blood plasma; Healthy persons (Rabitzsch, G. (214) 109)

Glycosaminoglycans

Mucopolysaccharidoses; Analysis; Urine; Electrophoresis (Piraud, M. (221) 171)

Glycosylation

Fucose; Galactose; Haptoglobin; Rheumatoid arthritis (Thompson, S. (220) 107)

gp150

Alanine-aminopeptidase; Leucine-aminopeptidase; Aminopeptidase-N; Serum; Plasma; CD13 (Favaloro, E.J. (220) 81)

Gradient gel electrophoresis

Alkaline phosphatase; Glycan phosphatidylinositol anchors; Glycan phosphatidylinositol-specific phospholipase D; Partitioning (Raymond, F.D. (215) 139)

Graphical user interface

Laboratory information system; Object-oriented design; Client-server architecture; Ethernet network (Wells, I.G. (222) 13)

Graves' disease

Interleukin-4; Radioimmunoassay; Autoimmune thyroid disease; Human peripheral blood mononuclear cells; Chronic thyroiditis (Hirooka, Y. (216) 1)

Thyroid hormone autoantibodies; Free T₄; Free T₃; Serum thyrothropin; Equilibrium dialysis; Hashimoto's thyroiditis (Sakata, S. (219) 23)

Gs

Alcohol; Alcoholics; Stimulatory GTP-binding protein; Erythrocyte (Nakamura, J. (218) 229)

Guidelines

Clinical laboratory information systems; Standards; Ireland (Kenny, D. (222) 147)

H

¹H-NMR urinalysis

Glomerulonephritis; Tubular interstitial changes (Lundina, T.A. (214) 165)

Half-life of RNA

Urinary modified nucleosides; Biological marker; RNA turnover; Cancer; AIDS (Nakano, K. (218) 169)

Haptoglobin

Fucose; Galactose; Glycosylation; Rheumatoid arthritis (Thompson, S. (220) 107)

Blood; Ethanol; Fucose; Lectin; Liver disease (Chambers, W. (219) 177)

Hashimoto's thyroiditis

Thyroid hormone autoantibodies; Free T₄; Free T₃; Serum thyrotrypin; Equilibrium dialysis; Graves' disease (Sakata, S. (219) 23)

hCG

Isoforms; Chromatofocusing; Down's syndrome (Defasque, P. (223) 173)

HDL cholesterol

Apo B; LDL cholesterol; VLDL cholesterol; Non-HDL cholesterol; Triglycerides (Levinson, S.S. (223) 31)

HDL_{2b}

High density lipoprotein; Coronary heart disease; Coronary protection (Wilson, H.M. (220) 175)

HDL

Cholesteryl ester transfer protein; Lipoprotein lipase deficiency; Hyperchylomicronemia; Hypertriglyceridemia; VLDL (Iglesias, A. (221) 73)

Lipomatosis; Lipid metabolism; Lipoproteins; Inherited disorder (Deiana, L. (223) 143)

Healthy individuals

Modified nucleosides; Pseudouridine; 1-Methyladenosine; Urinary excretion patterns (Itoh, K. (217) 221)

Healthy infants and children

Serum hyaluronic acid; Hepatobiliary disease of infancy (Trivedi, P. (215) 29)

Healthy persons

Glycogen isophosphorylase BB; Human blood plasma (Rabitzsch, G. (214) 109)

Hematological and clinicocochemical parameters

Whole blood water; Plasma water; Erythrocyte water (Lijnema, T.H. (214) 129)

Heme synthesis

Acute intermittent porphyria; Porphyria; Porphyria variegata; Hereditary coproporphyria; Porphobilinogen deaminase; Alcohol; Drugs; Estrogen; Progesterone; Gene; Chromosome; mRNA; Mutation (Hindmarsh, J.T. (217) 29)

Heparin affinity

Extracellular-superoxide dismutase; Enzyme-linked immunosorbent assay (Adachi, T. (223) 185)

Heparin

Monoacylglycerol; Diacylglycerol; Triacylglycerol; Lipoprotein lipase; Plasma (Fielding, B.A. (216) 167)

Free thyroxine; Somatic illness; Salicylate (Faber, J. (223) 159)

Hepatic convertase

Antitrypsin Pittsburgh; Circulating proalbumin (Brennan, S.O. (214) 123)

Hepatic lipase

Gemfibrozil; Normolipidemic subjects; High density lipoprotein; Lipoprotein lipase (Horsmans, Y. (218) 223)

Hepatobiliary disease of infancy

Serum hyaluronic acid; Healthy infants and children (Trivedi, P. (215) 29)

Hepatobiliary elimination

Leukotriene E₄; Leukotriene analysis; Extrahepatic cholestasis; High-pressure liquid chromatography; Enzyme immunoassay (Mayatepek, E. (218) 185)

Hepatocellular carcinoma

γ -Glutamyltranspeptidase; Sugar chain (Ohta, H. (214) 83)

α -Fetoprotein; Carbohydrate chain; Tumor marker; Lectin electrophoresis; *Lens culinaris* agglutinin-A; Erythro-agglutinating phytohemagglutinin-E4 (Shimizu, K. (214) 3)

TIMP (Tissue inhibitor of metalloproteinases); Liver disease (Murawaki, Y. (218) 47)

Hereditary coproporphyria

Acute intermittent porphyria; Porphyria; Porphyria variegata; Porphobilinogen deaminase; Heme synthesis; Alcohol; Drugs; Estrogen; Progesterone; Gene; Chromosome; mRNA; Mutation (Hindmarsh, J.T. (217) 29)

Hereditary spherocytosis (human erythrocytes)

Band 3 protein; G6PD deficiency; PK deficiency (Giuliani, A. (220) 211)

β -Hexosaminidase

Diabetic nephropathy; Insulin-dependent diabetes mellitus (Romero, K.M. (216) 125)

High density lipoprotein

HDL_{2b}; Coronary heart disease; Coronary protection (Wilson, H.M. (220) 175)

Gemfibrozil; Normolipidemic subjects; Lipoprotein lipase; Hepatic lipase (Horsmans, Y. (218) 223)

High performance liquid chromatography (HPLC)

Galactokinase; Mass screening for galactosemia; Galactokinase deficiency (Mizoguchi, N. (216) 145)

Carnitine; Acylcarnitine (Poorthuis, B.J.H. (216) 53)

Acylcarnitines; Enzyme reactor; Acylcarnitine hydrolase (Matsumoto, K. (216) 135)

Steroid sulfatase; Recessive X-linked ichthyosis; Estrone sulfate; Estrone (Minoru, M. (215) 165)

Bile acids; Fluorescence labeling (Güldütuna, S. (214) 195)

Glutamate:glyoxylate aminotransferase; Alanine:glyoxylate aminotransferase; Hyperoxaluria; Human liver (Petrarulo, M. (218) 193)

Leukotriene E₄; Leukotriene analysis; Extrahepatic cholestasis; Hepatobiliary elimination; Enzyme immunoassay (Mayatepek, E. (218) 185)

Histidase activity

Reversed-phase HPLC; Histidinemia; Urocanic acid; Human fingernails (Fujitaka, M. (215) 227)

Histidinemia

Reversed-phase HPLC; Histidase activity; Urocanic acid; Human fingernails (Fujitaka, M. (215) 227)

Histiocytosis X

LDH isoenzymes; Blood cells; Lymphocytes; Monocytes (Perlino, E. (223) 83)

Homovanillic acid

Vanillylmandelic acid; Neuroblastoma screening; Cancer (Mathieu, P. (220) 229)

Hormones

Calcitonin; Radioimmunoassay; Peptides; Peptide hormones; Regulatory peptides (Schifter, S. (215) 99)

Hormone-sensitive lipase

Adipose tissue; Northern blot; Ribonuclease protection assay (Frayn, K.N. (216) 183)

HPLC assay

Biotinidase (Biocytinase); Human serum; Kinetic study (Oizumi, J. (215) 63)

HPLC determination

Intestinal permeability; Rhamnose; 3-O-Methyl-D-glucose; Xylase; Lactulose (Sørensen, S.H. (221) 115)

HPLC

Fluorometry; Serotonin; 5-Hydroxyindole-3-acetic acid; 5-Hydroxytryptophan; Tryptophan; Urine; Plasma (Kema, I.P. (221) 143)

Pyridine coenzymes; Purines; Human erythrocytes; Inherited disorders; Sample preparation (Micheli, V. (220) 1)

Human anti-mouse antibodies (HAMA)

Inter-laboratory survey (HAMA Study Group, (215) 153)

Human blood plasma

Glycogen isophosphorylase BB; Healthy persons (Rabitzsch, G. (214) 109)

Human cataract

Lactose intolerance; Galactitol (Semenza, G. (220) 115)

Human erythrocytes

Pyridine coenzymes; Purines; Inherited disorders; HPLC; Sample preparation (Micheli, V. (220) 1)

Microcalorimetry; Ca-ionophore; ATP; Lactate; Mg²⁺ (Engström, I. (219) 113)

Human fingernails

Reversed-phase HPLC; Histidinemia; Histidase activity; Urocanic acid (Fujitaka, M. (215) 227)

Human granulocyte colony-stimulating factor

Chemiluminescent immunoassay; Glucose oxidase; Infectious diseases (Kiriyama, R. (220) 201)

Human hemoglobin chains

Glutathione peroxidase; Loaded erythrocytes; Thalassemia (Grelloni, F. (217) 187)

Human liver

Alcohol; ACAT inhibitors; Acyl-CoA hydrolase; Ethyl oleate; Oleoyl-CoA (Smith, J.L. (215) 233)

Glutamate:glyoxylate aminotransferase; Alanine:glyoxylate aminotransferase; Hyperoxaluria; High-performance liquid chromatography (Petrarulo, M. (218) 193)

Human peripheral blood mononuclear cells

Interleukin-4; Radioimmunoassay; Autoimmune thyroid disease; Graves' disease; Chronic thyroiditis (Hirooka, Y. (216) 1)

Human plasma

Apolipoprotein B; Malondialdehyde adducts; Fragmentation; Artherosclerosis; Lipid peroxidation (Lecomte, E. (218) 39)

Human post-heparin plasma LPL

Lipoprotein lipase; Immunoassay; Functionally defective LPL; ELISA (Kobayashi, J. (216) 113)

Human semen

Deoxyribonuclease; Purification; Multiplicity; Prostate (Yasuda, T. (218) 5)

Human serum

Biotinidase (Biocytinase); HPLC assay; Kinetic study (Oizumi, J. (215) 63)

Bismuth; Colloidal bismuth subcitrate; Inductively coupled plasma-mass spectrometry (ICP-MS) (Vanhoe, H. (219) 79)

Human

Prostasomes; Seminal plasma; 5'-Nucleotidase; Membrane-bound (Fabiani, R. (216) 175)

Hydrocephaly

Acetylcholinesterase; Butyrylcholinesterase; Cerebrospinal fluid; Meningitis; Ventriculitis (Tornel, P.L. (214) 219)

Hydroxybutyric dehydrogenase

Enzyme-linked immunoglobulin; Lactate dehydrogenase (Taguchi, H. (220) 225)

5-Hydroxylindole-3-acetic acid

HPLC; Fluorometry; Serotonin; 5-Hydroxytryptophan; Tryptophan; Urine; Plasma (Kema, I.P. (221) 143)

Hydroxyproline

Proline; Urine; Gas chromatography; Flame photometric detection; N-Dimethylthiophosphoryl methyl ester derivatives (Kataoka, H. (214) 13)

5-Hydroxytryptophan

HPLC; Fluorometry; Serotonin; 5-Hydroxyindole-3-acetic acid; Tryptophan; Urine; Plasma (Kema, I.P. (221) 143)

Hypercholesterolaemia

Apo B gene; Restriction fragment length polymorphism (Series, J.J. (215) 89)

Hyperchylomicronemia

Cholesteryl ester transfer protein; Lipoprotein lipase deficiency; Hypertriglyceridemia; HDL; VLDL (Iglesias, A. (221) 73)

Hyperoxaluria

Glutamate:glyoxylate aminotransferase; Alanine:glyoxylate aminotransferase; Human liver; High-performance liquid chromatography (Petrarulo, M. (218) 193)

Hyperphenylalaninemia

Biopterin; Neopterin; Tetrahydrobiopterin deficiency (Ponzone, A. (216) 63)

Hypertriglyceridemia

Cholesteryl ester transfer protein; Lipoprotein lipase deficiency; Hyperchylomicronemia; HDL; VLDL (Iglesias, A. (221) 73)

Hypoxanthine

Adenosine; Inosine; Xanthine; Pregnancy; Uterine smooth muscle; Skeletal striated muscle (Ronquist, G. (223) 93)

I**IgA subclass**

Lectin; ELISA; Secretory IgA; Affinity chromatography (Cullina, M.J. (216) 23)

IgA

Isoelectric focusing; IgM; Cerebrospinal fluid; Meningoencephalitis; Neuroborreliosis (Kaiser, R. (216) 39)

Secretions; Single radial immunodiffusion; Electroimmunodiffusion (Meillet, D. (214) 235)

IgD myeloma

IgD; Two-dimensional electrophoresis; Paraprotein (Stulik, J. (218) 148)

IgD

IgD myeloma; Two-dimensional electrophoresis; Paraprotein (Stulik, J. (218) 148)

IgM

Isoelectric focusing; IgA; Cerebrospinal fluid; Meningoencephalitis; Neuroborreliosis (Kaiser, R. (216) 39)

Immunoaffinoelectrophoresis

Microheterogeneity; α_1 -Antitrypsin; Serum; Meconium; Cystic fibrosis (Duthel, S. (215) 173)

Immunoassay

Lipoprotein lipase; Human post-heparin plasma LPL; Functionally defective LPL; ELISA (Kobayashi, J. (216) 113)

Streptokinase; Antibodies; ELISA; Myocardial infarction (Bom, V.J.J. (218) 121)

Immunoblotting

Lipoprotein(a); Apo(a) isoforms (Geroldi, D. (221) 159)

Immunofixation

Alcohol abuse; Asialotransferrin; Carbohydrate-deficient transferrin (CDT); Isoelectric focusing (IEF); Transaminases (Löf, K. (217) 175)

Immunoglobulin G

Dopamine; Psychotic patients; Cerebrospinal fluid (Bergquist, J. (217) 129)

Immunoglobulins

C-reactive protein; Acute-phase proteins; Macroglobulinemia; Latex reagent (Ponge, T.D. (220) 101)

Immunoradiometric assay

Lipoprotein(a); Enzyme immunoassay; Plasminogen; Atherosclerosis (März, W. (214) 153)

Impairment of immunoreactivity

Diabetes; Non-enzymatic glycosylation; Glycation (Sasaki, Y. (220) 119)

Inborn error of metabolism

3-Methylglutaconic acid; Stable isotope dilution; Mass spectrometry (Kelley, R.I. (220) 157)

Inborn error

Genotype; Diagnosis (Hill, R.E. (217) 3)

Inductively coupled plasma mass spectrometry

Bismuth; Thallium; Plasma; Urine (Mauras, Y. (218) 201)

Bismuth; Human serum; Colloidal bismuth subcitrate (Vanhoe, H. (219) 79)

Infectious diseases

Human granulocyte colony-stimulating factor; Chemiluminescent immunoassay; Glucose oxidase (Kiriyama, R. (220) 201)

Inflammation

Alpha-1-acid glycoprotein; Oligosaccharide; Glycoform; Rats (Venembre, P.C. (221) 59)

Lipoprotein(a); Acute phase proteins (Ledue, T.B. (223) 73)

Rat; Carrageenan-induced granuloma; Antioxidants; Lipid peroxidation; Iron; Oxygen radicals (Muntané, J. (214) 185)

Erythropoietin; Liver disease; Anaemia; (Pirisi, M. (219) 47)

Inherited disorders

Pyridine coenzymes; Purines; Human erythrocytes; HPLC; Sample preparation (Micheli, V. (220) 1)

Lipomatosis; Lipid metabolism; Lipoproteins; HDL (Deiana, L. (223) 143)

Inorganic phosphate

Enzymatic assay (Ungerer, J.P.J. (223) 149)

Inosine

Adenosine; Hypoxanthine; Xanthine; Pregnancy;

Uterine smooth muscle; Skeletal striated muscle (Ronquist, G. (223) 93)

Insulin binding

Insulin receptors; Erythrocytes; Pregnancy; Gestational diabetes; Diabetes and pregnancy (Schmon, B. (221) 33)

Insulin receptors

Insulin binding; Erythrocytes; Pregnancy; Gestational diabetes; Diabetes and pregnancy (Schmon, B. (221) 33)

Insulin therapy

Lipoproteins; Apolipoproteins; Triglycerides (Reverter, J.L. (223) 113)

Insulin-dependent diabetes mellitus

β -Hexosaminidase; Diabetic nephropathy (Romero, K.M. (216) 125)

Insulin-like growth factor binding protein-1

Fetal fibronectin; Amniotic fluid; Rupture of fetal membranes (Rutanen, E.-M. (214) 73)

Insulin-like growth factor-binding protein

Phosphorylation; Pregnancy; Amniotic fluid; Decidua; (Koistinen, R. (215) 189)

Insulin-like growth factor-I

Renal cyst fluid; Epidermal growth factor; Transforming growth factor- β ; Interleukin-6 (Taide, M. (217) 199)

Intellectual outcome

Phenylketonuria; Phenylalanine hydroxylase gene; Genotyping (Trefz, F.K. (217) 15)

Intensive care

Post-analytical functionalities; Clinical laboratory services; Primary care; Interpretative reporting; Alarms generation (Nykänen, P. (222) 37)

Interleukin-4

Radioimmunoassay; Autoimmune thyroid disease; Human peripheral blood mononuclear cells; Graves' disease; Chronic thyroiditis (Hirooka, Y. (216) 1)

Interleukin-6

Renal cyst fluid; Epidermal growth factor; Insulin-like growth factor-I; Transforming growth factor- β (Taide, M. (217) 199)

Interoperability

Decision support systems; Knowledge bases;

Clinical laboratory information systems; Medical informatics computing methodologies; Cooperative architectures (Boran, G.P. (222) 23)

Interpretative reporting

Post-analytical functionalities; Clinical laboratory services; Primary care; Intensive care; Alarms generation (Nykänen, P. (222) 37)

Interpretative reports

Lipid knowledge based system; Lipid management system; General Practitioners (Sinnott, M.M. (222) 71)

Interstitial collagenase

Sandwich enzyme immunoassay; Monoclonal antibody; Tissue inhibitors of metalloproteinases; (Zhang, J. (219) 1)

Interstitial lung disease

Bronchoalveolar lavage fluid; Secretory IgA; Serum IgA; Enzyme immunoassay methods (Sato, T. (220) 145)

Interval arithmetics

Laboratory computer; Knowledge-based system; Expert system; Bayes' theorem; Set theory; Syntax analysis; Probability theory; Possibility theory (Pohl, B. (222) 85)

Inter-laboratory survey

Human anti-mouse antibodies (HAMA) (HAMA Study Group, (215) 153)

Intestinal permeability

Rhamnose; 3-O-Methyl-D-glucose; Xylase; Lactulose; HPLC determination (Sørensen, S.H. (221) 115)

Ireland

Clinical laboratory information systems; Guidelines; Standards (Kenny, D. (222) 147)

Iron

Cardiomyopathy; Copper; Zinc; Ejection fraction; Cardiac index (Oster, O. (214) 209)

Transferrin receptor; Placenta; Cytotrophoblast (Starreveld, J.S. (220) 47)

Isoelectric focusing (IEF)

Alcohol abuse; Asialotransferrin; Carbohydrate-deficient transferrin (CDT); Immunofixation; Transaminases (Löf, K. (217) 175)

IgM; IgA; Cerebrospinal fluid; Men-

ingoencephalitis; Neuroborreliosis (Kaiser, R. (216) 39)

IgM; IgA; Meningoencephalitis; Neuroborreliosis (Kaiser, R. (216) 39)

Isoenzymes

Fibroblasts; β -Hexosaminidase (Hultberg, B. (216) 73)

β -N-Acetylhexosaminidase; Spinal muscular atrophy; Fibroblasts (Tassi, C. (221) 203)

Alkaline phosphatase; Osteosarcoma; Transcription levels (Stinson, R.A. (221) 105)

Blood neutrophils; Characterization; Down's syndrome; Early placental variant (Vergnes, H.A. (218) 105)

Isoflavonoids

Daidzein; Genistein; Equol (Kelly, G.E. (223) 9)

Isoforms

hCG; Chromatofocusing; Down's syndrome (Defasque, P. (223) 173)

Iso-enzymes

Alcohol misuse; Alcoholic liver disease; Amylase; Cirrhosis; Salivary gland disease (Deenamode, J.M.J. (223) 169)

K

K-ras

t(14; 18) chromosomal rearrangement; Follicular lymphoma; *c-erbB-2*; Mammary carcinoma; *N-myc*; Neuroblastoma; Pulmonary adenocarcinoma; Colorectal carcinoma (Werner, M. (217) 39)

Kinetic enzyme assay

Zinc inhibition; Zinc activation; Zinc and EDTA blood angiotensin-converting enzyme (Buttery, J.E. (217) 213)

Kinetic study

Biotinidase (Biocytinase); Human serum; HPLC assay (Oizumi, J. (215) 63)

Kinetics

Turbidity; Nephelometry; Nucleation; Calcium oxalate crystallization; Nucleation promoters (Rodgers, A.L. (220) 125)

Knowledge based system

Decision support systems; Standards; Clinical laboratory information systems (Johansson, B. (222) 123)

Laboratory computer; Expert system; Bayes' theorem; Interval arithmetics; Set theory; Syntax analysis; Probability theory; Possibility theory (Pohl, B. (222) 85)

Databases; Database management; Expert systems (Grimson, J.B. (222) 101)

Tetanus; Tetanus immunity; Allergic reactions; Booster immunization (Schröder, J.P. (222) 79)

Knowledge bases

Decision support systems; Clinical laboratory information systems; Medical informatics computing methodologies; Interoperability; Cooperative architectures (Boran, G.P. (222) 23)

'König' reaction

Smoking; Cotinine determination; Fluorescence polarization immunoassay; Automated analysis (Pickert, A. (217) 143)

L

Laboratory computer

Knowledge-based system; Expert system; Bayes' theorem; Interval arithmetics; Set theory; Syntax analysis; Probability theory; Possibility theory (Pohl, B. (222) 85)

Laboratory Information System

Dynamic test scheduling; Ethics; Production management; Quality assurance; Telecommunication (Brender, J. (222) 57)

Graphical user interface; Object-oriented design; Client-server architecture; Ethernet network (Wells, I.G. (222) 13)

Lactate dehydrogenase

Enzyme-linked immunoglobulin; Hydroxybutyric dehydrogenase (Taguchi, H. (220) 225)

Lactate

Microcalorimetry; Human erythrocytes; Cationophore; ATP; Mg²⁺ (Engström, I. (219) 113)

Lactose intolerance

Human cataract; Galactitol (Semenza, G. (220) 115)

Lactulose

Intestinal permeability; Rhamnose; 3-O-Methyl-D-glucose; Xylase; HPLC determination (Sørensen, S.H. (221) 115)

Latex reagent

C-reactive protein; Immunoglobulins; Acute-phase proteins; Macroglobulinemia (Ponge, T.D. (220) 101)

Laurylsulphate, sodium salt-polyacrylamide-gel-electrophoresis

Autoantibodies; Autoantigen; Muscle; Age; Western blot (Zimmermann, C.W. (218) 29)

LDH isoenzymes

Blood cells; Histiocytosis X; Lymphocytes; Monocytes (Perlino, E. (223) 83)

LDL cholesterol

Apo B; VLDL cholesterol; Non-HDL cholesterol; HDL cholesterol; Triglycerides (Levinson, S.S. (223) 31)

Lead

Inductively coupled plasma mass spectrometry

(ICPMS); Bismuth; Thallium; Plasma; Urine (Mauras, Y. (218) 201)

Lectin electrophoresis

α-Fetoprotein; Carbohydrate chain; Tumor marker; Hepatocellular carcinoma; *Lens culinaris* agglutinin-A; PHA-E4 (Shimizu, K. (214) 3)

Lectin

ELISA; IgA subclass; Secretory IgA; Affinity chromatography (Cullina, M.J. (216) 23)

Blood; Ethanol; Fucose; Haptoglobin; Liver disease (Chambers, W. (219) 177)

Lens culinaris agglutinin-A

α-Fetoprotein; Carbohydrate chain; Tumor marker; Lectin electrophoresis; Hepatocellular carcinoma; Erythro-agglutinating phytohemagglutinin-E4 (Shimizu, K. (214) 3)

Leucine dehydrogenase

Maple syrup urine disease; Neonatal screening; Enzymatic analysis; Branched-chain amino acids; Blood spots (Wendel, U. (219) 105)

Leucine-aminopeptidase

Alanine-aminopeptidase; Aminopeptidase-N; Serum; Plasma; gp150; CD13 (Favaloro, E.J. (220) 81)

Leukemia

Methotrexate; 2,4-Diamino-7-hydroxy-pteridines; Plasma; Cerebrospinal fluid (Dhondt, J.L. (220) 189)

Minimal residual disease (MRD); Polymerase chain reaction (PCR) (Bartram, C.R. (217) 75)

Leukotriene analysis

Leukotriene E₄; Extrahepatic cholestasis; Hepatobiliary elimination; High-pressure liquid chromatography; Enzyme immunoassay (Mayatepek, E. (218) 185)

Leukotriene E₄

Leukotriene analysis; Extrahepatic cholestasis; Hepatobiliary elimination; High-pressure liquid chromatography; Enzyme immunoassay (Mayatepek, E. (218) 185)

Linoleic acid

Vitamin E; Tumor necrosis factor-α; Cholestan-

3 β ,5 α ,6 β -triol; Elastase-like activity; Endothelial cells (Toborek, M. (215) 201)

Lipid knowledge based system

Lipid management system; General Practitioners; Interpretative reports (Sinnott, M.M. (222) 71)

Lipid management system

Lipid knowledge based system; General Practitioners; Interpretative reports (Sinnott, M.M. (222) 71)

Lipid metabolism

Lipomatosis; Lipoproteins; HDL; Inherited disorder (Deiana, L. (223) 143)

Lipid peroxidation

Malondialdehyde; Type 1 diabetes mellitus; Type 2 diabetes mellitus; Angiopathy (Gallou, G. (214) 227)

Obstructive jaundice; Cholelithiasis (Tsai, L.-Y. (215) 41)

Apolipoprotein B; Malondialdehyde adducts; Fragmentation; Human plasma; Atherosclerosis (Lecomte, E. (218) 39)

Asthma; Oxidative metabolism; Zinc; Selenium (Malvy, J.-M.D. (218) 117)

Ethanol; Free radicals; Rats; (Coudray, C. (219) 35)

Lipid storage diseases

Lipidoses; Fluorescent glycolipids; Skin fibroblasts (Vered, A. (218) 139)

Lipidoses

Lipid storage diseases; Fluorescent glycolipids; Skin fibroblasts (Vered, A. (218) 139)

Lipid

Cholesterol; Stomach; Triglyceride; Xanthoma (Chang, F-Y. (217) 233)

Lipomatosis

Lipid metabolism; Lipoproteins; HDL; Inherited disorder (Deiana, L. (223) 143)

Lipoprotein lipase deficiency

Cholesteryl ester transfer protein; Hyperchylomicronemia; Hypertriglyceridemia; HDL; VLDL (Iglesias, A. (221) 73)

Lipoprotein lipase

Immunoassay; Human post-heparin plasma LPL; Functionally defective LPL; ELISA (Kobayashi, J. (216) 113)

Monoacylglycerol; Diacylglycerol; Triacylglycerol; Heparin; Plasma (Fielding, B.A. (216) 167)

Immunoassay; Human post-heparin plasma LPL; Functionally defective LPL (Kobayashi, J. (216) 113)

Gemfibrozil; Normolipidemic subjects; High density lipoprotein; Hepatic lipase (Horsmans, Y. (218) 223)

Very low density lipoprotein; Diabetes mellitus; Metabolites (Saheki, S. (217) 105)

Lipoproteins

Apolipoproteins; Insulin therapy; Triglycerides (Reverter, J.L. (223) 113)

Lipomatosis; Lipid metabolism; HDL; Inherited disorder (Deiana, L. (223) 143)

Triglycerides; Cholesterol; Apoproteins; Atherosclerosis (Manzato, E. (219) 57)

Lipoprotein(a) (Lp(a))

Apolipoprotein(a) (apo(a)); Apo(a) isoforms; Apo(a) alleles; Apo(a) phenotypes (Abe, A. (219) 149)

Acute phase proteins; Inflammation (Ledue, T.B. (223) 73)

Diabetes mellitus (complications) (Ritter, M.M. (214) 45)

Immunoblotting; Apo(a) isoforms (Geroldi, D. (221) 159)

Elisa; Quantitation; Oxidatively modified low density lipoprotein (Wang, H. (218) 97)

Plasminogen; Lp(a) assays (Baldo-Enzi, G. (218) 83)

Liver cirrhosis

Bile acids; Serum (Greco, A.V. (221) 183)

Liver disease

Tissue inhibitor of metalloproteinases (TIMP); Hepatocellular carcinoma (Murawaki, Y. (218) 47)

Blood; Ethanol; Fucose; Haptoglobin; Lectin
(Chambers, W. (219) 177)

Erythropoietin; Inflammation; Anaemia; (Pirisi, M. (219) 47)

Liver needle biopsy

β -Oxidation disorders; Alcoholic fatty liver
(Eaton, S. (220) 219)

Liver transplantation

Enzymes; Acute rejection; Necrosis index Gozzo, M.L. (214) 175)

Loaded erythrocytes

Glutathione peroxidase; Human hemoglobin chains; Thalassemia (Grelloni, F. (217) 187)

Low birth weight infant

Platelet activating factor; Patent ductus arteriosus; Chronic lung disease; Bronchopulmonary dysplasia; Tracheal aspirate (Koyama, N. (215) 73)

Low density lipoprotein (LDL)

Modified lipoprotein; Sialic acid; Atherosclerosis (Ruelland, A. (221) 127)

Lp(a) assays

Lipoprotein(a); Plasminogen (Baldo-Enzi, G. (218) 83)

Lp(a) serum concentration

Familial combined hyperlipidemia; Coronary heart disease (Fonda, M. (223) 121)

Lung cancer

Epidermal growth factor; Epidermal growth factor receptor; Breast cancer; Endometrial cancer (Bolufer, P. (215) 51)

Lyme testing

Data reduction; Serological assay; Computer programs; Statistical evaluation of assays (Sorensen, K. (214) 55)

Lymphocyte cells

Uraemia; Nucleases; Lymphocytic Mg²⁺, Mn²⁺ ions concentration (Adamiec, R. (221) 15)

Lymphocytes

Fructose-1,6-diphosphatase deficiency; Monocytes; Calcitriol; Tissue culture (Kikawa, Y. (215) 81)

LDH isoenzymes; Blood cells; Histiocytosis X; Monocytes (Perlino, E. (223) 83)

Lymphocytic Mg²⁺, Mn²⁺ ions concentration

Uraemia; Lymphocyte cells; Nucleases (Adamiec, R. (221) 15)

Lysosomal enzymes

Plasma; Neonates; Twins (Goi, G. (214) 61)

M

Macroglobulinemia

C-reactive protein; Immunoglobulins; Acute-phase proteins; Latex reagent (Ponge, T.D. (220) 101)

Malaria

Plasmodium vivax; Glutathione; Glutathione peroxidase; Glutathione reductase; Glucose-6-phosphate dehydrogenase (Mathews, S.T. (219) 159)

Malondialdehyde adducts

Apolipoprotein B; Fragmentation; Human plasma; Artherosclerosis; Lipid peroxidation (Lecomte, E. (218) 39)

Malondialdehyde

Lipid peroxidation; Type 1 diabetes mellitus; Type 2 diabetes mellitus; Angiopathy (Gallou, G. (214) 227)

Mammary carcinoma

t(14; 18) chromosomal rearrangement; Follicular lymphoma; c-erbB-2; N-myc; Neuroblastoma; K-ras; Pulmonary adenocarcinoma; Colorectal carcinoma (Werner, M. (217) 39)

Man

5,6-Dihydrouridine; *N*⁶-threoninocarbonyladenosine; tRNA degradation; Rat; Metabolic rate (Topp, H. (218) 73)

Maple syrup urine disease

Neonatal screening; Leucine dehydrogenase; Enzymatic analysis; Branched-chain amino acids; Blood spots (Wendel, U. (219) 105)

Mass screening for galactosemia

Galactokinase; High performance liquid chromatography (HPLC); Galactokinase deficiency (Mizoguchi, N. (216) 145)

Mass spectrometry

3-Methylglutaconic acid; Stable isotope dilution; Inborn error of metabolism (Kelley, R.I. (220) 157)

Maternal plasma

Cigarette-smoking; Birthweight; Fluorescent lipid peroxidation products; Cord plasma (Pré, J. (215) 221)

Matrix metalloproteinase 2

Sandwich enzyme immunoassay; Tissue inhibitor of metalloproteinase 2; Monoclonal antibody (Fujimoto, N. (221) 91)

Measurement procedure

Analytical quality goals; Clinical quality specifications; Quality specifications for clinical laboratories; Quality assurance; Transferability of clinical laboratory results (Groth, T. (222) 129)

Meconium

Microheterogeneity; α_1 -Antitrypsin; Serum; Cystic fibrosis; Immunoaffinoelectrophoresis (Duthel, S. (215) 173)

Medical informatics computing methodologies

Decision support systems; Knowledge bases; Clinical laboratory information systems; Interoperability; Cooperative architectures (Boran, G.P. (222) 23)

Medium chain fatty acids

Medium chain triglycerides; Gas-liquid chromatography; *n*-Octanoic acid; *n*-Decanoic acid (Mingrone, G. (214) 21)

Medium chain triglycerides

Medium chain fatty acids; Gas-liquid chromatography; *n*-Octanoic acid; *n*-Decanoic acid (Mingrone, G. (214) 21)

Medium-chain acyl-CoA dehydrogenase deficiency

Mutation 985-G; PCR; Two-stage; *Nco*I digestion (Nagao, M. (220) 165)

Membrane-bound

Prostasomes; Seminal plasma; Human; 5'-Nucleotidase (Fabiani, R. (216) 175)

Meningitis

Acetylcholinesterase; Butyrylcholinesterase; Cerebrospinal fluid; Hydrocephaly; Ventriculitis (Tornel, P.L. (214) 219)

Meningoencephalitis

Isoelectric focusing; IgM; IgA; Cerebrospinal fluid; Neuroborreliosis (Kaiser, R. (216) 39)

Metabolic disorders

Anhydrides of argininosuccinate; Argininosuccinic aciduria; Nuclear magnetic resonance; Urea cycle (Burns, S.P. (221) 1)

Metabolic rate

5,6-Dihydrouridine; *N*⁶-threoninocarbonyladenosine; tRNA degradation; Man; Rat (Topp, H. (218) 73)

Metabolites

Very low density lipoprotein; Diabetes mellitus; Lipoprotein lipase (Saheki, S. (217) 105)

Methotrexate

2,4-Diamino-7-hydroxy-pteridines; Leukemia; Cerebrospinal fluid (Dhondt, J.L. (220) 189)

2,4-Diamino-7-hydroxy-pteridines; Leukemia; Plasma; Cerebrospinal fluid (Dhondt, J.L. (220) 189)

1-Methyladenosine

Modified nucleosides; Pseudouridine; Urinary excretion patterns; Healthy individuals (Itoh, K. (217) 221)

3-Methylglutaconic acid

Stable isotope dilution; Mass spectrometry; Inborn error of metabolism (Kelley, R.I. (220) 157)

3-O-Methyl-D-glucose

Intestinal permeability; Rhamnose; Xylase; Lactulose; HPLC determination (Sørensen, S.H. (221) 115)

Mevalonate kinase deficiency

Bile acid; Chenodeoxycholic acid; Cholic acid; Gas-chromatography-mass spectrometry; Stable-isotope; Cholesterol (Gibson, K.M. (217) 217)

Mg²⁺

Microcalorimetry; Human erythrocytes; Ca-ionophore; ATP; Lactate (Engström, I. (219) 113)

Microalbumin

Cholesterol; Triglyceride; Non-insulin-dependent diabetes mellitus (Shimizu, H. (221) 191)

Microcalorimetry

Human erythrocytes; Ca-ionophore; ATP; Lactate; Mg²⁺ (Engström, I. (219) 113)

β₂-Microglobulin amyloidosis

Ubiquitin; Dialysis patients; Amyloid enhancing factor; Plasma concentration (Okada, M. (220) 135)

Microheterogeneity

α₁-Antitrypsin; Serum; Meconium; Cystic fibrosis; Immunoaffinoelectrophoresis (Duthel, S. (215) 173)

Microsomes

Myometrium; P450IA1; Gel-filtration; Differential centrifugation (Lamminen, S. (214) 93)

Mineral elements

Bone; Teeth; Atomic absorption spectrometry; Digestion procedure (Gil, F. (221) 23)

Minimal residual disease (MRD)

Polymerase chain reaction (PCR); Leukemia (Bartram, C.R. (217) 75)

Mixing technique

Blood oxygen saturation (Clark, D.J. (219) 189)

Mn-SOD

CuZn-SOD; ELISA; Strenuous exercise; Serum (Ohno, H. (215) 213)

Modified lipoprotein

Low density lipoprotein (LDL); Sialic acid; Atherosclerosis (Ruelland, A. (221) 127)

Modified nucleosides

Pseudouridine; 1-Methyladenosine; Urinary excretion patterns; Healthy individuals (Itoh, K. (217) 221)

Molecular testing

DNA probes; Polymerase chain reaction (PCR); Genetic testing (Garrett, C.T. (217) 85)

Molecular weight

Serum arylesterase; Monoclonal antibody; Specific substrate; Paraoxon (Tanaka-Kawai, H. (215) 127)

Monoacylglycerol

Diacylglycerol; Triacylglycerol; Heparin; Lipoprotein lipase; Plasma (Fielding, B.A. (216) 167)

Monoclonal antibodies

Fibronectin; Fragments; Urine; Cancer patients (Katayama, M. (217) 115)

Sandwich enzyme immunoassay; Matrix metalloproteinase 2; Tissue inhibitor of metalloproteinase 2 (Fujimoto, N. (221) 91)

Serum arylesterase; Specific substrate; Molecular weight; Paraoxon (Tanaka-Kawai, H. (215) 127)

Tissue inhibitor of metalloproteinases-2; Sandwich enzyme immunoassay (Fujimoto, N. (220) 31)

Interstitial collagenase; Sandwich enzyme immunoassay; Tissue inhibitors of metalloproteinases; (Zhang, J. (219) 1)

Monocytes

Fructose-1,6-diphosphatase deficiency; Lymphocytes; Calcitriol; Tissue culture (Kikawa, Y. (215) 81)

LDH isoenzymes; Blood cells; Histiocytosis X; lymphocytes (Perlino, E. (223) 83)

mRNA

Acute intermittent porphyria; Porphyria; Porphyria variegata; Hereditary coproporphyria; Porphobilinogen deaminase; Heme synthesis; Alcohol; Drugs; Estrogen; Progesterone; Gene; Chromosome; Mutation (Hindmarsh, J.T. (217) 29)

Mucin

Gastric juice; Ethanol precipitation method; Gastric ulcer (Azumi, Y. (221) 219)

Tumour-associated antigen; Normal range; CASA (McGuckin, M.A. (214) 139)

Mucopolysaccharidoses

Analysis; Urine; Glycosaminoglycans; Electrophoresis (Piraud, M. (221) 171)

Multiple sclerosis

Adenosine deaminase; Erythrocytes (Kopff, M. (214) 97)

Multiplicity

Deoxyribonuclease; Human semen; Purification; Prostate (Yasuda, T. (218) 5)

Muscle

Autoantibodies; Autoantigen; Age; Lauryl-sulphate, sodium salt-polyacrylamide-gel-electrophoresis; Western blot (Zimmermann, C.W. (218) 29)

Mutation

Mediumchain acyl-CoA dehydrogenase deficiency; 985-G; PCR; Two-stage; *NcoI* digestion (Nagao, M. (220) 165)

Acute intermittent porphyria; Porphyria; Porphyria variegata; Hereditary coproporphyria; Porphobilinogen deaminase; Heme synthesis; Alcohol; Drugs; Estrogen; Progesterone; Gene; Chromosome; mRNA (Hindmarsh, J.T. (217) 29)

Breast cancer; P53 gene; NM23 gene (Callahan, R. (217) 63)

Mutation analysis

Cystic fibrosis transmembrane conductance regulator (CFTR); Cystic fibrosis; Genetic disease; Genotype-phenotype association (Tümler, B. (217) 23)

myc oncogenes

Amplification; Transcriptional regulation (Koskinen, P.J. (217) 57)

Myocardial infarction

Streptokinase; Antibodies; Immunoassay; ELISA (Bom, V.J.J. (218) 121)

Myometrium

Microsomes; P450IA1; Gel-filtration; Differential centrifugation (Lamminen, S. (214) 93)

N

N-myc

t(14; 18) chromosomal rearrangement; Follicular lymphoma; *c-erbB-2*; Mammary carcinoma; Neuroblastoma; *K-ras*; Pulmonary adenocarcinoma; Colorectal carcinoma (Werner, M. (217) 39)

Neol digestion

Medium-chain acyl-CoA dehydrogenase deficiency; Mutation; 985-G; PCR; Two-stage (Nagao, M. (220) 165)

Necrosis index

Enzymes; Liver transplantation; Acute rejection (Gozzo, M.L. (214) 175)

Neonatal screening

Maple syrup urine disease; Leucine dehydrogenase; Enzymatic analysis; Branched-chain amino acids; Blood spots (Wendel, U. (219) 105)

Neonates

Lysosomal enzymes; Plasma; Twins (Goi, G. (214) 61)

Neopterin

Hyperphenylalaninemia; Biopterin; Tetrahydrobiopterin deficiency (Ponzone, A. (216) 63)

Nephelometry

Turbidity; Nucleation; Kinetics; Calcium oxalate crystallization; Nucleation promoters (Rodgers, A.L. (220) 125)

Neuroblastoma screening

Vanillylmandelic acid; Homovanillic acid; Cancer (Mathieu, P. (220) 229)

Neuroblastoma

t(14; 18) chromosomal rearrangement; Follicular lymphoma; *c-erbB-2*; Mammary carcinoma; *N-myc*; *K-ras*; Pulmonary adenocarcinoma; Colorectal carcinoma (Werner, M. (217) 39)

Neuroborreliosis

Isoelectric focusing; IgM; IgA; Cerebrospinal fluid; Meningoencephalitis (Kaiser, R. (216) 39)

Neurological diseases

Vitamin C; Ascorbate; Uric acid; Cerebrospinal fluid (CSF); Serum; CSF flow; Blood-CSF barrier function (Reiber, H. (217) 163)

NM23 gene

Breast cancer; Mutations; P53 gene (Callahan, R. (217) 63)

Non-enzymatic glycosylation

Diabetes; Glycation; Impairment of immunoreactivity (Sasaki, Y. (220) 119)

Non-HDL cholesterol

Apo B; LDL cholesterol; VLDL cholesterol; HDL cholesterol; Triglycerides (Levinson, S.S. (223) 31)

Non-insulin-dependent diabetes mellitus

Microalbumin; cholesterol; Triglyceride (Shimizu, H. (221) 191)

Normal range

Mucin; Tumour-associated antigen; CASA (McGuckin, M.A. (214) 139)

Normolipidemic subjects

Gemfibrozil; High density lipoprotein; Lipoprotein lipase; Hepatic lipase (Horsmans, Y. (218) 223)

Northern blot

Hormone-sensitive lipase; Adipose tissue; Ribonuclease protection assay (Frayn, K.N. (216) 183)

Nuclear magnetic resonance

Anhydrides of argininosuccinate; Argininosuccinic aciduria; Metabolic disorders; Urea cycle (Burns, S.P. (221) 1)

Nucleases

Uraemia; Lymphocyte cells; Lymphocytic Mg²⁺, Mn²⁺ ions concentration (Adamiec, R. (221) 15)

Nucleation promoters

Turbidity; Nephelometry; Nucleation; Kinetics; Calcium oxalate crystallization; Nucleation promoters (Rodgers, A.L. (220) 125)

Nucleation

Turbidity; Nephelometry; Kinetics; Calcium oxalate crystallization; Nucleation promoters (Rodgers, A.L. (220) 125)

5'-Nucleotidase

Prostasomes; Seminal plasma; Human; Membrane-bound (Fabiani, R. (216) 175)

O**Object-orientation**

Clinical laboratory; Computing; Object (Solberg, H.E. (222) 3)

Object-oriented design

Laboratory information system; Graphical user interface; Client-server architecture; Ethernet network (Wells, I.G. (222) 13)

Object

Clinical laboratory; Computing; Object-orientation (Solberg, H.E. (222) 3)

Obstructive jaundice

Lipid peroxidation; Cholelithiasis (Tsai, L.-Y. (215) 41)

Occult blood

Alpha-1-antitrypsin; Protein-losing enteropathies (Moran, A. (217) 153)

n-Octanoic acid

Medium chain triglycerides; Medium chain fatty acids; Gas-liquid chromatography; n-Decanoic acid (Mingrone, G. (214) 21)

Oleoyl-CoA

Alcohol; ACAT inhibitors; Acyl-CoA hydrolase; Ethyl oleate; Human liver (Smith, J.L. (215) 233)

Oligosaccharide

Alpha-1-acid glycoprotein; Inflammation; Glycoform; Rats (Venembre, P.C. (221) 59)

OPENLABS

Test requests; Screening; Expert systems; Electronic data interchange (Hasman, A. (222) 49)

Organic acids

Peroxisomal disorders (Pitt, J.J. (223) 23)

Gas chromatography; Thin-layer chromatography (Lee, B.Y. (218) 215)

Osteosarcoma cell

Urokinase-type plasminogen activator (u-PA); Urokinase-type plasminogen activator receptor (u-PAR); Plasminogen activator inhibitor-I (PAI-I); Bone resorption (Nonaka, T. (223) 19)

Osteosarcoma

Alkaline phosphatase; Transcription levels; Isoenzyme (Stinson, R.A. (221) 105)

 β -Oxidation disorders

Liver needle biopsy; Alcoholic fatty liver (Eaton, S. (220) 219)

Oxidative metabolism

Asthma; Lipid peroxidation; Zinc; Selenium (Malvy, J.-M.D. (218) 117)

Oxidatively modified low density lipoprotein

Elisa; Lipoprotein(a); Quantitation (Wang, H. (218) 97)

Oxygen radicals

Rat; Inflammation; Carrageenan-induced granuloma; Antioxidants; Lipid peroxidation; Iron (Muntané, J. (214) 185)

P450IA1

Microsomes; Myometrium; Gel-filtration; Differential centrifugation (Lamminen, S. (214) 93)

P53 gene

Breast cancer; Mutations; NM23 gene (Callahan, R. (217) 63)

Pancreatic elastase 1

Autoantibody; Radioimmunoassay (Asada, H. (218) 17)

Paraoxon

Serum arylesterase; Monoclonal antibody; Specific substrate; Molecular weight (Tanaka-Kawai, H. (215) 127)

Paraprotein

IgD; IgD myeloma; Two-dimensional electrophoresis (Stulík, J. (218) 148)

Parathyroid hormone

Primary hyperparathyroidism; (Bergenfelz, A. (219) 67)

Partitioning

Alkaline phosphatase; Glycan phosphatidylinositol anchors; Glycan phosphatidylinositol-specific phospholipase D; Gradient gel electrophoresis (Raymond, F.D. (215) 139)

Patent ductus arteriosus

Platelet activating factor; Chronic lung disease; Bronchopulmonary dysplasia; Tracheal aspirate; Low birth weight infant (Koyama, N. (215) 73)

PCR

Medium-chain acyl-CoA dehydrogenase deficiency; Mutation; 985-G; Two-stage; *NcoI* digestion (Nagao, M. (220) 165)

Peptide hormones

Calcitonin; Radioimmunoassay; Hormones; Peptides; Regulatory peptides (Schifter, S. (215) 99)

Peptides

Calcitonin; Radioimmunoassay; Hormones; Peptide hormones; Regulatory peptides (Schifter, S. (215) 99)

Peroxisomal disease fibroblasts

Eicosanoids; Arachidonic acid metabolism; Gas chromatography/mass spectrometry (Malle, E. (217) 205)

Peroxisomal disorders

Organic acids (Pitt, J.J. (223) 23)

L-Phenylalanine

Phenylketonuria; Dietary monitoring; Phenylalanine dehydrogenase; Autoanalysis; Chemistry; Clinical (Taylor, R.P. (218) 207)

Phenylalanine dehydrogenase

Phenylketonuria; Dietary monitoring; L-Phenylalanine; Autoanalysis; Chemistry; Clinical (Taylor, R.P. (218) 207)

Phenylalanine hydroxylase gene

Phenylketonuria; Intellectual outcome; Genotyping (Trefz, F.K. (217) 15)

Phenylketonuria

Dietary monitoring; L-Phenylalanine; Phenylalanine dehydrogenase; Autoanalysis; Chemistry; Clinical (Taylor, R.P. (218) 207)

Intellectual outcome; Phenylalanine hydroxylase gene; Genotyping (Trefz, F.K. (217) 15)

Phospholipid classes

Erythrocyte membranes; Rat; Extraction; Fatty acids; Solvent (Eder, K. (219) 93)

Phosphorylation

Insulin-like growth factor-binding protein; Pregnancy; Amniotic fluid; Decidua; (Koistinen, R. (215) 189)

O-Phthalaldehyde

Glutamine; Chromatography; Plasma; Cerebrospinal fluid (Teerlink, T. (218) 159)

PK deficiency

Band 3 protein; G6PD deficiency; Hereditary spherocytosis (human erythrocytes) (Giuliani, A. (220) 211)

PKC inhibition

Bilirubin toxicity; Protein phosphorylation; Fibroblasts (Amit, Y. (223) 102)

Placenta

Iron; Transferrin receptor; Cytotrophoblast (Starreveld, J.S. (220) 47)

Plasma concentration

Ubiquitin; β_2 -Microglobulin amyloidosis; Dialysis patients; Amyloid enhancing factor (Okada, M. (220) 135)

Plasma levels

N-Acetyl- β -D-glucosaminidase; Isoenzymes; Routine chromatofocusing procedure; Distribution in a general population (Goi, G. (221) 47)

Plasma mevalonate

Serum lathosterol; Whole body cholesterol synthesis; Simvastatin (De Cuyper, I. (219) 123)

Plasma water

Whole blood water; Erythrocyte water; Hematological and clinicochemical parameters (Lijnema, T.H. (214) 129)

Plasma

Monoacylglycerol; Diacylglycerol; Triacylglycerol; Heparin; Lipoprotein lipase (Fielding, B.A. (216) 167)

Alanine-aminopeptidase; Leucine-aminopeptidase; Aminopeptidase-N; Serum; gp150; CD13 (Favaloro, E.J. (220) 81)

HPLC; Fluorometry; Serotonin; 5-Hydroxyindole-3-acetic acid; 5-Hydroxytryptophan; Tryptophan; Urine (Kema, I.P. (221) 143)

Lysosomal enzymes; Neonates; Twins (Goi, G. (214) 61)

Glutamine; O-Phthalaldehyde; Chromatography; Cerebrospinal fluid (Teerlink, T. (218) 159)

Inductively coupled plasma mass spectrometry (ICPMS); Lead; Bismuth; Thallium; Urine (Mauras, Y. (218) 201)

Plasminogen activator inhibitor-I (PAI-I)

Urokinase-type plasminogen activator (u-PA);

Urokinase-type plasminogen activator receptor (u-PAR); Osteosarcoma cell; Bone resorption (Nonaka, T. (223) 129)

Plasminogen

Lipoprotein(a); Enzyme immunoassay; Immunoradiometric assay; Atherosclerosis (März, W. (214) 153)

Lipoprotein(a); Lp(a) assays (Baldo-Enzi, G. (218) 83)

Plasmodium vivax

Malaria; Glutathione; Glutathione peroxidase; Glutathione reductase; Glucose-6-phosphate dehydrogenase (Mathews, S.T. (219) 159)

Platelet activating factor

Patent ductus arteriosus; Chronic lung disease; Bronchopulmonary dysplasia; Tracheal aspirate; Low birth weight infant (Koyama, N. (215) 73)

Platelets

HPLC; Fluorometry; Serotonin; 5-Hydroxyl-indole-3-acetic acid; 5-Hydroxytryptophan; Tryptophan; Urine; Plasma; Tissue; Carcinoid; Diurnal variation; Diet (Kema, I.P. (221) 143)

Platelet-derived endothelial cell growth factor

Rheumatoid arthritis; Synovial fluids; Angiogenesis; Enzyme immunoassay; Gliostatin (Asai, K. (218) 1)

Poisoning

Digoxin; Fab fragments (Bizzaro, N. (217) 225)

Polycystic kidney disease

Trehalase isozymes; Fetal pathologies; Prenatal diagnosis; Anal imperforation; Amniotic fluid (Esliger, M.-A. (216) 91)

Polycystic ovary syndrome

Testosterone; SHBG; Coated tube radioimmunoassay; Clinical evaluation (Holownia, P. (214) 31)

Polymerase chain reaction using allele-specific oligonucleotide

Apolipoprotein E; Genotype/phenotype; Amplification refractory mutation system analysis; Diabetes mellitus (Stavljenic-Rukavina, A. (216) 191)

Polymerase chain reaction (PCR)

DNA probes; Genetic testing; Molecular testing (Garrett, C.T. (217) 85)

Minimal residual disease (MRD); Leukemia (Bartram, C.R. (217) 75)

Polymorphonuclear leukocytes

Chronic granulomatous disease; Tetrazolium salts; Respiratory burst; Free oxygen radicals; Densitometry (Iacobini, M. (221) 197)

Porphobilinogen deaminase

Acute intermittent porphyria; Porphyria; Porphyria variegata; Hereditary coproporphyria; Heme synthesis; Alcohol; Drugs; Estrogen; Progesterone; Gene; Chromosome; mRNA; Mutation (Hindmarsh, J.T. (217) 29)

Porphyria variegata

Acute intermittent porphyria; Porphyria; Hereditary coproporphyria; Porphobilinogen deaminase; Heme synthesis; Alcohol; Drugs; Estrogen; Progesterone; Gene; Chromosome; mRNA; Mutation (Hindmarsh, J.T. (217) 29)

Porphyria

Acute intermittent porphyria; Porphyria variegata; Hereditary coproporphyria; Porphobilinogen deaminase; Heme synthesis; Alcohol; Drugs; Estrogen; Progesterone; Gene; Chromosome; mRNA; Mutation (Hindmarsh, J.T. (217) 29)

Possibility theory

Laboratory computer; Knowledge-based system; Expert system; Bayes' theorem; Interval arithmetics; Set theory; Syntax analysis; Probability theory (Pohl, B. (222) 85)

Postprandial lipemia

Vitamin A; Fat-loading test; Gender; (Heller, F.R. (219) 167)

Post-analytical functionalities

Clinical laboratory services; Primary care; Intensive care; Interpretative reporting; Alarms generation (Nykänen, P. (222) 37)

Pregnancy

Adenosine; Inosine; Hypoxanthine; Xanthine; Uterine smooth muscle; Skeletal striated muscle (Ronquist, G. (223) 93)

Insulin binding; Insulin receptors; Erythrocytes; Gestational diabetes; Diabetes and pregnancy (Schmon, B. (221) 33)

Insulin-like growth factor-binding protein; Phosphorylation; Amniotic fluid; Decidua (Koistinen, R. (215) 189)

Prenatal diagnosis

Trehalase isozymes; Fetal pathologies; Anal imperforation; Polycystic kidney disease; Amniotic fluid; (Elsiger, M.-A. (216) 91)

Primary care

Post-analytical functionalities; Clinical laboratory services; Intensive care; Interpretative reporting; Alarms generation (Nykänen, P. (222) 37)

Primary health care

Electronic data interchange; Computer communication networks; Clinical laboratory information systems (Bergvin, L. (222) 141)

Primary hyperparathyroidism

Parathyroid hormone; (Bergenfelz, A. (219) 67)

Probability theory

Laboratory computer; Knowledge-based system; Expert system; Bayes' theorem; Interval arithmetics; Set theory; Syntax analysis; Possibility theory (Pohl, B. (222) 85)

Production management

Dynamic test scheduling; Ethics; Laboratory Information System; Quality assurance; Telecommunication (Brender, J. (222) 57)

Progesterone

Acute intermittent porphyria; Porphyria; Porphyria variegata; Hereditary coproporphyria; Porphobilinogen deaminase; Heme synthesis; Alcohol; Drugs; Estrogen; Gene; Chromosome; mRNA; Mutation (Hindmarsh, J.T. (217) 29)

Proline

Hydroxyproline; Urine; Gas chromatography; Flame photometric detection; N-Dimethylthiophosphoryl methyl ester derivatives (Kataoka, H. (214) 13)

Prostasomes

Seminal plasma; Human; 5'-Nucleotidase; Membrane-bound (Fabiani, R. (216) 175)

Prostate

Deoxyribonuclease; Human semen; Purification; Multiplicity (Yasuda, T. (218) 5)

Prostatic cancer

Diethylstilbestrol; Radioimmunoassay; Radio-iodination; Steroids (Economou, E.V. (216) 81)

Protein assay

Reverse biuret method; Copper; Bathocuprine; Chelate reaction (Matsushita, M. (216) 103)

Protein methods

Bradford; Collagen; Sodium dodecyl sulfate (SDS) (López, J.M. (220) 91)

Protein phosphorylation

Bilirubin toxicity; PKC inhibition; Fibroblasts (Amit, Y. (223) 102)

Protein-losing enteropathies

Alpha-1-antitrypsin; Occult blood (Moran, A. (217) 153)

Pseudouridine

Modified nucleosides; 1-Methyladenosine; Urinary excretion patterns; Healthy individuals (Itoh, K. (217) 221)

Psychotic patients

Immunoglobulin G; Dopamine; Cerebrospinal fluid (Bergquist, J. (217) 129)

Pulmonary adenocarcinoma

t(14; 18) chromosomal rearrangement; Follicular lymphoma; c-erbB-2; Mammary carcinoma; N-myc; Neuroblastoma; K-ras; Colorectal carcinoma (Werner, M. (217) 39)

Purification

Deoxyribonuclease; Human semen; Multiplicity; Prostate (Yasuda, T. (218) 5)

Purines

Pyridine coenzymes; Human erythrocytes; Inherited disorders; HPLC; Sample preparation (Micheli, V. (220) 1)

Pyridine coenzymes

Purines; Human erythrocytes; Inherited disorders; HPLC; Sample preparation (Micheli, V. (220) 1)

Q

Quality assurance

Analytical quality goals; Clinical quality specifications; Quality specifications for clinical laboratories; Measurement procedure; Transferability of clinical laboratory results (Groth, T. (222) 129)

Dynamic test scheduling; Ethics; Laboratory Information System; Production management; Telecommunication (Brender, J. (222) 57)

Quality specifications for clinical laboratories

Analytical quality goals; Clinical quality specifications; Quality assurance; Measurement procedure; Transferability of clinical laboratory results (Groth, T. (222) 129)

Quantitation

Elisa; Lipoprotein(a); Oxidatively modified low density lipoprotein (Wang, H. (218) 97)

R

Radioimmunoassay

Diethylstilbestrol; Prostatic cancer; Radioiodination; Steroids (Economou, E.V. (216) 81)

Calcitonin; Hormones; Peptides; Peptide hormones; Regulatory peptides (Schifter, S. (215) 99)

Pancreatic elastase 1; Autoantibody (Asada, H. (218) 17)

Glutathione peroxidase; Selenium; (Huang, W. (219) 139)

Radioiodination

Diethylstilbestrol; Prostatic cancer; Radioimmunoassay; Steroids (Economou, E.V. (216) 81)

Ratio CK-MB mass vs. activity

CK-MB activity; CK-MB mass concentration; Acute myocardial infarction (Baum, H.H.E. (219) 183)

Rats

Alpha-1-acid glycoprotein; Inflammation; Oligosaccharide; Glycoform (Venembre, P.C. (221) 59)

Ethanol; Free radicals; Lipid peroxidation; (Coudray, C. (219) 35)

Inflammation; Carrageenan-induced granuloma; Antioxidants; Lipid peroxidation; Oxygen radicals (Muntané, J. (214) 185)

Inflammation; Carrageenan-induced granuloma; Antioxidants; Iron; Oxygen radicals (Muntané, J. (214) 185)

Inflammation; Carrageenan-induced granuloma; Antioxidants; Lipid peroxidation; Iron; Oxygen radicals (Muntané, J. (214) 185)

5,6-Dihydrouridine; *N*⁶-threoninocarbonyladenosine; tRNA degradation; Man; Metabolic rate (Topp, H. (218) 73)

Phospholipid classes; Erythrocyte membranes; Extraction; Fatty acids; Solvent (Eder, K. (219) 93)

Reactive oxygen

Cytosolic calcium; Endothelial cells; Antioxidants (David, M. (223) 1)

Recessive X-linked ichthyosis

Steroid sulfatase; High performance liquid chromatography; Estrone sulfate; Estrone (Minoru, M. (215) 165)

Reference values

Standards; Software; User-computer interface (Kenny, D. (222) 19)

Regulatory peptides

Calcitonin; Radioimmunoassay; Hormones; Peptides; Peptide hormones (Schifter, S. (215) 99)

Remnant-like particles (RLP)

RLP-cholesterol; VLPL remnant; Chylomicron remnant; Familial dysbetalipoproteinemia; Coronary heart disease (Nakajima, K. (223) 53)

Renal cyst fluid

Epidermal growth factor; Insulin-like growth factor-I; Transforming growth factor- β ; Interleukin-6 (Taide, M. (217) 199)

Respiratory burst

Chronic granulomatous disease; Tetrazolium salts; Free oxygen radicals; Densitometry; Polymorphonuclear leukocytes (Iacobini, M. (221) 197)

Restriction fragment length polymorphism

Apo B gene; Hypercholesterolaemia (Series, J.J. (215) 89)

Reverse biuret method

Protein assay; Copper; Bathocuproine; Chelate reaction (Matsushita, M. (216) 103)

Reversed-phase HPLC

Histidinemia; Histidase activity; Urocanic acid; Human fingernails (Fujitaka, M. (215) 227)

Rhamnose

Intestinal permeability; 3-O-Methyl-D-glucose; Xylase; Lactulose; HPLC determination (Sørensen, S.H. (221) 115)

Rheumatoid arthritis

Fucose; Galactose; Glycosylation; Haptoglobin (Thompson, S. (220) 107)

Serum trehalase; Acute phase reactants (Yoshida, K. (215) 123)

Synovial fluids; Angiogenesis; Enzyme im-

munoassay; Gliostatin; Platelet-derived endothelial cell growth factor (Asai, K. (218) 1)

Ribonuclease protection assay

Hormone-sensitive lipase; Adipose tissue; Northern blot (Frayn, K.N. (216) 183)

RLP-cholesterol

Remnant-like particles (RLP); VLPL remnant; Chylomicron remnant; Familial dysbetalipoproteinemia; Coronary heart disease (Nakajima, K. (223) 53)

RNA turnover

Urinary modified nucleosides; Biological marker;

Half-life of RNA; Cancer; AIDS (Nakano, K. (218) 169)

Routine chromatofocusing procedure

N-Acetyl- β -D-glucosaminidase; Isoenzymes; Plasma levels; Distribution in a general population (Goi, G. (221) 47)

Rupture of fetal membranes

Insulin-like growth factor binding protein-1; Fetal fibronectin; Amniotic fluid (Rutanen, E.-M. (214) 73)

S

7S and triple helix

Serum type IV collagen; Enzyme immunoassay; Anti-HCV positive chronic liver diseases (Matsuzaki, Y. (221) 209)

Salicylate

Free thyroxine; Somatic illness; Heparin (Faber, J. (223) 159)

Salivary gland disease

Alcohol misuse; Alcoholic liver disease; Amylase; Iso-enzymes; Cirrhosis (Deenmamode, J.M.J. (223) 169)

Sample preparation

Pyridine coenzymes; Purines; Human erythrocytes; Inherited disorders; HPLC (Micheli, V. (220) 1)

Sandwich enzyme immunoassay

Matrix metalloproteinase 2; Tissue inhibitor of metalloproteinase 2; Monoclonal antibody (Fujimoto, N. (221) 91)

Tissue inhibitor of metalloproteinases-2; Monoclonal antibody (Fujimoto, N. (220) 31)

Interstitial collagenase; Monoclonal antibody; Tissue inhibitors of metalloproteinases; (Zhang, J. (219) 1)

Scintillation proximity assay

Extrelut-1-minicolumns; Sep-Pak silica cartridges; Vitamin D metabolites; Calcitriol (Wildermuth, S. (220) 61)

Screening

Test requests; Expert systems; Electronic data interchange; OPENLABS (Hasman, A. (222) 49)

Secretions

IgA; Single radial immunodiffusion; Electroimmunodiffusion (Meillet, D. (214) 235)

Secretory IgA

Lectin; ELISA; IgA subclass; Affinity chromatography (Cullina, M.J. (216) 23)

Bronchoalveolar lavage fluid; Serum IgA; Enzyme immunoassay methods; Interstitial lung disease (Sato, T. (220) 145)

Selenium

Asthma; Oxidative metabolism; Lipid peroxidation; Zinc (Malvy, J.-M.D. (218) 117)

Glutathione peroxidase; Radioimmunoassay; (Huang, W. (219) 139)

Seminal plasma

Prostasomes; Human; 5'-Nucleotidase; Membrane-bound (Fabiani, R. (216) 175)

Sep-Pak silica cartridges

Extrelut-1-minicolumns; Scintillation proximity assay; Vitamin D metabolites; Calcitriol (Wildermuth, S. (220) 61)

Serological assay

Data reduction; Lyme testing; Computer programs; Statistical evaluation of assays (Sorensen, K. (214) 55)

Serotonin

HPLC; Fluorometry; 5-Hydroxyindole-3-acetic acid; 5-Hydroxytryptophan; Tryptophan; Urine; Plasma (Kema, I.P. (221) 143)

Serum arylesterase

Monoclonal antibody; Specific substrate; Molecular weight; Paraoxon (Tanaka-Kawai, H. (215) 127)

Serum cholesterol

Breast cancer; Tamoxifen; Serum lipoproteins; Cardiovascular risk (Dnistrian, A.M. (223) 43)

Serum hyaluronic acid

Healthy infants and children; Hepatobiliary disease of infancy (Trivedi, P. (215) 29)

Serum IgA

Bronchoalveolar lavage fluid; Secretory IgA; Enzyme immunoassay methods; Interstitial lung disease (Sato, T. (220) 145)

Serum lathosterol

Whole body cholesterol synthesis; Plasma mevalonate; Simvastatin (De Cuyper, I. (219) 123)

Serum lipoproteins

Breast cancer; Tamoxifen; Serum cholesterol; Cardiovascular risk (Dnistrian, A.M. (223) 43)

Serum thyrotrphin

Thyroid hormone autoantibodies; Free T₄; Free T₃; Equilibrium dialysis; Graves' disease; Hashimoto's thyroiditis (Sakata, S. (219) 23)

Serum trehalase

Rheumatoid arthritis; Acute phase reactants (Yoshida, K. (215) 123)

Serum type IV collagen

Enzyme immunoassay; 7S and triple helix; Anti-HCV positive chronic liver diseases (Matsuzaki, Y. (221) 209)

Serum

Microheterogeneity; α_1 -Antitrypsin; Meconium; Cystic fibrosis; Immunoaffinoelectrophoresis (Duthel, S. (215) 173)

Mn-SOD; CuZn-SOD; ELISA; Strenuous exercise (Ohno, H. (215) 213)

Alanine-aminopeptidase; Leucine-aminopeptidase; Aminopeptidase-N; Plasma; gp150; CD13 (Favaloro, E.J. (220) 81)

Bile acids; Liver cirrhosis (Greco, A.V. (221) 183)

Vitamin C; Ascorbate; Uric acid; Cerebrospinal fluid (CSF); CSF flow; Blood-CSF barrier function; Neurological diseases (Reiber, H. (217) 163)

Set theory

Laboratory computer; Knowledge-based system; Expert system; Bayes' theorem; Interval arithmetics; Syntax analysis; Probability theory; Possibility theory (Pohl, B. (222) 85)

SHBG

Testosterone; Coated tube radioimmunoassay; Clinical evaluation; Polycystic ovary syndrome (Holownia, P. (214) 31)

Sialic acid

Low density lipoprotein (LDL); Modified lipoprotein; Atherosclerosis (Ruelland, A. (221) 127)

Acute phase proteins; Type 1 diabetes; Type 2 diabetes (Crook, M.A. (219) 131)

Signal sequence

Apolipoprotein B; DNA polymorphism (Gaffney, D. (218) 131)

Simvastatin

Serum lathosterol; Whole body cholesterol syn-

thesis; Plasma mevalonate (De Cuyper, I. (219) 123)

Single radial immunodiffusion

IgA; Secretions; Electroimmunodiffusion (Meillet, D. (214) 235)

Site of glycation

Glycated apolipoprotein A-I; Diabetes (Calvo, C. (217) 193)

Skeletal striated muscle

Adenosine; Inosine; Hypoxanthine; Xanthine; Pregnancy; Uterine smooth muscle (Ronquist, G. (223) 93)

Skin fibroblasts

Lipid storage diseases; Lipidoses; Fluorescent glycolipids (Vered, A. (218) 139)

Smoking

Cotinine determination; 'König' reaction; Fluorescence polarization immunoassay; Automated analysis (Pickert, A. (217) 143)

Sodium dodecyl sulfate (SDS)

Bradford; Collagen; Protein methods (López, J.M. (220) 91)

Software

Reference values; Standards; User-computer interfac (Kenny, D. (222) 19)

Solvent

Phospholipid classes; Erythrocyte membranes; Rat; Extraction; Fatty acids (Eder, K. (219) 93)

Somatic illness

Free thyroxine; Salicylate; Heparin (Faber, J. (223) 159)

Specific substrate

Serum arylesterase; Monoclonal antibody; Molecular weight; Paraoxon (Tanaka-Kawai, H. (215) 127)

Spinal muscular atrophy

β -N-Acetylhexosaminidase; Isoenzyme; Fibroblasts (Tassi, C. (221) 203)

Stability

Atrial natriuretic peptide; Storage (Bhagoe, U.M. (223) 179)

Stable isotope dilution

3-Methylglutaconic acid; Mass spectrometry; Inborn error of metabolism (Kelley, R.I. (220) 157)

Stable-isotope

Mevalonate kinase deficiency; Bile acid; Chenodeoxycholic acid; Cholic acid; Gas-chromatography-mass spectrometry; Cholesterol (Gibson, K.M. (217) 217)

Standards

Clinical laboratory information systems; Guidelines; Ireland (Kenny, D. (222) 147)

Decision support systems; Knowledge based system; Clinical laboratory information systems (Johansson, B. (222) 123)

Reference values; Software; User-computer interface (Kenny, D. (222) 19)

Statistical evaluation of assays

Data reduction; Serological assay; Lyme testing; Computer programs (Sorensen, K. (214) 55)

Steroid sulfatase

Recessive X-linked ichthyosis; High performance liquid chromatography; Estrone sulfate; Estrone (Minoru, M. (215) 165)

Steroids

Diethylstilbestrol; Prostatic cancer; Radioimmunoassay; Radioiodination (Economou, E.V. (216) 81)

Stimulatory GTP-binding protein

Alcohol; Alcoholics; Gs; Erythrocyte (Nakamura, J. (218) 229)

Stimulatory GTP-binding protein

Alcohol; Alcoholics; Gs; Erythrocyte (Nakamura, J. (218) 229)

Stimulatory GTP-binding regulatory protein

Erythrocyte membranes; Alcohol; Alcoholics (Nakamura, J. (215) 1)

Stomach

Cholesterol; Lipid; Triglyceride; Xanthoma (Chang, F-Y. (217) 233)

Storage

Atrial natriuretic peptide; Stability (Bhagoe, U.M. (223) 179)

Strenuous exercise

Mn-SOD; CuZn-SOD; ELISA; Serum (Ohno, H. (215) 213)

Streptokinase

Antibodies; Immunoassay; ELISA; Myocardial infarction (Bom, V.J.J. (218) 121)

Sugar chain

γ -Glutamyltranspeptidase; Hepatocellular carcinoma (Ohta, H. (214) 83)

Synovial fluids

Rheumatoid arthritis; Angiogenesis; Enzyme immunoassay; Gliostatin; Platelet-derived endothelial cell growth factor (Asai, K. (218) 1)

Syntax analysis

Laboratory computer; Knowledge-based system; Expert system; Bayes' theorem; Interval arithmetics; Set theory; Probability theory; Possibility theory (Pohl, B. (222) 85)

T

Tamoxifen

Breast cancer; Serum cholesterol; Serum lipoproteins; Cardiovascular risk (Dnistrian, A.M. (223) 43)

Teeth

Bone; Atomic absorption spectrometry; Mineral elements; Digestion procedure (Gil, F. (221) 23)

Telecommunication

Dynamic test scheduling; Ethics; Laboratory Information System; Production management; Quality assurance (Brender, J. (222) 57)

Tenascin

Enzyme immunoassay; Carcinoma marker (Washizu, K. (219) 15)

Test requests

Screening; Expert systems; Electronic data interchange; OPENLABS (Hasman, A. (222) 49)

Testosterone

SHBG; Coated tube radioimmunoassay; Clinical evaluation; Polycystic ovary syndrome (Holownia, P. (214) 31)

Tetanus immunity

Tetanus; Allergic reactions; Booster immunization; Knowledge-based systems (Schröder, J.P. (222) 79)

Tetanus

Tetanus immunity; Allergic reactions; Booster immunization; Knowledge-based systems (Schröder, J.P. (222) 79)

Tetrahydrobiopterin deficiency

Hyperphenylalaninemia; Biopterin; Neopterin (Ponzone, A. (216) 63)

Tetrazolium salts

Chronic granulomatous disease; Respiratory burst; Free oxygen radicals; Densitometry; Polymorphonuclear leukocytes (Iacobini, M. (221) 197)

Thalassemia

Glutathione peroxidase; Loaded erythrocytes; Human hemoglobin chains (Grelloni, F. (217) 187)

Thallium

Inductively coupled plasma mass spectrometry

(ICPMS); lead; Bismuth; Plasma; Urine (Mauras, Y. (218) 201)

Theophylline

Turbidimetric immunoassay; Biotin-avidin (Oh, C. (218) 59)

Thin-layer chromatography

Gas chromatography; Organic acids (Lee, B.Y. (218) 215)

N⁶-Threoninocarbonyladenosine

5,6-Dihydrouridine; tRNA degradation; Man; Rat; Metabolic rate (Topp, H. (218) 73)

Thyroid function assessment

Database collection; Epidemiology; Decision support systems (Nolan, J. (222) 117)

Thyroid function

African neonates (Das, S.C. (220) 233)

Thyroid hormone autoantibodies

Free T₄; Free T₃; Serum thyrothropin; Equilibrium dialysis; Graves' disease; Hashimoto's thyroiditis (Sakata, S. (219) 23)

Tissue culture

Fructose-1,6-diphosphatase deficiency; Monocytes; Lymphocytes; Calcitriol (Kikawa, Y. (215) 81)

Tissue inhibitor of metalloproteinases (TIMP)

Liver disease; Hepatocellular carcinoma (Murawaki, Y. (218) 47)

Interstitial collagenase; Sandwich enzyme immunoassay; Monoclonal antibody; (Zhang, J. (219) 1)

Tissue inhibitor of metalloproteinase 2

Sandwich enzyme immunoassay; Matrix metalloproteinase 2; Monoclonal antibody (Fujimoto, N. (221) 91)

Sandwich enzyme immunoassay; Monoclonal antibody (Fujimoto, N. (220) 31)

Tissue

HPLC; Fluorometry; Serotonin; 5-Hydroxylindole-3-acetic acid; 5-Hydroxytryptophan; Tryptophan; Urine; Plasma; Platelets; Carcinoid; Diurnal variation; Diet (Kema, I.P. (221) 143)

Trace metals

Diabetes mellitus; Children (Rohn, R.D. (215) 21)

Tracheal aspirate

Platelet activating factor; Patent ductus arteriosus; Chronic lung disease; Bronchopulmonary dysplasia; Low birth weight infant (Koyama, N. (215) 73)

Transaminases

Alcohol abuse; Asialotransferrin; Carbohydrate-deficient transferrin (CDT); Isoelectric focusing (IEF); Immunofixation (Löf, K. (217) 175)

Transcription levels

Alkaline phosphatase; Osteosarcoma; Isoenzyme (Stinson, R.A. (221) 105)

Transcriptional regulation

Amplification; *myc* oncogenes (Koskinen, P.J. (217) 57)

Transferability of clinical laboratory results

Analytical quality goals; Clinical quality specifications; Quality specifications for clinical laboratories; Quality assurance; Measurement procedure (Groth, T. (222) 129)

Transferrin receptor

Iron; Placenta; Cytotrophoblast (Starreveld, J.S. (220) 47)

Transforming growth factor- β

Renal cyst fluid; Epidermal growth factor; Insulin-like growth factor-I; Interleukin-6 (Taide, M. (217) 199)

Trehalase isozymes

Fetal pathologies; Prenatal diagnosis; Anal imperforation; Polycystic kidney disease; Amniotic fluid; (Elsiger, M.-A. (216) 91)

Triacylglycerol

Monoacylglycerol; Diacylglycerol; Heparin; Lipoprotein lipase; Plasma (Fielding, B.A. (216) 167)

Triglycerides

Apo B; LDL cholesterol; VLDL cholesterol; Non-HDL cholesterol; HDL cholesterol (Levinson, S.S. (223) 31)

Lipoproteins; Apolipoproteins; Insulin therapy (Reverter, J.L. (223) 113)

Cholesterol; Lipoproteins; Apoproteins; Atherosclerosis (Manzato, E. (219) 57)

Microalbumin; Cholesterol; Non-insulin-dependent diabetes mellitus (Shimizu, H. (221) 191)

Cholesterol; Lipid; Stomach; Xanthoma (Chang, F-Y. (217) 233)

Tritium release

Glutaric aciduria type 1; Glutaryl-CoA dehydrogenase; Cultured fibroblasts (Christensen, E. (220) 71)

tRNA degradation

5,6-Dihydrouridine; *N*⁶-threoninocarbonyladenosine; Man; Rat; Metabolic rate (Topp, H. (218) 73)

Tryptophan

HPLC; Fluorometry; Serotonin; 5-Hydroxyindole-3-acetic acid; 5-Hydroxytryptophan; Urine; Plasma (Kema, I.P. (221) 143)

Tubular interstitial changes

¹H-NMR urinalysis; Glomerulonephritis (Lundina, T.A. (214) 165)

Tumor marker

α -Fetoprotein; Carbohydrate chain; Lectin electrophoresis; Hepatocellular carcinoma; *Lens culinaris* agglutinin-A; Erythro-agglutinating phytohemagglutinin-E4 (Shimizu, K. (214) 3)

Tumor necrosis factor- α

Vitamin E; Cholestan-3 β ,5 α ,6 β -triol; Linoleic acid; Elastase-like activity; Endothelial cells (Toborek, M. (215) 201)

Tumour-associated antigen

Mucin; Normal range; CASA (McGuckin, M.A. (214) 139)

Turbidimetric immunoassay

Theophylline; Biotin-avidin (Oh, C. (218) 59)

Turbidity

Nephelometry; Nucleation; Kinetics; Calcium oxalate crystallization; Nucleation promoters (Rodgers, A.L. (220) 125)

Twins

Lysosomal enzymes; Plasma; Neonates (Goi, G. (214) 61)

Two-dimensional electrophoresis

IgD; IgD myeloma; Paraprotein (Stulík, J. (218) 148)

Two-stage

Medium-chain acyl-CoA dehydrogenase deficiency; Mutation; 985-G; PCR; *NcoI* digestion (Nagao, M. (220) 165)

Type 1 diabetes mellitus

Malondialdehyde; Lipid peroxidation; Type 2 diabetes mellitus; Angiopathy (Gallou, G. (214) 227)

Sialic acid; Acute phase proteins; Type 2 diabetes (Crook, M.A. (219) 131)

Type 2 diabetes mellitus

Malondialdehyde; Lipid peroxidation; Type 1 diabetes mellitus; Angiopathy (Gallou, G. (214) 227)

Sialic acid; Acute phase proteins; Type 1 diabetes (Crook, M.A. (219) 131)

U**Ubiquitin**

β_2 -Microglobulin amyloidosis; Dialysis patients; Amyloid enhancing factor; Plasma concentration (Okada, M. (220) 135)

UDPGalactose

Galactosaemia; Erythrocytes; UDPGlucose (Keevill, N.J. (221) 135)

UDPGlucose

Galactosaemia; Erythrocytes; UDPGalactose (Keevill, N.J. (221) 135)

Uraemia

Lymphocyte cells; Nucleases; Lymphocytic Mg^{2+} , Mn^{2+} ions concentration (Adamiec, R. (221) 15)

Urea cycle

Anhydrides of argininosuccinate; Argininosuccinic aciduria; Metabolic disorders; Nuclear magnetic resonance (Burns, S.P. (221) 1)

Uric acid

Vitamin C; Ascorbate; Cerebrospinal fluid (CSF); Serum; CSF flow; Blood-CSF barrier function; Neurological diseases (Reiber, H. (217) 163)

Urinary excretion patterns

Modified nucleosides; Pseudouridine; 1-Methyladenosine; Healthy individuals (Itoh, K. (217) 221)

Urinary growth hormone

Diabetes mellitus (Turner, G. (220) 19)

Urinary modified nucleosides

Biological marker; Half-life of RNA; RNA turnover; Cancer; AIDS (Nakano, K. (218) 169)

Urine

HPLC; Fluorometry; Serotonin; 5-Hydroxyl-indole-3-acetic acid; 5-Hydroxytryptophan; Tryptophan; Plasma (Kema, I.P. (221) 143)

Mucopolysaccharidoses; Analysis; Glycosaminoglycans; Electrophoresis (Piraud, M. (221) 171)

Proline; Hydroxyproline; Gas chromatography; Flame photometric detection; *N*- Dimethylthiophosphoryl methyl ester derivatives (Kataoka, H. (214) 13)

Inductively coupled plasma mass spectrometry (ICPMS); lead; Bismuth; Thallium; Plasma (Mauras, Y. (218) 201)

Fibronectin; Fragments; Monoclonal antibodies; Cancer patients (Katayama, M. (217) 115)

Urocanic acid

Reversed-phase HPLC; Histidinemia; Histidase activity; Human fingernails (Fujitaka, M. (215) 227)

Urokinase-type plasminogen activator receptor (u-PAR)

Urokinase-type plasminogen activator (u-PA); Plasminogen activator inhibitor-I (PAI-I); Osteosarcoma cell; Bone resorption (Nonaka, T. (223) 129)

Urokinase-type plasminogen activator (u-PA)

Urokinase-type plasminogen activator receptor (u-PAR); Plasminogen activator inhibitor-I (PAI-I); Osteosarcoma cell; Bone resorption (Nonaka, T. (223) 129)

User-computer interface

Reference values; Standards; Software (Kenny, D. (222) 19)

Uterine smooth muscle

Adenosine; Inosine; Hypoxanthine; Xanthine; Pregnancy; Skeletal striated muscle (Ronquist, G. (223) 93)

V**Vanillylmandelic acid**

Homovanillic acid; Neuroblastoma screening;
Cancer (Mathieu, P. (220) 229)

Ventriculitis

Acetylcholinesterase; Butyrylcholinesterase;
Cerebrospinal fluid; Meningitis; Hydrocephaly
(Tornel, P.L. (214) 219)

Very low density lipoprotein

Diabetes mellitus; Lipoprotein lipase; Metabolites (Saheki, S. (217) 105)

Vigabatrin

Amino acids; Beta alanine; Gamma amino
butyric acid (Preece, M.A. (218) 113)

Vitamin A

Postprandial lipemia; Fat-loading test; Gender;
(Heller, F.R. (219) 167)

Vitamin C

Ascorbate; Uric acid; Cerebrospinal fluid (CSF);
Serum; CSF flow; Blood-CSF barrier function;
Neurological diseases (Reiber, H. (217) 163)

Vitamin D metabolites

proximity assay; Calcitriol (Wildermuth, S. (220)
61)

Vitamin E

Tumor necrosis factor- α ; Cholestan-3 β ,5 α ,6 β -
triol; Linoleic acid; Elastase-like activity; Endothelial
cells (Toborek, M. (215) 201)

VLDL cholesterol

Apo B; LDL cholesterol; Non-HDL cholesterol;
HDL cholesterol; Triglycerides (Levinson, S.S.
(223) 31)

VLDL

Cholesteryl ester transfer protein; Lipoprotein li-
pase deficiency; Hyperchylomicronemia; Hyper-
triglyceridemia; HDL (Iglesias, A. (221) 73)

VLDL remnant

Remnant-like particles (RLP); RLP-cholesterol;
Chylomircron remnant; Familial dysbetalipopro-
teinemia; Coronary heart disease (Nakajima, K.
(223) 53)

W**Western blot**

Autoantibodies; Autoantigen; Muscle; Age; Laurylsulphate, sodium salt-polyacrylamide-gel-electrophoresis (Zimmermann, C.W. (218) 29)

Whole blood water

Plasma water; Erythrocyte water; Hematological and clinicochemical parameters (Lijnema, T.H. (214) 129)

X**Xanthine**

muscle; Skeletal striated muscle (Ronquist, G. (223) 93)

Xanthoma

Cholesterol; Lipid; Stomach; Triglyceride (Chang, F-Y. (217) 233)

Xylase

3-O-Methyl-D-glucose; Lactulose; HPLC determination (Sørensen, S.H. (221) 115)

Z**Zinc activation**

Kinetic enzyme assay; Zinc inhibition; Zinc and EDTA blood angiotensin-converting enzyme (Buttery, J.E. (217) 213)

Zinc and EDTA blood angiotensin-converting enzyme

Kinetic enzyme assay; Zinc inhibition; Zinc activation (Buttery, J.E. (217) 213)

Zinc inhibition

Kinetic enzyme assay; Zinc activation; Zinc and EDTA blood angiotensin-converting enzyme (Buttery, J.E. (217) 213)

Zinc

Cardiomyopathy; Copper; Iron; Ejection fraction; Cardiac index (Oster, O. (214) 209)

Asthma; Oxidative metabolism; Lipid peroxidation; Selenium (Malvy, J.-M.D. (218) 117)



NOTES TO AUTHORS (Given in full on pages 197—203 of Vol. 223, No. 2)

Preparation of the text

The preferred medium of submission is on disk with accompanying manuscript (see 'Electronic manuscripts' below). Typescripts should be sent to one of the Editors-in-Chief (as indicated on inside front cover) and should be typewritten (manuscripts generated by dot printer may be difficult to read and may not be considered) on one side of the paper with double spacing and wide margins. Pages should be numbered consecutively. Words to be printed in *italics* should be underlined. Title page, summary, legends to figures, tables and references should each be supplied on separate sheets of paper. The title page should include: title, name(s) and affiliation(s) of author(s) and name and address of author to whom correspondence should be addressed. Critical Reviews, full Research Communications and Short Communications are invited. All articles should include a summary not longer than 150 words. Research Communications should include the following sections: introduction, materials and methods (wherein experiments should be described in sufficient detail to allow precise reproduction in toto of the work described by the reader; e.g. time, g-force and temperature should be given for all centrifugation steps; dimensions, flow rates and sample sizes for column chromatography should be stated), results, discussion and list of references. A list of up to 6 key words for abstracting and indexing purposes should be supplied. Authors are reminded that since titles are widely used in information retrieval systems, the full allocation of key words should appear in the title of the paper. The original and two copies of the manuscript, including all figures, tables, references, etc., should be provided.

Short communications: These are of two types: (1) concise, complete reports of limited scope offering conclusive results; (2) brief reports of new or improved methods. The former should be less than 1500 words with a maximum of 2 figures and 2 tables and a compact current list of not more than 15 references. Authors should state in a covering letter to the Editor-in-Chief why their paper should receive priority handling.

Reports of new or improved methods should be as brief as is consistent with clarity (up to about 1000 words). They should unequivocally identify the element of novelty claimed, and the advantages over existing technology. Performance characteristics, including effects of interfering substances, comparisons with results of accepted methods and reference values based on appropriate population samples should be documented by adequate data. Citing of earlier publications is preferred to repetition of details for reagents, procedures, etc., which are already in print. Nevertheless, the information provided must suffice to allow readers to duplicate the work or to compare the technique with current practice. Instrument and kit evaluation usually will not be accepted unless a new principle is involved.

Electronic manuscripts

Electronic manuscripts have the advantage that there is no need for the rekeying of text, thereby avoiding the possibility of introducing errors and resulting in reliable and fast delivery of proofs.

The preferred storage medium is a 5.25 or 3.5 inch disk in MS-DOS format, although other systems are welcome, e.g., Macintosh (in this case, save your file in the usual manner, do not use the option 'save in MS-DOS format'). Your disk and (*exactly matching*) printed version (printout, hardcopy) should be submitted together to the accepting editor. In case of revision, the same procedure should be followed such that, on acceptance of the article, *the file on disk and the printout are identical*. Please specify the type of computer and word-processing package used (*do not convert your textfile to plain ASCII*). Ensure that the letter 'l' and digit '1' (also letter 'O' and digit '0') have been used properly, and format your article (tabs, indents, etc.) consistently. Characters not available on your word processor (Greek letters, mathematical symbols, etc.) should not be left open but indicated by a unique code (e.g. gralpah, @, #, etc., for the Greek letter α). Such codes should be used consistently throughout the entire text. Please make a list of such codes and provide a key. Do not allow your word processor to introduce word splits and do not use a 'justified' layout. Please adhere strictly to the general instructions on style/arrangement and, in particular, the reference style of the journal. Tables and illustrations will be handled conventionally; the latter should be submitted as original drawings or glossy prints. Further information may be obtained from the Publisher.

Tables and illustrations

Authors should ensure that tables and illustrations include sufficient detail such that they can be interpreted without direct reference to the text. Photographs should be presented as glossy prints with high contrast. In the case of histological presentations, the magnification should be indicated by a line representing the actual scale of reproduction (0.1 μm , 1 μm or 10 μm). Illustrations will not be redrawn by the publisher: authors should therefore provide line drawings suitable for direct reproduction. They should be prepared with black ink on white paper; *they should be completely and consistently lettered, the size of the lettering being appropriate to that of the drawing, taking into account the necessary reduction in size (preferably not more than one third)*.

Illustrations should be numbered consecutively using Arabic numerals; tables should be numbered correctly using Roman numerals. Each illustration should be clearly marked on the reverse side with the name of the author(s), the number of the illustration and its orientation (top); use a soft pencil or preferably a felt-tipped pen for marking photographs.

Nomenclature

Authors should follow the instructions given in *Information for Contributors to Biochimica et Biophysica Acta*, which is available free of charge from BBA Editorial Secretariat, P.O. Box 1345, 1000 BH Amsterdam, The Netherlands.

References

Literature references in the text should be numbered consecutively with Arabic numerals in square brackets. Type the reference list with double spacing on a separate sheet. References should accord with the system used in *Uniform requirements for manuscripts submitted in biomedical journals* (Br Med J 1982;284:1766–1770 and Ann Intern Med 1982;96 (Part 1):766–770).

Examples:

- 1 Virji MA. Circulating prostatic acid phosphatase-immunoglobulin complexes in Sjögren's syndrome. Clin Chim Acta 1985;151:217–222.
- 2 Akatsu T. Artificial heart: total replacement and partial support. Amsterdam: Elsevier/North-Holland, 1980;217–240.
- 3 Winder AF. Factors influencing the variable expression of xanthelasmata and corneal arcus in familial hypercholesterolaemia. In: Bergsma D, Berman ER, eds. Genetic disease of the eye. New York: A.R. Liss, 1982;449–462.

Please note that all authors should be listed when six or less; when seven or more, list only the first three and add et al. Do not include references to personal communications, unpublished data or manuscripts either 'in preparation' or 'submitted for publication'. If essential, such material may be incorporated into the appropriate place in the text. *Recheck references in the text against the reference list after your manuscript has been revised.* Incomplete references can result in publication delay.

Proofs

One set of proofs will be supplied (with the exception of Letters to the Editor) for the author to check for typesetting accuracy, to be returned to the publisher within 2 days of receipt. No changes to the original manuscript will be allowed at this stage.

Reprints

Fifty free reprints per contribution will be supplied. An order form will be sent to the author enabling further reprints to be ordered at prices listed on the form. Free reprints are not available for Letters to the Editor; however reprints of Letters may be ordered at prices stated on the aforementioned form. There are no page charges.

This journal is printed on acid-free paper.

Printed in the United Kingdom

